Index of Authors and Titles

Abel, T. *See* Winick, J.

Abel, T., Michelson, A. M. and Maniatis, T. A *Drosophila* GATA family member that binds to *Adh* regulatory sequences is expressed in the developing fat body **119**, 623

Abrams, J. M., White, K., Fessler, L. I. and Steller, H. Programmed cell death during *Drosophila* embryogenesis **117**, 29

Abramson, B. J. *See* Levison, S. W.

Acampora, D. *See* Dono, R.

Acklin, S. E. and van der Kooy, D. Clonal heterogeneity in the germinal zone of the developing rat telencephalon **118**, 175

Adams, J. and Watt, F. M. Regulation of development and differentiation by the extracellular matrix **117**, 1183

Adler, P. N. *See* Martin, E. C.

Aeschbacher, R. A. *See* Benfey, P. N.

Affolter, M., Walldorf, U., Kloter, U., Schier, A. F. and Gehring, W. J. Regional repression of a *Drosophila* POU box gene in the endoderm involves inductive interactions between germ layers **117**, 1199

Agata, K., Kobayashi, H., Itoh, Y., Mochii, M., Sawada, K. and Eguchi, G. Genetic characterization of the multipotent dedifferentiated state of pigmented epithelial cells in vitro **118**, 1025

Akam, M. *See* Dawson, I. A.

Akam, M. *See* Kelsh, R.

Akhurst, R. J. *See* Dickson, M. C.

Alarcon, F. J. *See* Jimenez, R.

Albano, R. M., Groome, N. and Smith, J. C. Activins are expressed in preimplantation mouse embryos and in ES and EC cells and are regulated on their differentiation **117**, 711

Alberts, B. M. *See* Theurkauf, W. E.

Alexander, S. M. *See* McGuire, P. G.

Alpert, S. *See* Teitelman, G.

Altruda, F. *See* Tarone, G.

Altshuler, D., Lo Turco, J. J., Rush, J. and Cepko, C. Taurine promotes the differentiation of a vertebrate retinal cell type in vitro **119**, 1317

Alvarez, J. *See* Bowman, J. L.

Amaya, E., Stein, P. A., Musci, T. J. and Kirschner, M. W. FGF signalling in the early specification of mesoderm in *Xenopus* **118**, 477

Ambrosio, L. *See* Melnick, M. B.

Anderson, D. J. *See* Birren, S. J.

Anderson, D. J. *See* Zimmerman, K.

Anderson, R., Landry, M. and Muneoka, K. Maintenance of ZPA signaling in cultured mouse limb bud cells **117**, 1421

Andrew, D. J. *See* Zeng, W.

Ang, S.-L. and Rossant, J. Anterior mesendoderm induces mouse *Engrailed* genes in explant cultures **118**, 139

Ang, S.-L., Wierda, A., Wong, D., Stevens, K. A., Cascio, S., Rossant, J. and Zaret, K. S. The formation and maintenance of the definitive endoderm lineage in the mouse: involvement of HNF3/*forkhead* proteins **119**, 1301

Angelier, N. *See* Billoud, B.

Anjard, C. *See* Hopper, N. A.

Ansell, J. D. *See* Samuel, K.

Arenas, E. *See* Ibanez, C. F.

Armstrong, N., Hardin, J. and McClay, D. R. Cell-cell interactions regulate skeleton formation in the sea urchin embryo **119**, 833

Arnosti, D. N. *See* Small, S.

Artavanis-Tsakonas, S. *See* Dawson, I. A.

Avner, P. R. *See* Dandolo, L.

Babinet, C. *See* Li, Z.

Bachmann, M. *See* Mundlos, S.

Bachvarova, R. F. *See* Duttlinger, R.

Baguna, J. *See* Garcia-Fernandez, J.

Bai, X. M. *See* David, G.

Baker, B. S. *See* Oliver, B.

Balling, R. *See* Koseki, H.

Bally-Cuif, L., Goridis, C. and Santoni, M.-J. The mouse NCAM gene displays a biphasic expression pattern during neural tube development **117**, 543

Baltz, J. M., Bigger, J. D. and Lechene, C. A novel H+ permeability dominating intracellular pH in the early mouse embryo **118**, 1353

Banerjee, U. *See* Coyle-Thompson, C. A.

Barde, Y.-A. *See* Dechant, G.

Bardsley, A., McDonald, K. and Boswell, R. E. Distribution of tudor protein in the *Drosophila* embryo suggests separation of functions based on site of localization **119**, 207

Barres, B. A., Schmid, R., Sendnter, M. and Raff, M. C. Multiple extracellular signals are required for long-term oligodendrocyte survival **118**, 283

Bars, J. *See* Zimmerman, K.

Barsh, G. S. *See* Frohman, M. A.

Bartlett, P. F. *See* Murphy, M.

Barton, M. K. and Poethig, R. S. Formation of the shoot apical meristem in *Arabidopsis thaliana*: an analysis of development in the wild type and in the *shoot meristemless* mutant **119**, 823

Barton, S. C. *See* Reik, W.

Bastiani, M. J. *See* Karlstrom, R. O.

Bate, M. *See* Broadie, K.

Bates, B. *See* Conover, J. C.

Beddington, R. S. P. *See* Wilson, V.

Beebe, D. C. *See* Hyatt, G. A.

Beeman, R. W. *See* Stuart, J. J.

Behringer, R. R., Crotty, D. A., Tennyson, V. M., Brinster, R. L., Palmiter, R. D. and Wolgemuth, D. J. Sequences 5′ of the homeobox of the *Hox-1.4* gene direct tissue-specific expression of *lacZ* during mouse development **117**, 823

Bejsovec, A. and Wieschaus, E. Segment polarity gene interactions modulate epidermal patterning in *Drosophila* embryos **119**, 501

Bellen, H. J. *See* Littleton, J. T.

Benfey, P. N., Linstead, P. J., Roberts, K., Schiefelbein, J. W., Hauser, M.-T. and Aeschbacher, R. A. Root development in *Arabidopsis*: four mutants with dramatically altered root morphogenesis **119**, 57

Bennett, M. F. *See* Mayor, R.

Bentley, D. *See* Chang, W. S.

Berard, L. *See* Billoud, B.

Berleth, T. and Jurgens, G. The role of the *monopteros* gene in organising the basal body region of the *Arabidopsis* embryo **118**, 575

Berridge, M. J. *See* Cheek, T. R.

Besmer, P. *See* Duttlinger, R.

Besse, C. *See* Cognard, C.

Biffo, S. *See* Dechant, G.

Bigger, J. D. *See* Baltz, J. M.

Billoud, B., Rodriguez-Martin, M.-L., Berard, L., Moreau, N. and Angelier, N. Constitutive expression of a somatic heat-inducible *hsp70* gene during amphibian oogenesis **119**, 921

Birchmeier, C. *See* Durbeej, M.

Birnbaum, D. *See* deLapeyriere, O.

Birren, S. J., Lo, L. and Anderson, D. J. Sympathetic neuroblasts undergo a developmental switch in trophic dependence **119**, 597

Blair, S. S. Mechanisms of compartment formation: evidence that non-proliferating cells do not play a critical role in defining the D/V lineage restriction in the developing wing of *Drosophila* **119**, 339

Blanton, R. L. Prestalk cells in monolayer cultures exhibit two distinct modes of cellulose synthesis during stalk cell differentiation in *Dictyostelium* **119**, 703

Blochlinger, K., Jan, L. Y. and Jan, Y. N. Postembryonic patterns of expression of *cut*, a locus regulating sensory organ identity in *Drosophila* **117**, 441

Block, N. E. *See* Smith, T. H.

Blum, M. *See* Gaunt, S. J.

Blumberg, B. *See* Gont, L. K.
Blumberg, H. *See* Kelley, C.
Bode, H. R. *See* Shenk, M. A.
Bodmer, R. The gene *tinman* is required for specification of the heart and visceral muscles in *Drosophila* **118**, 719
Boedigheimer, M. and Laughon, A. *expanded*: a gene involved in the control of cell proliferation in imaginal discs **118**, 1291
Bonaldo, P. *See* Quarto, R.
Bonhoeffer, F. *See* Wizenmann, A.
Bopp, D., Horabin, J. I., Lersch, R. A., Cline, T. W. and Schedl, P. Expression of the *Sex-lethal* gene is controlled at multiple levels during *Drosophila* oogenesis **118**, 797
Bossing, T. *See* Udolph, G.
Boswell, R. E. *See* Bardsley, A.
Botas, J. *See* Irvine, K. D.
Botelho, M. J. *See* Poulin, M. L.
Bothwell, M. *See* Kinoshita, Y.
Botteri, F. M. *See* Mansuy, I. M.
Boulekbache, H. *See* Joly, J.-S.
Bowman, J. L., Alvarez, J., Weigel, D., Meyerowitz, E. M. and Smyth, D. R. Control of flower development in *Arabidopsis thaliana* by *APETALA1* and interacting genes **119**, 721
Bownes, M. *See* Giorgi, F.
Bowtell, D. D. L. *See* Della, N. G.
Boxberg, Y. v. *See* Wizenmann, A.
Bradshaw, H. L. *See* Hallauer, P. L.
Brand, A. H. and Perrimon, N. Targeted gene expression as a means of altering cell fates and generating dominant phenotypes **118**, 401
Brand, M. *See* Jarman, A. P.
Brand, M., Jarman, A. P., Jan, L. Y. and Jan, Y.-N. *asense* is a *Drosophila* neural precursor gene and is capable of initiating sense organ formation **119**, 1
Brandle, K. *See* Degen, N.
Bravo, R. *See* Carrasco, D.
Breen, T. R. and Harte, P. J. *trithorax* regulates multiple homeotic genes in the bithorax and Antennapedia complexes and exerts different tissue-specific, parasegment-specific and promoter-specific effects on each **117**, 119
Breitbart, R. E., Liang, C.-S., Smoot, L. B., Laheru, D. A., Mahdavi, V. and Nadal-Ginard, B. A fourth human MEF2 transcription factor, hMEF2D, is an early marker of the myogenic lineage **118**, 1095
Breitman, M. L. *See* Yamaguchi, T. P.
Brennan, L. *See* Govind, S.
Briand, P. *See* Vernet, M.
Bringas, P. Jr. *See* Diekwisch, T.
Bringas, P. *See* Shum, L.
Brinster, R. L. *See* Behringer, R. R.
Broadie, K. and Bate, M. Muscle development is independent of innervation during *Drosophila* embryogenesis **119**, 533
Brockes, J. P. *See* Hill, D. S.
Brodland, G. W. *See* Clausi, D. A.
Bronner-Fraser, M. *See* Collazo, A.
Bronner-Fraser, M. *See* Scherson, T.
Bronner-Fraser, M. *See* Sechrist, J.
Brook, F. A. *See* Estibeiro, J. P.
Brook, W. J., Ostafichuk, L. M., Piorecky, J., Wilkinson, M. D., Hodgetts, D. J. and Russell, M. A. Gene expression during imaginal disc regeneration detected using enhancer-sensitive P-elements **117**, 1287
Brown, J. J. G. and Papaioannou, V. E. Ontogeny of hyaluronan secretion during early mouse development **117**, 483
Brown, J. L. and Wu, C. Repression of *Drosophila* pair-rule segmentation genes by ectopic expression of *tramtrack* **117**, 45
Brown, J. M., Wedden, S. E., Millburn, G. H., Robson, L. G., Hill, R. E., Davidson, D. R. and Tickle, C. Experimental analysis of the control of expression of the homeobox-gene *Msx-1* in the developing limb and face **119**, 41
Brown, M. A. *See* Murphy, M.
Brown, S. J. *See* Stuart, J. J.
Brunet, J.-F. *See* Valarche, I.
Buchman, V. L. and Davies, A. M. Different neurotrophins are expressed and act in a developmental sequence to promote the survival of embryonic sensory neurons **118**, 989
Buckingham, M. *See* Ontell, M.
Buckley, S. *See* Shum, L.
Buehr, M., Gu, S. and McLaren, A. Mesonephric contribution to testis differentiation in the fetal mouse **117**, 273
Buhr, R. J. *See* Coutinho, L. L.
Bunge, M. B. *See* Fernandez-Valle, C.
Buratynski, T. J. *See* Ewulonu, U. K.
Burdsal, C. A., Damsky, C. H. and Pedersen, R. A. The role of E-cadherin and integrins in mesoderm differentiation and migration at the mammalian primitive streak **118**, 829
Burgos, M. *See* Jimenez, R.
Burgoyne, P. S. A Y-chromosomal effect on blastocyst cell number in mice **117**, 341
Burgoyne, P. S. *See* Thornhill, A. R.
Burne, J. F. *See* Coles, H. S. R.
Buttner, G. *See* Mayer, U.
Butz, S. *See* Schneider, S.
Cado, D. *See* Logan, C.
Calarco, P. G. *See* Sutherland, A. E.
Campbell, R. M. and Peterson, A. C. Expression of a *lacZ* transgene reveals floor plate cell morphology and macromolecular transfer to commissural axons **119**, 1217
Campbell, R. M. *See* Moon, R. T.
Camu, W. *See* Mettling, C.
Cancedda, R. *See* Quarto, R.
Capecchi, M. R. *See* Carpenter, E. M.
Capecchi, M. R. *See* Condie, B. G.
Capecchi, M. R. *See* Mansour, S. L.
Carpenter, E. M., Goddard, J. M., Chisaka, O., Manley, N. R. and Capecchi, M. R. Loss of *Hox-A1 (Hox-1.6)* function results in the reorganization of the murine hindbrain **118**, 1063
Carrasco, D., Ryseck, R.-P. and Bravo, R. Expression of *rel*B transcripts during lymphoid organ development: specific expression in dendritic antigen-presenting cells **118**, 1221
Carre, D. *See* Houliston, E.
Carroll, P. M., Richards, W. G., Darrow, A. L., Wells, J. M. and Strickland, S. Preimplantation mouse embryos express a cell surface receptor for tissue-plasminogen activator **119**, 191
Carroll, S. B. *See* Langeland, J. A.
Carroll, S. B. *See* Orenic, T. V.
Carroll, S. B. *See* Williams, J. A.
Carsience, R. S., Clark, M. E., Gibbins, A. M. V. and Etches, R. J. Germline chimeric chickens from dispersed donor blastodermal cells and compromised recipient embryos **117**, 669
Carter, W. J. *See* Hughes, S. M.
Cascio, S. *See* Ang, S.-L.
Cassiman, J.-J. *See* David, G.
Cavard, C. *See* Vernet, M.
Caviness, V. S. Jr. *See* Tsai, L.-H.
Cepko, C. *See* Altshuler, D.
Chalfie, M. *See* Mitani, S.
Chamberlain, C. G. *See* Schultz, M. W.
Chamberlin, H. M. and Sternberg, P. W. Multiple cell interactions are required for fate specification during male spicule development in *Caenorhabditis elegans* **118**, 297
Chambon, P. *See* Mark, M.
Chambon, P. *See* Ruberte, E.
Chang, W. S., Zachow, K. R. and Bentley, D. Expression of epithelial alkaline phosphatase in segmentally iterated bands during grasshopper limb morphogenesis **118**, 651
Chapman, D. L. and Wolgemuth, D. J. Isolation of the murine cyclin B2 cDNA and characterization of the lineage and temporal specificity of expression of the B1 and B2 cyclins during oogenesis, spermatogenesis and early embryogenesis **118**, 229
Chardon-Loriaux, I. *See* Winick, J.
Charite, J. *See* Vogels, R.

Cheek, T. R., McGuinness, O. M., Vincent, C., Moreton, R. B., Berridge, M. J. and Johnson, M. H. Fertilisation and thimerosal stimulate similar calcium spiking patterns in mouse oocytes but by separate mechanisms **119**, 179
Chi Nguyen-Huu, M. *See* Perez-Castro, A. V.
Chisaka, O. *See* Carpenter, E. M.
Chiu, I.-M. *See* Poulin, M. L.
Chou, T.-B., Noll, E. and Perrimon, N. Autosomal *P{ovo^{D1}}* dominant female-sterile insertions in *Drosophila* and their use in generating germ-line chimeras **119**, 1359
Christ, B. *See* Koseki, H.
Christian, J. L. *See* Moon, R. T.
Chu, T. Y. *See* Duttlinger, R.
Chuang, C. *See* Levison, S. W.
Chuong, C.-M. *See* Serras, F.
Ciment, G. *See* Sherman, L.
Citi, S. *See* Fleming, T. P.
Citi, S. *See* Javed, Q.
Clark, M. E. *See* Carsience, R. S.
Clark, S. E., Running, M. P. and Meyerowitz, E. M. *CLAVATA1*, a regulator of meristem and flower development in *Arabidopsis* **119**, 397
Clarke, A. R. *See* Samuel, K.
Clarke, J. D. W. and Lumsden, A. Segmental repetition of neuronal phenotype sets in the chick embryo hindbrain **118**, 151
Clausi, D. A. and Brodland, G. W. Mechanical evaluation of theories of neurulation using computer simulations **118**, 1013
Clegg, N. J. *See* Stern, B.
Clevers, H. *See* Oosterwegel, M.
Cline, T. W. *See* Bopp, D.
Cognard, C., Constantin, B., Rivet-Bastide, M., Imbert, N., Besse, C. and Raymond, G. Appearance and evolution of calcium currents and contraction during the early post-fusional stages of rat skeletal muscle cells developing in primary culture **117**, 1153
Cohen, B. *See* O'Hara, E.
Cohen, B., Simcox, A. A. and Cohen, S. M. Allocation of the thoracic imaginal primordia in the *Drosophila* embryo **117**, 597
Cohen, N. *See* Salzberg, A.
Cohen, S. M. *See* Cohen, B.
Cohen, S. M. *See* O'Hara, E.
Coles, H. S. R., Burne, J. F. and Raff, M. C. Large-scale normal cell death in the developing rat kidney and its reduction by epidermal growth factor **118**, 777
Collazo, A. *See* Zimmerman, K.
Collazo, A., Bronner-Fraser, M. and Fraser, S. E. Vital dye labelling of *Xenopus laevis* trunk neural crest reveals multipotency and novel pathways of migration **118**, 363
Colombatti, A. *See* Quarto, R.
Coltey, P. M. *See* Couly, G. F.
Condamine, H. *See* Joly, J.-S.
Condic, M. L. *See* Fessler, L. I.
Condie, B. G. and Capecchi, M. R. Mice homozygous for a targeted disruption of *Hoxd-3* (*Hox-4.1*) exhibit anterior transformations of the first and second cervical vertebrae, the atlas and the axis **119**, 579
Conlon, R. A. *See* Yamaguchi, T. P.
Conover, J. C., Ip, N. Y., Poueymirou, W. T., Bates, B., Goldfarb, M. P., DeChiara, T. M. and Yancopoulos, G. D. Ciliary neurotrophic factor maintains the pluripotentiality of embryonic stem cells **119**, 559
Constantin, B. *See* Cognard, C.
Consten, C. *See* van Straaten, H. W. M.
Copeland, N. G. *See* Tessarollo, L.
Copenhaver, P. F. Origins, migration and differentiation of glial cells in the insect enteric nervous system from a discrete set of glial precursors **117**, 59
Copp, A. J. *See* Estibeiro, J. P.
Copp, A. J. *See* van Straaten, H. W. M.
Cordes, S. P. *See* Frohman, M. A.
Corwin, J. T. *See* Kelley, M. W.
Costantini, F. *See* Pachnis, V.
Couderc, J.-L. *See* Godt, D.
Coulier, F. *See* deLapeyriere, O.
Couly, G. F., Coltey, P. M. and Le Douarin, N. M. The triple origin of the skull in higher vertebrates: a study in quail-chick chimeras **117**, 409
Coutinho, L. L., Morris, J., Marks, H. L., Buhr, R. J. and Ivarie, R. Delayed somite formation in a quail line exhibiting myofiber hyperplasia is accompanied by a delayed expression of myogenic regulatory factors and myosin heavy chain **117**, 563
Coyle-Thompson, C. A. and Banerjee, U. The *strawberry notch* gene functions with *Notch* in common developmental pathways **119**, 377
Cramton, S. E. *See* Godt, D.
Creech Kraft, J. *See* Schuh, T. J.
Crews, S. T. *See* Kim, S. H.
Crohin, C. *See* Shum, L.
Crossley, P. H. *See* Wheatley, S. C.
Crotty, D. A. *See* Behringer, R. R.
Curfs, M. H. J. M., Gribnau, A. A. M. and Dederen, P. J. W. C. Postnatal maturation of the dendritic fields of motoneuron pools supplying flexor and extensor muscles of the distal forelimb in the rat **117**, 535
Damsky, C. H. *See* Burdsal, C. A.
Damsky, C. H. *See* Sutherland, A. E.
Dandolo, L., Stewart, C. L., Mattei, M.-G. and Avner, P. R. Inactivation of an X-linked transgene in murine extraembryonic and adult tissues **118**, 641
Darrow, A. L. *See* Carroll, P. M.
Darveau, A. *See* Mundlos, S.
David, G., Bai, X. M., Van der Schueren, B., Marynen, P., Cassiman, J.-J. and Van den Berghe, H. Spatial and temporal changes in the expression of fibroglycan *(syndecan-2)* during mouse embryonic development **119**, 841
David, S. *See* Diekwisch, T.
Davidson, D. R. *See* Brown, J. M.
Davidson, E. H. Later embryogenesis: regulatory circuitry in morphogenetic fields **118**, 665
Davies, A. M. *See* Buchman, V. I.
Davies, A. M. *See* Vogel, K. S.
Davies, A. M. *See* Wyatt, S.
Davies, T. *See* Downs, K. M.
Dawson, I. A., Roth, S., Akam, M. and Artavanis-Tsakonas, S. Mutations of the *fizzy* locus cause metaphase arrest in *Drosophila melanogaster* embryos **117**, 359
Dawson, I. *See* Kelsh, R.
de Billy, G. *See* Ibnsouda, S.
de Curtis, I. and Reichardt, L. F. Function and spatial distribution in developing chick retina of the laminin receptor $\alpha_6\beta_1$ and its isoforms **118**, 377
De Felici, M. *See* Pesce, M.
de Graaf, W. *See* Vogels, R.
de Iongh, R. U. *See* Schultz, M. W.
De Robertis, E. M. *See* Gaunt, S. J.
De Robertis, E. M. *See* Gont, L. K.
De Robertis, E. M. *See* Steinbeisser, H.
De Sousa, P. A., Valdimarsson, G., Nicholson, B. J. and Kidder, G. M. Connexin trafficking and the control of gap junction assembly in mouse preimplantation embryos **117**, 1355
Dechant, G., Biffo, S., Okazawa, H., Kolbeck, R., Pottgiesser, J. and Barde, Y.-A. Expression and binding characteristics of the BDNF receptor chick *trk*B **119**, 545
DeChiara, T. M. *See* Conover, J. C.
Dederen, P. J. W. C. *See* Curfs, M. H. J. M.
Degen, N., Brandle, K. and Peter, L. Histological studies on the development of retinotectal projections from nasoventral quarter-eyes in *Xenopus laevis* **118**, 589
deLapeyriere, O., Ollendorff, V., Planche, J., Ott, M. O., Pizette, S., Coulier, F. and Birnbaum, D. Expression of the *Fgf6* gene is

restricted to developing skeletal muscle in the mouse embryo **118**, 601
Della, N. G., Senior, P. V. and Bowtell, D. D. L. Isolation and characterisation of murine homologues of the *Drosophila seven in absentia* gene (*sina*) **117**, 1333
Dencker, L. *See* Gustafson, A.-L.
Denell, R. E. *See* Stuart, J. J.
Desai, C. *See* Garriga, G.
Deschamps, J. *See* Vogels, R.
DeSimone, D. W. *See* Whittaker, C. A.
Destree, O. *See* Oosterwegel, M.
Diaz de la Guardia, R. *See* Jimenez, R.
Dickson, M. C., Slager, H. G., Duffie, E., Mummery, C. L. and Akhurst, R. J. RNA and protein localisations of TGFβ2 in the early mouse embryo suggest an involvement in cardiac development **117**, 625
Diekwisch, T., David, S., Bringas, P. Jr., Santos, V. and Slavkin, H. C. Antisense inhibition of AMEL translation demonstrates supramolecular controls for enamel HAP crystal growth during embryonic mouse molar development **117**, 471
Dodd, J. *See* Hume, C. R.
Dodd, J. *See* Placzek, M.
Dolan, L., Janmaat, K., Willemsen, V., Linstead, P., Poethig, S., Roberts, K. and Scheres, B. Cellular organisation of the *Arabidopsis thaliana* root **119**, 71
Dolci, S. *See* Pesce, M.
Dolle, P. *See* Mark, M.
Dominguez, M. *See* Martin-Bermudo, M. D.
Dono, R., Scalera, L., Pacifico, F., Acampora, D., Persico, M. G. and Simeone, A. The murine *cripto* gene: expression during mesoderm induction and early heart morphogenesis **118**, 1157
Downs, K. M. and Davies, T. Staging of gastrulating mouse embryos by morphological landmarks in the dissecting microscope **118**, 1255
Dozin, B. *See* Quarto, R.
Dressler, G. R. *See* Rothenpieler, U. W.
Driscoll, M. *See* Mitani, S.
Du, H. *See* Mitani, S.
Duffie, E. *See* Dickson, M. C.
Dumont, D. J. *See* Yamaguchi, T. P.
Durbeej, M., Soderstrom, S., Ebendal, T., Birchmeier, C. and Ekblom, P. Differential expression of neurotrophin receptors during renal development **119**, 977
Duttlinger, R., Manova, K., Chu, T. Y., Gyssler, C., Zelenetz, A. D., Bachvarova, R. F. and Besmer, P. *W-sash* affects positive and negative elements controlling c-*kit* expression: ectopic c-*kit* expression at sites of kit-ligand expression affects melanogenesis **118**, 705
Dziadek, M. *See* Thomas, T.
Dzierzak, E. A. *See* Muller, A. M.
Early, A. E., Gaskell, M. J., Traynor, D. and Williams, J. G. Two distinct populations of prestalk cells within the tip of the migratory *Dictyostelium* slug with differing fates at culmination **118**, 353
Early, A. *See* Harwood, A. J.
Ebendal, T. *See* Durbeej, M.
Ebensperger, C. *See* Koseki, H.
Edlund, T. *See* Korzh, V.
Edson, K., Weisshaar, B. and Matus, A. Actin depolymerisation induces process formation on MAP2-transfected non-neuronal cells **117**, 689
Efstratiadis, A. *See* Filson, A. J.
Eguchi, G. *See* Agata, K.
Eichele, G. *See* Kuratani, S. C.
Eichele, G. *See* Thaller, C.
Ekblom, P. *See* Durbeej, M.
Elinson, R. P. *See* Holowacz, T.
Ellis, M. C., O'Neill, E. M. and Rubin, G. M. Expression of *Drosophila glass* protein and evidence for negative regulation of its activity in non-neuronal cells by another DNA-binding protein **119**, 855
Emori, Y. *See* Shishido, E.
Engel, J. D. *See* Leonard, M. W.
Engel, J. D. *See* Winick, J.
Eriksson, U. *See* Gustafson, A.-L.
Ernfors, P. *See* Ibanez, C. F.
Essex, L. J. *See* Mayor, R.
Estibeiro, J. P., Brook, F. A. and Copp, A. J. Interaction between *splotch* (*Sp*) and *curly tail* (*ct*) mouse mutants in the embryonic development of neural tube defects **119**, 113
Etches, R. J. *See* Carsience, R. S.
Ettensohn, C. A. and Malinda, K. M. Size regulation and morphogenesis: a cellular analysis of skeletogenesis in the sea urchin embryo **119**, 155
Ettensohn, C. A. and Ruffins, S. W. Mesodermal cell interactions in the sea urchin embryo: properties of skeletogenic secondary mesenchyme cells **117**, 1275
Evans, T. *See* Kelley, C.
Ewulonu, U. K., Buratynski, T. J. and Schimenti, J. C. Functional and molecular characterization of the transcriptional regulatory region of *Tcp-10b*^{t}, a testes-expressed gene from the *t complex responder* locus **117**, 89
Faerman, A. and Shani, M. The expression of the regulatory myosin light chain 2 gene during mouse embryogenesis **118**, 919
Fainsod, A. *See* Frumkin, A.
Fallon, J. F. *See* Riley, B. B.
Fan, G. and Katz, D. M. Non-neuronal cells inhibit catecholaminergic differentiation of primary sensory neurons: role of leukemia inhibitory factor **118**, 83
Farrace, M. G. *See* Pesce, M.
Fehon, R. G. *See* Kooh, P. J.
Feng, L. *See* Kuhar, S. G.
Fergelot, P. *See* Vernet, M.
Ferguson, M. W. J. *See* Jowett, A. K.
Fernandes, J. and VijayRaghavan, K. The development of indirect flight muscle innervation in *Drosophila melanogaster* **118**, 215
Fernandez-Valle, C., Fregien, N., Wood, P. M. and Bunge, M. B. Expression of the protein zero myelin gene in axon-related Schwann cells is linked to basal lamina formation **119**, 867
Fessler, J. H. *See* Fessler, L. I.
Fessler, L. I. *See* Abrams, J. M.
Fessler, L. I., Condic, M. L., Nelson, R. E., Fessler, J. H. and Fristrom, J. W. Site-specific cleavage of membrane collagen IV during *Drosophila* metamorphosis **117**, 1061
Filson, A. J., Louvi, A., Efstratiadis, A. and Robertson, E. J. Rescue of the T-associated maternal effect in mice carrying null mutations in *Igf-2* and *Igf2r*, two reciprocally imprinted genes **118**, 731
Firtel, R. A. *See* Mann, S. K. O.
Fishman, M. C. *See* Stainier, D. Y. R.
Fitzgerald, K., Wilkinson, H. A. and Greenwald, I. *glp-1* can substitute for *lin-12* in specifying cell fate decisions in *Caenorhabditis elegans* **119**, 1019
Fitzgerald, M., Kwiat, G. C., Middleton, J. and Pini, A. Ventral spinal cord inhibition of neurite outgrowth from embryonic rat dorsal root ganglia **117**, 1377
Fleming, T. P. *See* Javed, Q.
Fleming, T. P., Hay, M., Javed, Q. and Citi, S. Localisation of tight junction protein cingulin is temporally and spatially regulated during early mouse development **117**, 1135
Fogarty, P. *See* Sullivan, W.
Forristall, C. *See* Mosquera, L.
Fraser, S. E. *See* Collazo, A.
Fraser, S. E. *See* Sechrist, J.
Fraser, S. *See* Moon, R. T.
Fraser, S. *See* Scherson, T.
Fraser, S. *See* Serras, F.
Fregien, N. *See* Fernandez-Valle, C.
Frei, E. *See* Gutjahr, T.
French, A. S. *See* Sanders, E. J.
Friederich, V. *See* Ruberte, E.

Friedrich, A. *See* Grove, E. A.
Fristrom, D., Wilcox, M. and Fristrom, J. The distribution of PS integrins, laminin A and F-actin during key stages in *Drosophila* wing development **117**, 509
Fristrom, J. *See* Fristrom, D.
Fristrom, J. W. *See* Fessler, L. I.
Fristrom, J. W. *See* Garbe, J. C.
Frohman, M. A., Martin, G. R., Cordes, S. P., Halamek, L. P. and Barsh, G. S. Altered rhombomere-specific gene expression and hyoid bone differentiation in the mouse segmentation mutant, *kreisler (kr)* **117**, 925
Frumkin, A., Haffner, R., Shapira, E., Tarcic, N., Gruenbaum, Y. and Fainsod, A. The chicken *CdxA* homeobox gene and axial positioning during gastrulation **118**, 553
Fujisue, M., Kobayakawa, Y. and Yamana, K. Occurrence of dorsal axis-inducing activity around the vegetal pole of an uncleaved *Xenopus* egg and displacement to the equatorial region by cortical rotation **118**, 163
Fujiwara, S. *See* Kawamura, K.
Funahashi, J.-i., Sekido, R., Murai, K., Kamachi, Y. and Kondoh, H. δ-crystallin enhancer binding protein δEF1 is a zinc finger-homeodomain protein implicated in postgastrulation embryogenesis **119**, 433
Garbe, J. C., Yang, E. and Fristrom, J. W. *IMP-L2*: an essential secreted immunoglobulin family member implicated in neural and ectodermal development in *Drosophila* **119**, 1237
Garcia-Alonso, L. *See* Henchcliffe, C.
Garcia-Fernandez, J., Baguna, J. and Salo, E. Genomic organization and expression of the planarian homeobox genes *Dth-1* and *Dth-2* **118**, 241
Garesse, R. *See* Manzanares, M.
Garriga, G., Desai, C. and Horvitz, H. R. Cell interactions control the direction of outgrowth, branching and fasciculation of the HSN axons of *Caenorhabditis elegans* **117**, 1071
Gaskell, M. J. *See* Early, A. E.
Gaunt, S. J., Blum, M. and De Robertis, E. M. Expression of the mouse *goosecoid* gene during mid-embryogenesis may mark mesenchymal cell lineages in the developing head, limbs and body wall **117**, 769
Gehring, W. J. *See* Affolter, M.
Gelbart, W. M. *See* Hursh, D. A.
Gelbart, W. M. *See* Wharton, K. A.
George, E. L., Georges-Labouesse, E. N., Patel-King, R. S., Rayburn, H. and Hynes, R. O. Defects in mesoderm, neural tube and vascular development in mouse embryos lacking fibronectin **119**, 1079
Georges-Labouesse, E. N. *See* George, E. L.
Ghosh, A. and Shatz, C. J. A role for subplate neurons in the patterning of connections from thalamus to neocortex **117**, 1031
Giangrande, A., Murray, M. A. and Palka, J. Development and organization of glial cells in the peripheral nervous system of *Drosophila melanogaster* **117**, 895
Gibbins, A. M. V. *See* Carsience, R. S.
Gilbert, D. J. *See* Tessarollo, L.
Giniger, E., Jan, L. Y. and Jan, Y. N. Specifying the path of the intersegmental nerve of the *Drosophila* embryo: a role for *Delta* and *Notch* **117**, 431
Giorgi, F., Lucchesi, P., Morelli, A. and Bownes, M. Ultrastructural analysis of *Drosophila* ovarian follicles differing in yolk polypeptide (yps) composition **117**, 319
Gleizer, L. and Stent, G. S. Developmental origin of segmental identity in the leech mesoderm **117**, 177
Goddard, J. M. *See* Carpenter, E. M.
Goddard, J. M. *See* Mansour, S. L.
Godt, D., Couderc, J.-L., Cramton, S. E. and Laski, F. A. Pattern formation in the limbs of *Drosophila*: *bric á brac* is expressed in both a gradient and a wave-like pattern and is required for specification and proper segmentation of the tarsus **119**, 799
Goldfarb, M. P. *See* Conover, J. C.
Goldman, J. E. *See* Levison, S. W.
Goldstein, B. Establishment of gut fate in the E lineage of *C. elegans*: the roles of lineage-dependent mechanisms and cell interactions **118**, 1267
Gong, X. *See* Miller, D. J.
Gont, L. K., Steinbeisser, H., Blumberg, B. and De Robertis, E. M. Tail formation as a continuation of gastrulation: the multiple cell populations of the *Xenopus* tailbud derive from the late blastopore lip **119**, 991
Gonzalez, F. *See* Martin-Bermudo, M. D.
Goodman, C. S. *See* Gutjahr, T.
Goodman, C. S. *See* Henchcliffe, C.
Goodman, C. S. *See* Hiromi, Y.
Goridis, C. *See* Bally-Cuif, L.
Goridis, C. *See* Valarche, I.
Gorry, P. *See* Mark, M.
Goulding, M. D., Lumsden, A. and Gruss, P. Signals from the notochord and floor plate regulate the region-specific expression of two Pax genes in the developing spinal cord **117**, 1001
Govind, S., Brennan, L. and Steward, R. Homeostatic balance between dorsal and cactus proteins in the *Drosophila* embryo **117**, 135
Graham, A., Heyman, I. and Lumsden, A. Even-numbered rhombomeres control the apoptotic elimination of neural crest cells from odd-numbered rhombomeres in the chick hindbrain **119**, 233
Grainger, R. M. *See* Saha, M. S.
Granadino, B., Santamaria, P. and Sanchez, L. Sex determination in the germ line of *Drosophila melanogaster*: activation of the gene *Sex-lethal* **118**, 813
Grau, E. *See* Monaghan, A. P.
Greenwald, I. *See* Fitzgerald, K.
Gribnau, A. A. M. *See* Curfs, M. H. J. M.
Grigliatti, T. A. *See* Stern, B.
Grimber, G. *See* Vernet, M.
Grinblat, Y. *See* Zusman, S.
Griswold, C. M. *See* Mahaffey, J. W.
Groome, N. *See* Albano, R. M.
Gross, J. *See* Inouye, K.
Grove, E. A., Williams, B. P., Li, D.-Q., Hajihosseini, M., Friedrich, A. and Price, J. Multiple restricted lineages in the embryonic rat cerebral cortex **117**, 553
Gruenbaum, Y. *See* Frumkin, A.
Grunewald, B. *See* Reuter, R.
Grunwald, D. J. *See* Stachel, S. E.
Gruss, P. *See* Goulding, M. D.
Gruss, P. *See* Meyer, B. I.
Gu, D. and Sarvetnick, N. Epithelial cell proliferation and islet neogenesis in IFN-g transgenic mice **118**, 33
Gu, S. *See* Buehr, M.
Guild, G. M. *See* Karim, F. D.
Gulding, K. M. *See* Saha, M. S.
Gurley, C. M. *See* Hughes, S. M.
Gustafson, A.-L., Dencker, L. and Eriksson, U. Non-overlapping expression of CRBP I and CRABP I during pattern formation of limbs and craniofacial structures in the early mouse embryo **117**, 451
Guthrie, S., Prince, V. and Lumsden, A. Selective dispersal of avian rhombomere cells in orthotopic and heterotopic grafts **118**, 527
Gutjahr, T., Frei, E. and Noll, M. Complex regulation of early *paired* expression: initial activation by gap genes and pattern modulation by pair-rule genes **117**, 609
Gutjahr, T., Patel, N. H., Li, X., Goodman, C. S. and Noll, M. Analysis of the *gooseberry* locus in *Drosophila* embryos: *gooseberry* determines the cuticular pattern and activates *gooseberry neuro* **118**, 21
Gyssler, C. *See* Duttlinger, R.
Haenlin, M. *See* Ramain, P.
Haffner, R. *See* Frumkin, A.
Hajihosseini, M. *See* Grove, E. A.
Halachmi, N. *See* Salzberg, A.
Halamek, L. P. *See* Frohman, M. A.

Hall, B. L. *See* Schuh, T. J.
Hall, D. H. *See* Mitani, S.
Hall, F. L. *See* Shum, L.
Hallauer, P. L., Bradshaw, H. L. and Hastings, K. E. M. Complex fiber-type-specific expression of fast skeletal muscle troponin I gene constructs in transgenic mice **119**, 691
Hammerschmidt, M. and Nusslein-Volhard, C. The expression of a zebrafish gene homologous to *Drosophila snail* suggests a conserved function in invertebrate and vertebrate gastrulation **119**, 1107
Hanahan, D. *See* Teitelman, G.
Hanaoka, K. *See* Sawai, S.
Hara, K. *See* Kawamura, K.
Hardin, J. *See* Armstrong, N.
Harlow, E. *See* Tsai, L.-H.
Harte, P. J. *See* Breen, T. R.
Hartley, L. *See* Lints, T. J.
Harvey, R. P. *See* Lints, T. J.
Harwood, A. J., Early, A. and Williams, J. G. A repressor controls the timing and spatial localisation of stalk cell-specific gene expression in *Dictyostelium* **118**, 1041
Hastings, K. E. M. *See* Hallauer, P. L.
Hatten, M. E. *See* Kuhar, S. G.
Haughn, G. W. *See* Schultz, E. A.
Hausen, P. *See* Schneider, S.
Hauser, M.-T. *See* Benfey, P. N.
Hay, M. *See* Fleming, T. P.
Hay, M. *See* Javed, Q.
Hayashi, S., Hirose, S., Metcalfe, T. and Shirras, A. D. Control of imaginal cell development by the *escargot* gene of *Drosophila* **118**, 105
Hayashi, S.-I. *See* Ogawa, M.
Hegde, J. and Stephenson, E. C. Distribution of swallow protein in egg chambers and embryos of *Drosophila melanogaster* **119**, 457
Heintz, N. *See* Kuhar, S. G.
Heitzler, P. and Simpson, P. Altered Epidermal Growth Factor-like sequences provide evidence for a role of *Notch* as a receptor in cell fate decisions **117**, 1113
Heitzler, P. *See* Ramain, P.
Hekking, J. W. M. *See* van Straaten, H. W. M.
Held, L. I. *See* Orenic, T. V.
Henchcliffe, C., Garcia-Alonso, L., Tang, J. and Goodman, C. S. Genetic analysis of laminin A reveals diverse functions in morphogenesis in *Drosophila* **118**, 325
Henderson, C. E. *See* Mettling, C.
Herrenknecht, K. *See* Schneider, S.
Herrmann, B. G. *See* Koseki, H.
Heuer, J. G. *See* Kinoshita, Y.
Heyman, I. *See* Graham, A.
Hickel, J. A. *See* Mahaffey, J. W.
Hidalgo, A. *See* Ingham, P. W.
Higashijima, S.-i. *See* Shishido, E.
Hill, D. S., Ragsdale, C. W. Jr. and Brockes, J. P. Isoform-specific immunological detection of newt retinoic acid receptor δ1 in normal and regenerating limbs **117**, 937
Hill, R. E. *See* Brown, J. M.
Hirata, T., Morii, E., Morimoto, M., Kasugai, T., Tsujimura, T., Hirota, S., Kanakura, Y., Nomura, S. and Kitamura, Y. Stem cell factor induces outgrowth of c-*kit*-positive neurites and supports the survival of c-*kit*-positive neurons in dorsal root ganglia of mouse embryos **119**, 49
Hiromi, Y., Mlodzik, M., West, S. R., Rubin, G. M. and Goodman, C. S. Ectopic expression of *seven-up* causes cell fate changes during ommatidial assembly **118**, 1123
Hirose, S. *See* Hayashi, S.
Hirota, S. *See* Hirata, T.
Hirsch, E. *See* Tarone, G.
Hirsch, M.-R. *See* Valarche, I.
Hodgetts, D. J. *See* Brook, W. J.
Hofbauer, A. *See* Poeck, B.
Hofmann, C. *See* Thaller, C.
Hogan, B. L. M. *See* Sasaki, H.
Hogness, D. S. *See* Irvine, K. D.
Hogness, D. S. *See* Robinow, S.
Holmgren, R. A. *See* Winick, J.
Holowacz, T. and Elinson, R. P. Cortical cytoplasm, which induces dorsal axis formation in *Xenopus*, is inactivated by UV irradiation of the oocyte **119**, 277
Hooper, M. L. *See* Samuel, K.
Hopper, N. A., Anjard, C., Reymond, C. D. and Williams, J. G. Induction of terminal differentiation of *Dictyostelium* by cAMP-dependent protein kinase and opposing effects of intracellular and extracellular cAMP on stalk cell differentiation **119**, 147
Horabin, J. I. *See* Bopp, D.
Horner, M. A. *See* Zeng, W.
Horvitz, H. R. *See* Garriga, G.
Houliston, E., Carre, D., Johnston, J. A. and Sardet, C. Axis establishment and microtubule-mediated waves prior to first cleavage in *Beroe ovata* **117**, 75
Howlett, S. K. *See* Reik, W.
Huet, F., Ruiz, C. and Richards, G. Puffs and PCR: the in vivo dynamics of early gene expression during ecdysone responses in *Drosophila* **118**, 613
Hughes, S. M., Taylor, J. M., Tapscott, S. J., Gurley, C. M., Carter, W. J. and Peterson, C. A. Selective accumulation of MyoD and Myogenin mRNAs in fast and slow adult skeletal muscle is controlled by innervation and hormones **118**, 1137
Humbert, J. *See* Li, Z.
Hume, C. R. and Dodd, J. *Cwnt-8C*: a novel *Wnt* gene with a potential role in primitive streak formation and hindbrain organization **119**, 1147
Hursh, D. A., Padgett, R. W. and Gelbart, W. M. Cross regulation of *decapentaplegic* and *Ultrabithorax* transcription in the embryonic visceral mesoderm of *Drosophila* **117**, 1211
Hyatt, G. A. and Beebe, D. C. Regulation of lens cell growth and polarity by an embryo-specific growth factor and by inhibitors of lens cell proliferation and differentiation **117**, 701
Hynes, R. O. *See* George, E. L.
Hynes, R. O. *See* Yang, J. T.
Hynes, R. O. *See* Yee, G. H.
Hynes, R. O. *See* Zusman, S.
Ibanez, C. F., Ernfors, P., Timmusk, T., Ip, N. Y., Arenas, E., Yancopoulos, G. D. and Persson, H. Neurotrophin-4 is a target-derived neurotrophic factor for neurons of the trigeminal ganglion **117**, 1345
Ibnsouda, S., Schweisguth, F., de Billy, G. and Vincent, A. Relationship between expression of *serendipity* α and cellularisation of the *Drosophila* embryo as revealed by interspecific transformation **119**, 471
Imbert, N. *See* Cognard, C.
Ingham, P. W. and Hidalgo, A. Regulation of *wingless* transcription in the *Drosophila* embryo **117**, 283
Inouye, K. and Gross, J. In vitro stalk cell differentiation in wild-type and 'slugger' mutants of *Dictyostelium discoideum* **118**, 523
Ip, N. Y. *See* Conover, J. C.
Ip, N. Y. *See* Ibanez, C. F.
Irvine, K. D., Botas, J., Jha, S., Mann, R. S. and Hogness, D. S. Negative autoregulation by *Ultrabithorax* controls the level and pattern of its expression **117**, 387
Isacke, C. M. *See* Wheatley, S. C.
Ish-Horowicz, D. *See* Lardelli, M.
Ish-Horowicz, D. *See* Parkhurst, S. M.
Itoh, Y. *See* Agata, K.
Ivarie, R. *See* Coutinho, L. L.
Jan, L. Y. *See* Blochlinger, K.
Jan, L. Y. *See* Brand, M.
Jan, L. Y. *See* Giniger, E.
Jan, L. Y. *See* Jarman, A. P.
Jan, L. Y. *See* Siegel, V.
Jan, Y. N. *See* Blochlinger, K.

Jan, Y. N. *See* Giniger, E.
Jan, Y. N. *See* Siegel, V.
Jan, Y. N. *See* Theurkauf, W. E.
Jan, Y.-N. *See* Brand, M.
Jan, Y.-N. *See* Jarman, A. P.
Janmaat, K. *See* Dolan, L.
Jarman, A. P. *See* Brand, M.
Jarman, A. P., Brand, M., Jan, L. Y. and Jan, Y.-N. The regulation and function of the helix-loop-helix gene, *asense*, in *Drosophila* neural precursors **119**, 19
Javed, Q. *See* Fleming, T. P.
Javed, Q., Fleming, T. P., Hay, M. and Citi, S. Tight junction protein cingulin is expressed by maternal and embryonic genomes during early mouse development **117**, 1145
Jeffery, W. R. *See* Swalla, B. J.
Jenkins, N. A. *See* Tessarollo, L.
Jessell, T. M. *See* Placzek, M.
Jesuthasan, S. *See* Strahle, U.
Jha, S. *See* Irvine, K. D.
Jimenez, F. *See* Martin-Bermudo, M. D.
Jimenez, R., Burgos, M., Sanchez, A., Sinclair, A. H., Alarcon, F. J., Marin, J. J., Ortega, E. and Diaz de la Guardia, R. Fertile females of the mole *Talpa occidentalis* are phenotypic intersexes with ovotestes **118**, 1303
Johnson, M. H. *See* Cheek, T. R.
Johnston, J. A. *See* Houliston, E.
Johnston, P. *See* Sampedro, J.
Joly, C. *See* Joly, J.-S.
Joly, J.-S., Joly, C., Schulte-Merker, S., Boulekbache, H. and Condamine, H. The ventral and posterior expression of the zebrafish homeobox gene *eve1* is perturbed in dorsalized and mutant embryos **119**, 1261
Jones, B. and McGinnis, W. A new *Drosophila* homeobox gene, *bsh*, is expressed in a subset of brain cells during embryogenesis **117**, 793
Jones, D. F. *See* Mahaffey, J. W.
Jongens, T. A. *See* Siegel, V.
Jongens, T. A. *See* Theurkauf, W. E.
Jowett, A. K., Vainio, S., Ferguson, M. W. J., Sharpe, P. T. and Thesleff, I. Epithelial-mesenchymal interactions are required for *msx 1* and *msx 2* gene expression in the developing murine molar tooth **117**, 461
Joyner, A. L. *See* Logan, C.
Jurgens, G. *See* Berleth, T.
Jurgens, G. *See* Mayer, U.
Kaestner, K. H. *See* Monaghan, A. P.
Kafatos, F. C. *See* Zusman, S.
Kamachi, Y. *See* Funahashi, J.-i.
Kanakura, Y. *See* Hirata, T.
Kane, D. A. and Kimmel, C. B. The zebrafish midblastula transition **119**, 447
Kapur, R. P., Yost, C. and Palmiter, R. D. Aggregation chimeras demonstrate that the primary defect responsible for aganglionic megacolon in *lethal spotted* mice is not neuroblast autonomous **117**, 993
Karim, F. D., Guild, G. M. and Thummel, C. S. The *Drosophila Broad-Complex* plays a key role in controlling ecdysone-regulated gene expression at the onset of metamorphosis **118**, 977
Karlstrom, R. O., Wilder, L. P. and Bastiani, M. J. Lachesin: an immunoglobulin superfamily protein whose expression correlates with neurogenesis in grasshopper embryos **118**, 509
Kasugai, T. *See* Hirata, T.
Katz, D. M. *See* Fan, G.
Kaufman, T. C. *See* Matthews, K. A.
Kawamura, K., Hara, K. and Fujiwara, S. Developmental role of endogenous retinoids in the determination of morphallactic field in budding tunicates **117**, 835
Kawana, A. *See* Nagata, I.
Keller, R. *See* Lane, M. C.
Keller, R. *See* Purcell, S. M.
Kelley, C., Blumberg, H., Zon, L. I. and Evans, T. GATA-4 is a novel transcription factor expressed in endocardium of the developing heart **118**, 817
Kelley, M. W., Xu, X.-M., Wagner, M. A., Warchol, M. E. and Corwin, J. T. The developing organ of Corti contains retinoic acid and forms supernumerary hair cells in response to exogenous retinoic acid in culture **119**, 1041
Kelsh, R., Dawson, I. and Akam, M. An analysis of Abdominal-B expression in the locust *Schistocerca gregaria* **117**, 293
Kemler, R. *See* Schneider, S.
Kengaku, M. and Okamoto, H. Basic fibroblast growth factor induces differentiation of neural tube and neural crest lineages of cultured ectoderm cells from *Xenopus* gastrula **119**, 1067
Kerr, K. *See* MacDonald, P. M.
Kessler, D. S. *See* Steinbeisser, H.
Khoo, W. K. *See* Logan, C.
Kidder, G. M. *See* De Sousa, P. A.
Kim, S. H. and Crews, S. T. Influence of *Drosophila* ventral epidermal development by the CNS midline cells and *spitz* class genes **118**, 893
Kim, Y.-J. *See* Oliver, B.
Kim-Ha, J., Webster, P. J., Smith, J. L. and Mcdonald, P. M. Multiple RNA regulatory elements mediate distinct steps in localization of *oskar* mRNA **119**, 169
Kimchie, Z. *See* Salzberg, A.
Kimelman, D. *See* Schuh, T. J.
Kimmel, C. B. *See* Kane, D. A.
Kina, T. *See* Ogawa, M.
King, M. L. *See* Mosquera, L.
Kinoshita, C. *See* Kinoshita, Y.
Kinoshita, Y., Kinoshita, C., Heuer, J. G. and Bothwell, M. Basic fibroblast growth factor promotes adhesive interactions of neuroepithelial cells from chick neural tube with extracellular matrix proteins in culture **119**, 943
Kintner, C. *See* Papalopulu, N.
Kirschenbaum, S. R. and O'Shea, M. Postembryonic proliferation of neuroendocrine cells expressing adipokinetic hormone peptides in the corpora cardiaca of the locust **118**, 1181
Kirschner, M. W. *See* Amaya, E.
Kispert, A. *See* Koseki, H.
Kitamura, T. *See* Kobayashi, S.
Kitamura, Y. *See* Hirata, T.
Klambt, C. The *Drosophila* gene *pointed* encodes two ETS-like proteins which are involved in the development of the midline glial cells **117**, 163
Klose, J. *See* Reik, W.
Kloter, U. *See* Affolter, M.
Kobayakawa, Y. *See* Fujisue, M.
Kobayashi, H. *See* Agata, K.
Kobayashi, S., Kitamura, T., Sasaki, H. and Okada, M. Two types of pole cells are present in the *Drosophila* embryo, one with and one without splicing activity for the third P-element intron **117**, 885
Kodama, H. *See* Ogawa, M.
Koehl, M. A. R. *See* Lane, M. C.
Kolbeck, R. *See* Dechant, G.
Komeda, Y. *See* Tsukaya, H.
Kondoh, H. *See* Funahashi, J.-i.
Kondoh, H. *See* Sawai, S.
Konieczny, S. F. *See* Smith, T. H.
Kooh, P. J., Fehon, R. G. and Muskavitch, M. A. T. Implications of dynamic patterns of Delta and Notch expression for cellular interactions during *Drosophila* development **117**, 493
Korzh, V., Edlund, T. and Thor, S. Zebrafish primary neurons initiate expression of the LIM homeodomain protein Isl-1 at the end of gastrulation **118**, 417
Koseki, H., Wallin, J., Wilting, J., Mizutani, Y., Kispert, A., Ebensperger, C., Herrmann, B. G., Christ, B. and Balling, R. A role for *Pax-1* as a mediator of notochordal signals during the dorsoventral specification of vertebrae **119**, 649
Krause, H. M. *See* Manoukian, A. S.

Kruisbeek, A. *See* Oosterwegel, M.
Ku, M. and Melton, D. A. *Xwnt-11*: a maternally expressed *Xenopus wnt* gene **119**, 1161
Ku, M. *See* Steinbeisser, H.
Kuhar, S. G., Feng, L., Vidan, S., Ross, M. E., Hatten, M. E. and Heintz, N. Changing patterns of gene expression define four stages of cerebellar granule neuron differentiation **117**, 97
Kunisada, T. *See* Ogawa, M.
Kuratani, S. C. and Eichele, G. Rhombomere transplantation repatterns the segmental organization of cranial nerves and reveals cell-autonomours expression of a homeodomain protein **117**, 105
Kwiat, G. C. *See* Fitzgerald, M.
Laheru, D. A. *See* Breitbart, R. E.
Landry, M. *See* Anderson, R.
Lane, M. C., Koehl, M. A. R., Wilt, F. and Keller, R. A role for regulated secretion of apical extracellular matrix during epithelial invagination in the sea urchin **117**, 1049
Langeland, J. A. and Carroll, S. B. Conservation of regulatory elements controlling *hairy* pair-rule stripe formation **117**, 585
Lans, D., Wedeen, C. J. and Weisblat, D. A. Cell lineage analysis of the expression of an *engrailed* homolog in leech embryos **117**, 857
Lardelli, M. and Ish-Horowicz, D. *Drosophila hairy* pair-rule gene regulates embryonic patterning outside its apparent stripe domains **118**, 255
Laski, F. A. *See* Godt, D.
Laughon, A. *See* Boedigheimer, M.
Lawrence, P. A. and Sampedro, J. *Drosophila* segmentation: after the first three hours **119**, 971
Lawrence, P. A. *See* Sampedro, J.
Le Douarin, N. M. *See* Couly, G. F.
Leach, D. *See* Whitington, P. M.
Leask, A. *See* MacDonald, P. M.
Lechene, C. *See* Baltz, J. M.
Lee, M. *See* Melnick, M. B.
Lee, R. K. *See* Stainier, D. Y. R.
Lehner, C. F. *See* Stern, B.
Leonard, M. W. *See* Winick, J.
Leonard, M. W., Lim, K.-C. and Engel, J. D. Expression of the chicken GATA factor family during early erythroid development and differentiation **119**, 519
Leptin, M. *See* Reuter, R.
Lersch, R. A. *See* Bopp, D.
Lettice, L. A. and Slack, J. M. W. Properties of the dorsalizing signal in gastrulae of *Xenopus laevis* **117**, 263
Lev, Z. *See* Salzberg, A.
Levine, M. *See* Small, S.
Levison, S. W., Chuang, C., Abramson, B. J. and Goldman, J. E. The migrational patterns and developmental fates of glial precursors in the rat subventricular zone are temporally regulated **119**, 611
Li, D.-Q. *See* Grove, E. A.
Li, X. *See* Gutjahr, T.
Li, Z., Marchand, P., Humbert, J., Babinet, C. and Paulin, D. Desmin sequence elements regulating skeletal muscle-specific expression in transgenic mice **117**, 947
Liang, C.-S. *See* Breitbart, R. E.
Lim, K.-C. *See* Leonard, M. W.
Linstead, P. J. *See* Benfey, P. N.
Linstead, P. *See* Dolan, L.
Lints, T. J., Parsons, L. M., Hartley, L., Lyons, I. and Harvey, R. P. *Nkx-2.5*: a novel murine homeobox gene expressed in early heart progenitor cells and their myogenic descendants **119**, 419
Lipshitz, H. D. *See* Parkhurst, S. M.
Littleton, J. T., Bellen, H. J. and Perin, M. S. Expression of Synaptotagmin in *Drosophila* reveals transport and localization of synaptic vesicles to the synapse **118**, 1077
Lo Turco, J. J. *See* Altshuler, D.
Lo, L. *See* Birren, S. J.
Logan, C., Khoo, W. K., Cado, D. and Joyner, A. L. Two enhancer regions in the mouse *En-2* locus direct expression to the mid/hindbrain region and mandibular myoblasts **117**, 905
Logan, M. and Mohun, T. Induction of cardiac muscle differentiation in isolated animal pole explants of *Xenopus laevis* embryos **118**, 865
Louvi, A. *See* Filson, A. J.
Lucchesi, P. *See* Giorgi, F.
Lufkin, T. *See* Mark, M.
Lumsden, A. *See* Clarke, J. D. W.
Lumsden, A. *See* Goulding, M. D.
Lumsden, A. *See* Graham, A.
Lumsden, A. *See* Guthrie, S.
Lumsden, A. *See* Mark, M.
Luo, W. *See* Shum, L.
Lyons, G. E. *See* Patapoutian, A.
Lyons, G. *See* Ontell, M.
Lyons, I. *See* Lints, T. J.
Mac Auley, A., Werb, Z. and Mirkes, P. E. Characterization of the unusually rapid cell cycles during rat gastrulation **117**, 873
MacDonald, P. M., Kerr, K., Smith, J. L. and Leask, A. RNA regulatory element BLE1 directs the early steps of *bicoid* mRNA localization **118**, 1233
Mahaffey, J. W., Jones, D. F., Hickel, J. A. and Griswold, C. M. Identification and characterization of a gene activated by the deformed homeoprotein **118**, 203
Mahdavi, V. *See* Breitbart, R. E.
Mahowald, A. P. *See* Pauli, D.
Makabe, K. W. *See* Swalla, B. J.
Malinda, K. M. *See* Ettensohn, C. A.
Mallonga, R. *See* Ontell, M.
Maniatis, T. *See* Abel, T.
Maniatis, T. *See* Winick, J.
Mankoo, B. *See* Pachnis, V.
Manley, N. R. *See* Carpenter, E. M.
Mann, R. S. *See* Irvine, K. D.
Mann, S. K. O. and Firtel, R. A. cAMP-dependent protein kinase differentially regulates prestalk and prespore differentiation during *Dictyostelium* development **119**, 135
Manoukian, A. S. and Krause, H. M. Control of segmental asymmetry in *Drosophila* embryos **118**, 785
Manova, K. *See* Duttlinger, R.
Mansour, S. L., Goddard, J. M. and Capecchi, M. R. Mice homozygous for a targeted disruption of the proto-oncogene *int-2* have developmental defects in the tail and inner ear **117**, 13
Mansuy, I. M., van der Putten, H., Schmid, P., Meins, M., Botteri, F. M. and Monard, D. Variable and multiple expression of *Protease Nexin-1* during mouse organogenesis and nervous system development **119**, 1119
Manzanares, M., Marco, R. and Garesse, R. Genomic organization and developmental pattern of expression of the *engrailed* gene from the brine shrimp *Artemia* **118**, 1209
Marchand, P. *See* Li, Z.
Marco, R. *See* Manzanares, M.
Marin, J. J. *See* Jimenez, R.
Mark, M., Lufkin, T., Vonesch, J.-L., Ruberte, E., Olivo, J.-C., Dolle, P., Gorry, P., Lumsden, A. and Chambon, P. Two rhombomeres are altered in *Hoxa-1* mutant mice **119**, 319
Marks, H. L. *See* Coutinho, L. L.
Martin, E. C. and Adler P. N. The *Polycomb* group gene *Posterior Sex Combs* encodes a chromosomal protein **117**, 641
Martin, G. R. *See* Frohman, M. A.
Martin, G. R. *See* Niswander, L.
Martin-Bermudo, M. D., Gonzalez, F., Dominguez, M., Rodriguez, I., Ruiz-Gomez, M., Romani, S., Modolell, J. and Jimenez, F. Molecular characterization of the *lethal of scute* genetic function **118**, 1003
Martiña-Zanca, D. *See* Tessarollo, L.
Martinez, A. *See* Teitelman, G.
Martinez, S. *See* Valarche, I.
Marynen, P. *See* David, G.

Mathies, L. D. *See* Zeng, W.
Mattei, M.-G. *See* Dandolo, L.
Matthews, K. A., Rees, D. and Kaufman, T. C. A functionally specialized α-tubulin is required for oocyte meiosis and cleavage mitoses in *Drosophila* **117**, 977
Matus, A. *See* Edson, K.
Mayer, U., Buttner, G. and Jurgens, G. Apical-basal pattern formation in the *Arabidopsis* embryo: studies on the role of the *gnom* gene **117**, 149
Mayo, M. *See* Shum, L.
Mayor, R., Essex, L. J., Bennett, M. F. and Sargent, M. G. Distinct elements of the *xsna* promoter are required for mesodermal and ectodermal expression **119**, 661
McAvoy, J. W. *See* Schultz, M. W.
McClay, D. R. *See* Armstrong, N.
McDonald, K. *See* Bardsley, A.
Mcdonald, P. M. *See* Kim-Ha, J.
McGinnis, W. *See* Jones, B.
McGinnis, W. *See* O'Hara, E.
McGrew, L. L. *See* Moon, R. T.
McGuinness, O. M. *See* Cheek, T. R.
McGuire, P. G. and Alexander, S. M. Inhibition of urokinase synthesis and cell surface binding alters the motile behavior of embryonic endocardial-derived mesenchymal cells in vitro **118**, 931
McLaren, A. *See* Buehr, M.
McMahon, A. P. *See* Parr, B. A.
Meier, T. *See* Zacharias, D.
Meijlink, F. *See* Oosterwegel, M.
Meins, M. *See* Mansuy, I. M.
Meise M. and Janning, W. Cell lineage of larval and imaginal thoracic anlagen cells of *Drosophila melanogaster*, as revealed by single-cell transplantations **118**, 1107
Melnick, M. B., Perkins, L. A., Lee, M., Ambrosio, L. and Perrimon, N. Developmental and molecular characterization of mutations in the *Drosophila-raf* serine/threonine protein kinase **118**, 127
Melton, D. A. *See* Ku, M.
Melton, D. A. *See* Steinbeisser, H.
Messenger, N. J. *See* Rowe, S. J.
Metcalfe, T. *See* Hayashi, S.
Mettling, C., Camu, W. and Henderson, C. E. Embryonic wing and leg motoneurons have intrinsically different survival properties **118**, 1149
Meyer, B. I. and Gruss, P. Mouse *Cdx-1* expression during gastrulation **117**, 191
Meyerowitz, E. M. *See* Bowman, J. L.
Meyerowitz, E. M. *See* Clark, S. E.
Michel, R. B. *See* Saha, M. S.
Michelson, A. M. *See* Abel, T.
Michelson, A. M. *See* Winick, J.
Middleton, J. *See* Fitzgerald, M.
Millar, S. *See* Shum, L.
Millburn, G. H. *See* Brown, J. M.
Miller, D. J., Gong, X. and Shur, B. D. Sperm require β-*N*-acetylglucosaminidase to penetrate through the egg zona pellucida **118**, 1279
Miller, J. B. *See* Smith, T. H.
Miller, R. H. *See* Noll, E.
Miner, J. H. *See* Patapoutian, A.
Mirkes, P. E. *See* Mac Auley, A.
Mitani, S., Du, H., Hall, D. H., Driscoll, M. and Chalfie, M. Combinatorial control of touch receptor neuron expression in *Caenorhabditis elegans* **119**, 773
Mizutani, Y. *See* Koseki, H.
Mlodzik, M. *See* Hiromi, Y.
Mochii, M. *See* Agata, K.
Modolell, J. *See* Martin-Bermudo, M. D.
Moens, C. B., Stanton, B. R., Parada, L. F. and Rossant, J. Defects in heart and lung development in compound heterozygotes for two different targeted mutations at the N-*myc* locus **119**, 485
Mohun, T. *See* Logan, M.
Monaghan, A. P., Kaestner, K. H., Grau, E. and Schutz, G. Postimplantation expression patterns indicate a role for the mouse *forkhead*/HNF-3 α, β and γ genes in determination of the definitive endoderm, chordamesoderm and neuroectoderm **119**, 567
Monard, D. *See* Mansuy, I. M.
Moon, R. T., Campbell, R. M., Christian, J. L., McGrew, L. L., Shih, J. and Fraser, S. *Xwnt*-5A: a maternal *Wnt* that affects morphogenetic movements after overexpression in embryos of *Xenopus laevis* **119**, 97
Moore, R. and Walsh, F. S. The cell adhesion molecule M-cadherin is specifically expressed in developing and regenerating, but not denervated skeletal muscle **117**, 1409
Morata, G. *See* Pelaz, S.
Moreau, N. *See* Billoud, B.
Morelli, A. *See* Giorgi, F.
Moreton, R. B. *See* Cheek, T. R.
Morii, E. *See* Hirata, T.
Morimoto, M. *See* Hirata, T.
Morio, T. *See* Ozaki, T.
Morris, J. *See* Coutinho, L. L.
Morrison, R. *See* Sherman, L.
Morriss-Kay, G. *See* Ruberte, E.
Mosquera, L., Forristall, C., Zhou, Y. and King, M. L. A mRNA localized to the vegetal cortex of *Xenopus* oocytes encodes a protein with *nanos*-like zinc finger domain **117**, 377
Mudhar, H. S., Pollock, R. A., Wang, C., Stiles, C. D. and Richardson, W. D. PDGF and its receptors in the developing rodent retina and optic nerve **118**, 539
Muller, A. M. and Dzierzak, E. A. ES cells have only a limited lymphopoietic potential after adoptive transfer into mouse recipients **118**, 1343
Mummery, C. L. *See* Dickson, M. C.
Mundlos, S., Pelletier, J., Darveau, A., Bachmann, M., Winterpacht, A. and Zabel, B. Nuclear localization of the protein encoded by the Wilms' tumor gene *WT1* in embryonic and adult tissues **119**, 1329
Muneoka, K. *See* Anderson, R.
Murai, K. *See* Funahashi, J.-i.
Murphy, M., Reid, K., Brown, M. A. and Bartlett, P. F. Involvement of leukemia inhibitory factor and nerve growth factor in the development of dorsal root ganglion neurons **117**, 1173
Murray, M. A. *See* Giangrande, A.
Musci, T. J. *See* Amaya, E.
Muskavitch, M. A. T. *See* Kooh, P. J.
Myers, P. Z. *See* Stachel, S. E.
Nadal-Ginard, B. *See* Breitbart, R. E.
Nagata, I., Kawana, A. and Nakatsuji, N. Perpendicular contact guidance of CNS neuroblasts on artificial microstructures **117**, 401
Naito, S. *See* Tsukaya, H.
Nakao, H. *See* Ozaki, T.
Nakao, J. *See* Ogawa, M.
Nakatsuji, N. *See* Nagata, I.
Nardelli-Haefliger, D. and Shankland, M. *Lox10*, a member of the *NK-2* homeobox gene class, is expressed in a segmental pattern in the endoderm and in the cephalic nervous system of the leech *Helobdella* **118**, 877
Nardi, J. B. Modulated expression of a surface protein on migrating germ cells of *Manduca sexta* embryos **118**, 967
Nelson, R. E. *See* Fessler, L. I.
Nicholson, B. J. *See* De Sousa, P. A.
Nishida, H. Localized regions of egg cytoplasm that promote expression of endoderm-specific alkaline phosphatase in embryos of the ascidian *Halocynthia roretzi* **118**, 1
Nishikawa, S. *See* Ogawa, M.
Nishikawa, S.-I. *See* Ogawa, M.
Niswander, L. and Martin, G. R. FGF-4 regulates expression of *Evx-1* in the developing mouse limb **119**, 287

Noll, E. and Miller, R. H. Oligodendrocyte precursors originate at the ventral ventricular zone dorsal to the ventral midline region in the embryonic rat spinal cord **118**, 563
Noll, E. *See* Chou, T.-B.
Noll, M. *See* Gutjahr, T.
Noll, M. *See* Gutjahr, T.
Nomura, S. *See* Hirata, T.
Nusslein-Volhard, C. *See* Hammerschmidt, M.
O'Hara, E., Cohen, B., Cohen, S. M. and McGinnis, W. *Distal-less* is a downstream gene of *Deformed* required for ventral maxillary identity **117**, 847
O'Keefe, L. V. *See* Richardson, H. E.
O'Neill, E. M. *See* Ellis, M. C.
O'Shea, M. *See* Kirschenbaum, S. R.
Odorisio, T. *See* Tarone, G.
Ogawa, M., Nishikawa, S., Yoshinaga, K., Hayashi, S.-I., Kunisada, T., Nakao, J., Kina, T., Sudo, T., Kodama, H. and Nishikawa, S.-I. Expression and function of c-Kit in fetal hemopoietic progenitor cells: transition from the early c-Kit-independent to the late c-Kit-dependent wave of hemopoiesis in the murine embryo **117**, 1089
Okada, M. *See* Kobayashi, S.
Okamoto, H. *See* Kengaku, M.
Okazawa, H. *See* Dechant, G.
Oliver, B. *See* Pauli, D.
Oliver, B., Kim, Y.-J. and Baker, B. S. *Sex-lethal*, master and slave: a hierarchy of germ-line sex determination in *Drosophila* **119**, 897
Olivo, J.-C. *See* Mark, M.
Ollendorff, V. *See* deLapeyriere, O.
Olwin, B. B. *See* Riley, B. B.
Ontell, M. P. *See* Ontell, M.
Ontell, M., Ontell, M. P., Sopper, M. M., Mallonga, R., Lyons, G. and Buckingham, M. Contractile protein gene expression in primary myotubes of embryonic mouse hindlimb muscles **117**, 1435
Oosterwegel, M., van de Wetering, M., Timmerman, J., Kruisbeek, A., Destree, O., Meijlink, F. and Clevers, H. Differential expression of the HMG box factors *TCF-1* and *LEF-1* during murine embryogenesis **118**, 439
Orenic, T. V., Held, L. I., Paddock, S. W. and Carroll, S. B. The spatial organization of epidermal structures: *hairy* establishes the geometrical pattern of *Drosophila* leg bristles by delimiting the domains of *achaete* expression **118**, 9
Orii, H. *See* Ozaki, T.
Orsulic, S. *See* Peifer, M.
Ortega, E. *See* Jimenez, R.
Ostafichuk, L. M. *See* Brook, W. J.
Ott, M. O. *See* deLapeyriere, O.
Ozaki, T., Nakao, H., Orii, H., Morio, T., Takeuchi, I. and Tasaka, M. Developmental regulation of transcription of a novel prespore-specific gene (Dp87) in *Dictyostelium discoideum* **117**, 1299
Pachnis, V., Mankoo, B. and Costantini, F. Expression of the *c-ret* proto-oncogene during mouse embryogenesis **119**, 1005
Pacifico, F. *See* Dono, R.
Packard, D. S. Jr, Zheng, R.-Z. and Turner, D. C. Somite pattern regulation in the avian segmental plate mesoderm **117**, 779
Paddock, S. W. *See* Orenic, T. V.
Paddock, S. W. *See* Williams, J. A.
Padgett, R. W. *See* Hursh, D. A.
Palka, J. *See* Giangrande, A.
Palmes, C. *See* Sawai, S.
Palmiter, R. D. *See* Behringer, R. R.
Palmiter, R. D. *See* Kapur, R. P.
Papaioannou, V. E. *See* Brown, J. J. G.
Papalopulu, N. and Kintner, C. *Xenopus Distal-less* related homeobox genes are expressed in the developing forebrain and are induced by planar signals **117**, 961
Parada, L. F. *See* Moens, C. B.
Parada, L. F. *See* Tessarollo, L.
Parkhurst, S. M., Lipshitz, H. D. and Ish-Horowicz, D. *achaete-scute* feminizing activities and *Drosophila* sex determination **117**, 737
Parr, B. A., Shea, M. J., Vassileva, G. and McMahon, A. P. Mouse *Wnt* genes exhibit discrete domains of expression in the early embryonic CNS and limb buds **119**, 247
Parsons, L. M. *See* Lints, T. J.
Patapoutian, A., Miner, J. H., Lyons, G. E. and Wold, B. Isolated sequences from the linked *Myf-5* and *MRF4* genes drive distinct patterns of muscle-specific expression in transgenic mice **118**, 61
Patel, N. H. *See* Gutjahr, T.
Patel-King, R. S. *See* George, E. L.
Patrie, K. M. *See* Poulin, M. L.
Pauli, D., Oliver, B. and Mahowald, A. P. The role of the *ovarian tumor* locus in *Drosophila melanogaster* germ line sex determination **119**, 123
Paulin, D. *See* Li, Z.
Pedersen, R. A. *See* Burdsal, C. A.
Peifer, M., Orsulic, S., Sweeton, D. and Wieschaus, E. A role for the *Drosophila* segment polarity gene *armadillo* in cell adhesion and cytoskeletal integrity during oogenesis **118**, 1191
Pelaz, S., Urquia, N. and Morata, G. Normal and ectopic domains of the homeotic gene *Sex combs reduced* of *Drosophila* **117**, 917
Pelletier, J. *See* Mundlos, S.
Perez-Castro, A. V., Tran, V. T. and Chi Nguyen-Huu, M. Defective lens fiber differentiation and pancreatic tumorigenesis caused by ectopic expression of the cellular retinoic acid-binding protein I **119**, 363
Perin, M. S. *See* Littleton, J. T.
Perkins, L. A. *See* Melnick, M. B.
Perrimon, N. *See* Brand, A. H.
Perrimon, N. *See* Chou, T.-B.
Perrimon, N. *See* Melnick, M. B.
Persico, M. G. *See* Dono, R.
Persson, H. *See* Ibanez, C. F.
Pesce, M., Farrace, M. G., Piacentini, M., Dolci, S. and De Felici, M. Stem cell factor and leukemia inhibitory factor promote primordial germ cell survival by suppressing programmed cell death (apoptosis) **118**, 1089
Peter, L. *See* Degen, N.
Peterson, A. C. *See* Campbell, R. M.
Peterson, C. A. *See* Hughes, S. M.
Pflugfelder, G. O. *See* Poeck, B.
Phillips, R. G. and Whittle, J. R. S. *wingless* expression mediates determination of peripheral nervous system elements in late stages of *Drosophila* wing disc development **118**, 427
Piacentini, M. *See* Pesce, M.
Pini, A. *See* Fitzgerald, M.
Piorecky, J. *See* Brook, W. J.
Pizette, S. *See* deLapeyriere, O.
Placzek, M., Jessell, T. M. and Dodd, J. Induction of floor plate differentiation by contact-dependent, homeogenetic signals **117**, 205
Planche, J. *See* deLapeyriere, O.
Poeck, B., Hofbauer, A. and Pflugfelder, G. O. Expression of the *Drosophila optomotor-blind* gene transcript in neuronal and glial cells of the developing nervous system **117**, 1017
Poethig, R. S. *See* Barton, M. K.
Poethig, S. *See* Dolan, L.
Poirier, F. and Robertson, E. J. Normal development of mice carrying a null mutation in the gene encoding the L14 S-type lectin **119**, 1229
Polak, J. M. *See* Teitelman, G.
Pollock, R. A. *See* Mudhar, H. S.
Postlethwait, J. H. *See* Thisse, C.
Pottgiesser, J. *See* Dechant, G.
Poueymirou, W. T. *See* Conover, J. C.
Poulin, M. L., Patrie, K. M., Botelho, M. J., Tassava, R. A. and Chiu, I.-M. Heterogeneity in the expression of fibroblast growth

factor receptors during limb regeneration in newts (*Notophthalamus viridescens*) **119**, 353
Price J. *See* Grove, E. A.
Prince, V. *See* Guthrie, S.
Pringle, N. P. and Richardson, W. D. A singularity of PDGF alpha-receptor expression in the dorsoventral axis of the neural tube may define the origin of the oligodendrocyte lineage **117**, 525
Privalsky, M. L. *See* Schuh, T. J.
Prokop, A. *See* Udolph, G.
Purcell, S. M. and Keller, R. A different type of amphibian mesoderm morphogenesis in *Ceratophrys ornata* **117**, 307
Quarto, R., Dozin, B., Bonaldo, P., Cancedda, R. and Colombatti, A. Type VI collagen expression is upregulated in the early events of chondrocyte differentiation **117**, 245
Raff, M. C. *See* Barres, B. A.
Raff, M. C. *See* Coles, H. S. R.
Ragsdale, C. W. Jr. *See* Hill, D. S.
Ramain, P., Heitzler, P., Haenlin, M. and Simpson, P. *pannier*, a negative regulator of *achaete* and *scute* in *Drosophila*, encodes a zinc finger protein with homology to the vertebrate transcription factor GATA-1 **119**, 1277
Rashbass, P. *See* Wilson, V.
Ray, R. P. *See* Wharton, K. A.
Rayburn, H. *See* George, E. L.
Rayburn, H. *See* Yang, J. T.
Raymond, G. *See* Cognard, C.
Redei, G. P. *See* Tsukaya, H.
Reed, S. I. *See* Richardson, H. E.
Rees, D. *See* Matthews, K. A.
Reichardt, L. F. *See* de Curtis, I.
Reichert, H. *See* Zacharias, D.
Reid, K. *See* Murphy, M.
Reik, W., Romer, I., Barton, S. C., Surani, M. A., Howlett, S. K. and Klose, J. Adult phenotype in the mouse can be affected by epigenetic events in the early embryo **119**, 933
Reuter, R., Grunewald, B. and Leptin, M. A role for the mesoderm in endodermal migration and morphogenesis in *Drosophila* **119**, 1135
Reymond, C. D. *See* Hopper, N. A.
Rhodes, S. J. *See* Smith, T. H.
Richards, G. *See* Huet, F.
Richards, W. G. *See* Carroll, P. M.
Richardson, H. E., O'Keefe, L. V., Reed, S. I. and Saint, R. A *Drosophila* G_1-specific cyclin E homolog exhibits different modes of expression during embryogenesis **119**, 673
Richardson, W. D. *See* Mudhar, H. S.
Richardson, W. D. *See* Pringle, N. P.
Ried, G. *See* Stern, B.
Riley, B. B., Savage, M. P., Simandl, B. K., Olwin, B. B. and Fallon, J. F. Retroviral expression of FGF-2 (bFGF) affects patterning in chick limb bud **118**, 95
Risau, W. *See* Schnurch, H.
Rivet-Bastide, M. *See* Cognard, C.
Roberts, K. *See* Benfey, P. N.
Roberts, K. *See* Dolan, L.
Robertson, E. J. *See* Filson, A. J.
Robertson, E. J. *See* Poirier, F.
Robinow, S., Talbot, W. S., Hogness, D. S. and Truman, J. W. Programmed cell death in the *Drosophila* CNS is ecdysone-regulated and coupled with a specific ecdysone receptor isoform **119**, 1251
Robson, L. G. Cellular patterning of fast and slow fibres in the intermandibularis muscle of chick embryos **117**, 329
Robson, L. G. *See* Brown, J. M.
Rodriguez, I. *See* Martin-Bermudo, M. D.
Rodriguez-Martin, M.-L. *See* Billoud, B.
Romani, S. *See* Martin-Bermudo, M. D.
Romer, I. *See* Reik, W.
Romero, M. R. and Torres, A. Cortical development associated with conjugation of *Paramecium* **117**, 1099
Ross, M. E. *See* Kuhar, S. G.
Rossant, J. *See* Ang, S.-L.
Rossant, J. *See* Ang, S.-L.
Rossant, J. *See* Moens, C. B.
Rossant, J. *See* Yamaguchi, T. P.
Roth, S. Mechanisms of dorsal-ventral axis determination in *Drosophila* embryos revealed by cytoplasmic transplantations **117**, 1385
Roth, S. *See* Dawson, I. A.
Rothenpieler, U. W. and Dressler, G. R. *Pax-2* is required for mesenchyme-to-epithelium conversion during kidney development **119**, 711
Rowe, S. J., Messenger, N. J. and Warner, A. E. The role of noradrenaline in the differentiation of amphibian embryonic neurons **119**, 1343
Ruberte, E. *See* Mark, M.
Ruberte, E., Friederich, V., Chambon, P. and Morriss-Kay, G. Retinoic acid receptors and cellular retinoid binding proteins. III. Their differential transcript distribution during mouse nervous system development **118**, 267
Rubin, G. M. *See* Ellis, M. C.
Rubin, G. M. *See* Hiromi, Y.
Rubin, G. M. *See* Xu, T.
Ruffins, S. W. *See* Ettensohn, C. A.
Ruiz, C. *See* Huet, F.
Ruiz-Gomez, M. *See* Martin-Bermudo, M. D.
Running, M. P. *See* Clark, S. E.
Rush, J. *See* Altshuler, D.
Russell, M. A. *See* Brook, W. J.
Russo, M. A. *See* Tarone, G.
Ryseck, R.-P. *See* Carrasco, D.
Saha, M. S., Michel, R. B., Gulding, K. M. and Grainger, R. M. A *Xenopus* homeobox gene defines dorsal-ventral domains in the developing brain **118**, 193
Saigo, K. *See* Shishido, E.
Saint, R. *See* Richardson, H. E.
Sakakura, Y. *See* Shum, L.
Salo, E. *See* Garcia-Fernandez, J.
Salzberg, A., Cohen, N., Halachmi, N., Kimchie, Z. and Lev, Z. The *Drosophila Ras2* and *Rop* gene pair: a dual homology with a yeast *Ras*-like gene and a suppressor of its loss-of-function phenotype **117**, 1309
Sampedro, J. *See* Lawrence, P. A.
Sampedro, J., Johnston, P. and Lawrence, P. A. A role for *wingless* in the segmental gradient of *Drosophila* **117**, 677
Samuel, K., Clarke, A. R., Ansell, J. D. and Hooper, M. L. Age-dependent selection against hypoxanthine phosphoribosyl transferase-deficient cells in mouse haematopoiesis **118**, 859
Sanchez, A. *See* Jimenez, R.
Sanchez, L. *See* Granadino, B.
Sandeman, R. *See* Whitington, P. M.
Sanders, E. J., Varedi, M. and French, A. S. Cell proliferation in the gastrulating chick embryo: a study using BrdU incorporation and PCNA localization **118**, 389
Santamaria, P. *See* Granadino, B.
Santoni, M.-J. *See* Bally-Cuif, L.
Santos, V. *See* Diekwisch, T.
Sardet, C. *See* Houliston, E.
Sargent, M. G. *See* Mayor, R.
Sarvetnick, N. *See* Gu, D.
Sasaki, H. and Hogan, B. L. M. Differential expression of multiple fork head related genes during gastrulation and axial pattern formation in the mouse embryo **118**, 47
Sasaki, H. *See* Kobayashi, S.
Satoh, N. *See* Swalla, B. J.
Savage, M. P. *See* Riley, B. B.
Sawada, K. *See* Agata, K.
Sawai, S., Shimono, A., Wakamatsu, Y., Palmes, C., Hanaoka, K. and Kondoh, H. Defects of embryonic organogenesis resulting from targeted disruption of the N-*myc* gene in the mouse **117**, 1445

Scalera, L. *See* Dono, R.
Schedl, P. *See* Bopp, D.
Scheres, B. *See* Dolan, L.
Scherson, T. *See* Sechrist, J.
Scherson, T., Serbedzija, G., Fraser, S. and Bronner-Fraser, M. Regulative capacity of the cranial neural tube to form neural crest **118**, 1049
Schiefelbein, J. W. *See* Benfey, P. N.
Schier, A. F. *See* Affolter, M.
Schilling, T. F. *See* Thisse, C.
Schimenti, J. C. *See* Ewulonu, U. K.
Schmid, P. *See* Mansuy, I. M.
Schmid, R. *See* Barres, B. A.
Schneider, S., Herrenknecht, K., Butz, S., Kemler, R. and Hausen, P. Catenins in *Xenopus* embryogenesis and their relation to the cadherin-mediated cell-cell adhesion system **118**, 629
Schnurch, H. and Risau, W. Expression of tie-2, a member of a novel family of receptor tyrosine kinases, in the endothelial cell lineage **119**, 957
Schuh, T. J., Hall, B. L., Creech Kraft, J., Privalsky, M. L. and Kimelman, D. v-erbA and citral reduce the teratogenic effects of all-*trans* retinoic acid and retinol, respectively, in *Xenopus* embryogenesis **119**, 785
Schulte-Merker, S. *See* Joly, J.-S.
Schultz, E. A. and Haughn, G. W. Genetic analysis of the floral initiation process (FLIP) in *Arabidopsis* **119**, 745
Schultz, M. W., Chamberlain, C. G., de Iongh, R. U. and McAvoy, J. W. Acidic and basic FGF in ocular media and lens: implications for lens polarity and growth patterns **118**, 117
Schutz, G. *See* Monaghan, A. P.
Schweisguth, F. *See* Ibnsouda, S.
Scott, M. P. *See* Zeng, W.
Sechrist, J., Serbedzija, G. N., Scherson, T., Fraser, S. E. and Bronner-Fraser, M. Segmental migration of the hindbrain neural crest does not arise from its segmental generation **118**, 691
Sekido, R. *See* Funahashi, J.-i.
Sendnter, M. *See* Barres, B. A.
Senior, P. V. *See* Della, N. G.
Serbedzija, G. N. *See* Sechrist, J.
Serbedzija, G. *See* Scherson, T.
Serras, F., Fraser, S. and Chuong, C.-M. Asymmetric patterns of gap junctional communication in developing chicken skin **119**, 85
Shani, M. *See* Faerman, A.
Shankland, M. *See* Nardelli-Haefliger, D.
Shapira, E. *See* Frumkin, A.
Sharpe, P. T. *See* Jowett, A. K.
Shatz, C. J. *See* Ghosh, A.
Shea, M. J. *See* Parr, B. A.
Shenk, M. A., Bode, H. R. and Steele, R. E. Expression of *Cnox-2*, a HOM/HOX homeobox gene in hydra, is correlated with axial pattern formation **117**, 657
Sherman, L., Stocker, K. M., Morrison, R. and Ciment, G. Basic Fibroblast Growth Factor (bFGF) acts intracellularly to cause the transdifferentiation of avian neural crest-derived Schwann cell precursors into melanocytes **118**, 1313
Shih, J. *See* Moon, R. T.
Shih, J. *See* Zimmerman, K.
Shimono, A. *See* Sawai, S.
Shirras, A. D. *See* Hayashi, S.
Shishido, E., Higashijima, S.-i., Emori, Y. and Saigo, K. Two FGF-receptor homologues of *Drosophila*: one is expressed in mesodermal primordium in early embryos **117**, 751
Shum, L., Sakakura, Y., Bringas, P., Luo, W., Snead, M. L., Mayo, M., Crohin, C., Millar, S., Werb, Z., Buckley, S., Hall, F. L., Warburton, D. and Slavkin, H. EGF abrogation-induced *fusilli*-form dysmorphogenesis of Meckel's cartilage during embryonic mouse mandibular morphogenesis in vitro **118**, 903
Shur, B. D. *See* Miller, D. J.
Siegel, V., Jongens, T. A., Jan, L. Y. and Jan, Y. N. *pipsqueak*, an early acting member of the posterior group of genes, affects *vasa* level and germ cell-somatic cell interaction in the developing egg chamber **119**, 1187
Silengo, L. *See* Tarone, G.
Simandl, B. K. *See* Riley, B. B.
Simcox, A. A. *See* Cohen, B.
Simeone, A. *See* Dono, R.
Simon, H.-G. and Tabin, C. J. Analysis of *Hox-4.5* and *Hox 3.6* expression during newt limb regeneration: differential regulation of paralogous *Hox* genes suggest different roles for members of different *Hox* clusters **117**, 1397
Simpson, P. *See* Heitzler, P.
Simpson, P. *See* Ramain, P.
Sinclair, A. H. *See* Jimenez, R.
Siracusa, G. *See* Tarone, G.
Slack, J. M. W. *See* Lettice, L. A.
Slager, H. G. *See* Dickson, M. C.
Slavkin, H. C. *See* Diekwisch, T.
Slavkin, H. C. *See* Shum, L.
Small, S., Arnosti, D. N. and Levine, M. Spacing ensures autonomous expression of different stripe enhancers in the *even-skipped* promoter **119**, 767
Smith, J. C. *See* Albano, R. M.
Smith, J. L. *See* Kim-Ha, J.
Smith, J. L. *See* MacDonald, P. M.
Smith, T. H., Block, N. E., Rhodes, S. J., Konieczny, S. F. and Miller, J. B. A unique pattern of expression of the four muscle regulatory factor proteins distinguishes somitic from embryonic, fetal and newborn mouse myogenic cells **117**, 1125
Smoot, L. B. *See* Breitbart, R. E.
Smyth, D. R. *See* Bowman, J. L.
Snead, M. L. *See* Shum, L.
Soderstrom, S. *See* Durbeej, M.
Sokol, S. Y. Mesoderm formation in *Xenopus* ectodermal explants overexpressing Xwnt8: evidence for a cooperating signal reaching the animal pole by gastrulation **118**, 1335
Sopper, M. M. *See* Ontell, M.
Stachel, S. E., Grunwald, D. J. and Myers, P. Z. Lithium perturbation and *goosecoid* expression identify a dorsal specification pathway in the pregastrula zebrafish **117**, 1261
Stainier, D. Y. R., Lee, R. K. and Fishman, M. C. Cardiovascular development in the zebrafish. I. Myocardial fate map and heart tube formation **119**, 31
Stanton, B. R. *See* Moens, C. B.
Steele, R. E. *See* Shenk, M. A.
Stein, P.A. *See* Amaya, E.
Steinbeisser, H. *See* Gont, L. K.
Steinbeisser, H., De Robertis, E. M., Ku, M., Kessler, D. S. and Melton, D. A. *Xenopus* axis formation: induction of *goosecoid* by injected *Xwnt-8* and activin mRNAs **118**, 499
Steinmann-Zwicky, M. Sex determination in *Drosophila*: *sis-b*, a major numerator element of the X:A ratio in the soma, does not contribute to the X:A ratio in the germ line **117**, 763
Steller, H. *See* Abrams, J. M.
Stent, G. S. *See* Gleizer, L.
Stephenson, E. C. *See* Hegde, J.
Stern, B., Ried, G., Clegg, N. J., Grigliatti, T. A. and Lehner, C. F. Genetic analysis of the *Drosophila cdc2* homolog **117**, 219
Sternberg, P. W. *See* Chamberlin, H. M.
Stevens, K. A. *See* Ang, S.-L.
Steward, R. *See* Govind, S.
Stewart, C. L. *See* Dandolo, L.
Stiles, C. D. *See* Mudhar, H. S.
Stocker, K. M. *See* Sherman, L.
Strahle, U. and Jesuthasan, S. Ultraviolet irradiation impairs epiboly in zebrafish embryos: evidence for a microtubule-dependent mechanism of epiboly **119**, 909
Strickland, S. *See* Carroll, P. M.
Stuart, J. J., Brown, S. J., Beeman, R. W. and Denell, R. E. The *Tribolium* homeotic gene *Abdominal* is homologous to *abdominal-A* of the *Drosophila* bithorax complex **117**, 233

Sudo, T. *See* Ogawa, M.
Sullivan, W., Fogarty, P. and Theurkauf, W. Mutations affecting the cytoskeletal organization of syncytial *Drosophila* embryos **118**, 1245
Surani, M. A. *See* Reik, W.
Sutherland, A. E., Calarco, P. G. and Damsky, C. H. Developmental regulation of integrin expression at the time of implantation in the mouse embryo **119**, 1175
Swalla, B. J., Makabe, K. W., Satoh, N. and Jeffery, W. R. Novel genes expressed differentially in ascidians with alternate modes of development **119**, 307
Swann, K. *See* Whitaker, M.
Sweeton, D. *See* Peifer, M.
Tabin, C. J. *See* Simon, H.-G.
Tada, M. *See* Tada, T.
Tada, T., Tada, M. and Takagi, N. X chromosome retains the memory of its parental origin in murine embryonic stem cells **119**, 813
Takagi, N. *See* Tada, T.
Takahashi, T. *See* Tsai, L.-H.
Takeuchi, I. *See* Ozaki, T.
Talbot, W. S. *See* Robinow, S.
Tang, J. *See* Henchcliffe, C.
Tapscott, S. J. *See* Hughes, S. M.
Tarcic, N. *See* Frumkin, A.
Tarone, G., Russo, M. A., Hirsch, E., Odorisio, T., Altruda, F., Silengo, L. and Siracusa, G. Expression of β1 integrin complexes on the surface of unfertilized mouse oocyte **117**, 1369
Tasaka, M. *See* Ozaki, T.
Tassava, R. A. *See* Poulin, M. L.
Taylor, J. M. *See* Hughes, S. M.
Technau, G. M. *See* Udolph, G.
Teitelman, G., Alpert, S., Polak, J. M., Martinez, A. and Hanahan, D. Precursor cells of mouse endocrine pancreas coexpress insulin, glucagon and the neuronal proteins tyrosine hydroxylase and neuropeptide Y, but not pancreatic polypeptide **118**, 1031
Tennyson, V. M. *See* Behringer, R. R.
Tessarollo, L., Tsoulfas, P., Martin-Zanca, D., Gilbert, D. J., Jenkins, N. A., Copeland, N. G. and Parada, L. F. *trk*C, a receptor for neurotrophin-3, is widely expressed in the developing nervous system and in non-neuronal tissues **118**, 463
Thaller, C., Hofmann, C. and Eichele, G. 9-*cis*-retinoic acid, a potent inducer of digit pattern duplications in the chick wing bud **118**, 957
Thanos, S. *See* Wizenmann, A.
Thesleff, I. *See* Jowett, A. K.
Theurkauf, W. E., Alberts, B. M., Jan, Y. N. and Jongens, T. A. A central role for microtubules in the differentiation of *Drosophila* oocytes **118**, 1169
Theurkauf, W. *See* Sullivan, W.
Thisse, B. *See* Thisse, C.
Thisse, C., Thisse, B., Schilling, T. F. and Postlethwait, J. H. Structure of the zebrafish *snail1* gene and its expression in wild-type, *spadetail* and *no tail* mutant embryos **119**, 1203
Thomas, T. and Dziadek, M. Capacity to form choroid plexus-like cells in vitro is restricted to specific regions of mouse neural ectoderm **117**, 253
Thor, S. *See* Korzh, V.
Thornhill, A. R. and Burgoyne, P. S. A paternally imprinted X chromosome retards the development of the early mouse embryo **118**, 171
Thummel, C. S. *See* Karim, F. D.
Tickle, C. *See* Brown, J. M.
Tickle, C. *See* Vogel, A.
Timmerman, J. *See* Oosterwegel, M.
Timmusk, T. *See* Ibanez, C. F.
Tissier-Seta, J.-P. *See* Valarche, I.
Torres, A. *See* Romero, M. R.
Tran, V. T. *See* Perez-Castro, A. V.
Traynor, D. *See* Early, A. E.
Truman, J. W. *See* Robinow, S.
Tsai, L.-H., Takahashi, T., Caviness, V. S. Jr. and Harlow, E. Activity and expression pattern of cyclin-dependent kinase 5 in the embryonic mouse nervous system **119**, 1029
Tsoulfas, P. *See* Tessarollo, L.
Tsujimura, T. *See* Hirata, T.
Tsukaya, H., Naito, S., Redei, G. P. and Komeda, Y. A new class of mutations in *Arabidopsis thalina*, *acaulis1*, affecting the development of both inflorescences and leaves **118**, 751
Tucker, R. P. The in situ localization of tenascin splice variants and thrombospondin 2 mRNA in the avian embryo **117**, 347
Turner, D. C. *See* Packard, D. S. Jr
Udolph, G., Prokop, A., Bossing, T. and Technau, G. M. A common precursor for glia and neurons in the embryonic CNX of *Drosophila* gives rise to segment-specific lineage variants **118**, 765
Urquia, N. *See* Pelaz, S.
Vainio, S. *See* Jowett, A. K.
Valarche, I., Tissier-Seta, J.-P., Hirsch, M.-R., Martinez, S., Goridis, C. and Brunet, J.-F. The mouse homeodomain protein Phox2 regulates *Ncam* promoter activity in concert with Cux/CDP and is a putative determinant of neurotransmitter phenotype **119**, 881
Valdimarsson, G. *See* De Sousa, P. A.
Van den Berghe, H. *See* David, G.
Van der Schueren, B. *See* David, G.
van de Wetering, M. *See* Oosterwegel, M.
van der Kooy, D. *See* Acklin, S. E.
van der Putten, H. *See* Mansuy, I. M.
van der Schoot, P. Foetal testes control the prenatal growth and differentiation of the gubernacular cones in rabbits - a tribute to the late Professor Alfred Jost **118**, 1327
van Straaten, H. W. M., Hekking, J. W. M., Consten, C. and Copp, A. J. Intrinsic and extrinsic factors in the mechanism of neurulation: effect of curvature of the body axis on closure of the posterior neuropore **117**, 1163
Varedi, M. *See* Sanders, E. J.
Vassileva, G. *See* Parr, B. A.
Vernet, M., Cavard, C., Zider, A., Fergelot, P., Grimber, G. and Briand, P. In vitro manipulation of early mouse embryos induces HIV1-LTR*lacZ* transgene expression **119**, 1293
Vidan, S. *See* Kuhar, S. G.
VijayRaghavan, K. *See* Fernandes, J.
Vincent, A. *See* Ibnsouda, S.
Vincent, C. *See* Cheek, T. R.
Vogel, A. and Tickle, C. FGF-4 maintains polarizing activity of posterior limb bud cells in vivo and in vitro **119**, 199
Vogel, K. S. and Davies, A. M. Heterotopic transplantation of presumptive placodal ectoderm changes the fate of sensory neuron precursors **119**, 263
Vogels, R., Charite, J., de Graaf, W. and Deschamps, J. Proximal *cis*-acting elements cooperate to set *Hoxb-7* (*Hox-2.3*) expression boundaries in transgenic mice **118**, 71
Vonesch, J.-L. *See* Mark, M.
Wagner, M. A. *See* Kelley, M. W.
Wakamatsu, Y. *See* Sawai, S.
Walldorf, U. *See* Affolter, M.
Wallin, J. *See* Koseki, H.
Walsh, F. S. *See* Moore, R.
Wang, C. *See* Mudhár, H. S.
Warburton, D. *See* Shum, L.
Warchol, M. E. *See* Kelley, M. W.
Warner, A. E. *See* Rowe, S. J.
Watt, F. M. *See* Adams, J.
Webster, P. J. *See* Kim-Ha, J.
Wedden, S. E. *See* Brown, J. M.
Wedeen, C. J. *See* Lans, D.
Weigel, D. *See* Bowman, J. L.
Weisblat, D. A. *See* Lans, D.
Weisshaar, B. *See* Edson, K.

Wells, J. M. *See* Carroll, P. M.
Werb, Z. *See* Mac Auley, A.
Werb, Z. *See* Shum, L.
West, S. R. *See* Hiromi, Y.
Wharton, K. A., Ray, R. P. and Gelbart, W. M. An activity gradient of *decapentaplegic* is necessary for the specification of dorsal pattern elements in the *Drosophila* embryo **117**, 807
Wheatley, S. C., Isacke, C. M. and Crossley, P. H. Restricted expression of the hyaluronan receptor, CD44, during postimplantation mouse embryogenesis suggests key roles in tissue formation and patterning **119**, 295
Whitaker, M. and Swann, K. Lighting the fuse at fertilization **117**, 1
White, K. *See* Abrams, J. M.
Whitington, P. M., Leach, D. and Sandeman, R. Evolutionary change in neural development within the arthropods: axonogenesis in the embryos of two crustaceans **118**, 449
Whitlock, K. E. Development of *Drosophila* wing sensory neurons in mutants with missing or modified cell surface molecules **117**, 1251
Whittaker, C. A. and DeSimone, D. W. Integrin α subunit mRNAs are differentially expressed in early *Xenopus* embryos **117**, 1239
Whittle, J. R. S. *See* Phillips, R. G.
Wierda, A. *See* Ang, S.-L.
Wieschaus, E. *See* Bejsovec, A.
Wieschaus, E. *See* Peifer, M.
Wilcox, M. *See* Fristrom, D.
Wilder, L. P. *See* Karlstrom, R. O.
Wilkinson, H. A. *See* Fitzgerald, K.
Wilkinson, M. D. *See* Brook, W. J.
Willemsen, V. *See* Dolan, L.
Williams, B. P. *See* Grove, E. A.
Williams, J. A., Paddock, S. W. and Carroll, S. B. Pattern formation in a secondary field: a hierarchy of regulatory genes subdivides the developing *Drosophila* wing disc into discrete subregions **117**, 571
Williams, J. G. *See* Harwood, A. J.
Williams, J. G. *See* Hopper, N. A.
Williams, J. L. D. *See* Zacharias, D.
Williams, J. G. *See* Early, A. E.
Wilson, V., Rashbass, P. and Beddington, R. S. P. Chimeric analysis of *T* (*Brachyury*) gene function **117**, 1321
Wilt, F. *See* Lane, M. C.
Wilting, J. *See* Koseki, H.
Winick, J., Abel, T., Leonard, M. W., Michelson, A. M., Chardon-Loriaux, I., Holmgren, R. A., Maniatis, T. and Engel, J. D. A GATA family transcription factor is expressed along the embryonic dorsoventral axis in *Drosophila melanogaster* **119**, 1055
Winterpacht, A. *See* Mundlos, S.
Wizenmann, A., Thanos, S., Boxberg, Y. v. and Bonhoeffer, F. Differential reaction of crossing and non-crossing rat retinal axons on cell membrane preparations from the chiasm midline: an in vitro study **117**, 725
Wold, B. *See* Patapoutian, A.
Wolgemuth, D. J. *See* Behringer, R. R.
Wolgemuth, D. J. *See* Chapman, D. L.
Wong, D. *See* Ang, S.-L.
Wood, P. M. *See* Fernandez-Valle, C.
Wu, C. *See* Brown, J. L.
Wyatt, S. and Davies, A. M. Regulation of expression of mRNAs encoding the nerve growth factor receptors p75 and *trkA* in developing sensory neurons **119**, 635
Xu, T. and Rubin, G. M. Analysis of genetic mosaics in developing and adult *Drosophila* tissues **117**, 1223
Xu, X.-M. *See* Kelley, M. W.
Yamaguchi, T. P., Dumont, D. J., Conlon, R. A., Breitman, M. L. and Rossant, J. *flk-1*, an *flt*-related receptor tyrosine kinase is an early marker for endothelial cell precursors **118**, 489
Yamana, K. *See* Fujisue, M.
Yancopoulos, G. D. *See* Conover, J. C.
Yancopoulos, G. D. *See* Ibanez, C. F.
Yang, E. *See* Garbe, J. C.
Yang, J. T., Rayburn, H. and Hynes, R. O. Embryonic mesodermal defects in α5 integrin-deficient mice **119**, 1093
Yee, G. H. and Hynes, R. O. A novel, tissue-specific integrin subunit, β_V, expressed in the midgut of *Drosophila melanogaster* **118**, 845
Yee, G. *See* Zusman, S.
Yoshinaga, K. *See* Ogawa, M.
Yost, C. *See* Kapur, R. P.
Zabel, B. *See* Mundlos, S.
Zacharias, D., Williams, J. L. D., Meier, T. and Reichert, H. Neurogenesis in the insect brain: cellular identification and molecular characterization of brain neuroblasts in the grasshopper embryo **118**, 941
Zachow, K. R. *See* Chang, W. S.
Zaret, K. S. *See* Ang, S.-L.
Zelenetz, A. D. *See* Duttlinger, R.
Zeng, W., Andrew, D. J., Mathies, L. D., Horner, M. A. and Scott, M. P. Ectopic expression and function of the *Antp* and *Scr* homeotic genes: the N terminus of the homeodomain is critical to functional specificity **118**, 339
Zheng, R.-Z. *See* Packard, D. S. Jr
Zhou, Y. *See* Mosquera, L.
Zider, A. *See* Vernet, M.
Zimmerman, K., Shih, J., Bars, J., Collazo, A. and Anderson, D. J. *XASH-3*, a novel *Xenopus achaete-scute* homolog, provides an early marker of planar neural induction and position along the mediolateral axis of the neural plate **119**, 221
Zon, L. I. *See* Kelley, C.
Zusman, S., Grinblat, Y., Yee, G., Kafatos, F. C. and Hynes, R. O. Analyses of PS integrin functions during *Drosophila* development **118**, 737

Subject Index

Abdominal
a beetle *abdominal-A* homolog: STUART, BROWN, BEEMAN AND DENELL **117**, 233.
Abdominal segmentation
localization of tudor protein in embryogenesis: BARDSLEY, MCDONALD AND BOSWELL **119**, 207.
Abdominal-B
Abdominal-B in *Schistocera*: KELSH, DAWSON AND AKAM **117**, 293.
Ablation
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
***acaulis1* mutation**
inflorescence-developmental mutants of *Arabidopsis*: TSUKAYA, NAITO, REDEI AND KOMEDA **118**, 751.
***n*-acetylglucosaminidase**
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
achaete
hairy and patterning of leg bristles: ORENIC, HELD, PADDOCK AND CARROLL **118**, 9.
pannier encodes zinc finger protein homologous to GATA-1: RAMAIN, HEITZLER, HAENLIN AND SIMPSON **119**, 1277.
achaete-scute
asense, a neural precursor gene: BRAND, JARMAN, JAN AND JAN **119**, 1.
Drosophila AS-C feminizing activities: PARKHURST, LIPSHITZ AND ISH-HOROWICZ **117**, 737.
isolation of a novel *Xenopus achaete-scute* homolog: ZIMMERMAN, SHIH, BARS, COLLAZO AND ANDERSON **119**, 221.
Acrosome
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
Actin
contractile protein gene expression: ONTELL, ONTELL, SOPPER, MALLONGA, LYONS AND BUCKINGHAM **117**, 1435.
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
MAP2-induced processes: EDSON, WEISSHAAR AND MATUS **117**, 689.
Activin
activin in mouse preimplantation embryos: ALBANO, GROOME AND SMITH **117**, 711.
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
Adh
Drosophila GATA factor in the developing fat body: ABEL, MICHELSON AND MANIATIS **119**, 623.
Adipokinetic hormone
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Aldehyde dehydrogenase
retinoids in morphallaxis of budding tunicates: KAWAMURA, HARA AND FUJIWARA **117**, 835.
Alkaline phosphatase
grasshopper epithelial alkaline phosphatase: CHANG, ZACHOW AND BENTLEY **118**, 651.
Allantois
chimeric analysis of *T(Brachyury)*: WILSON, RASHBASS AND BEDDINGTON **117**, 1321.
Alternate modes of development
ascidian *Uro* genes: SWALLA, MAKABE, SATOH AND JEFFERY **119**, 307.
Alternative splicing
functions of *Drosophila* integrins: ZUSMAN, GRINBLAT, YEE, KAFATOS AND HYNES **118**, 737.
Amelogenin
inhibition of amelogenin translation: DIEKWISCH, DAVID, BRINGAS, SANTOS AND SLAVKIN **117**, 471.
cAMP
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.
induction of terminal differentiation of *Dictyostelium*: HOPPER, ANJARD, REYMOND AND WILLIAMS **119**, 147.
prestalk cell cellulose synthesis: BLANTON **119**, 703.
cAMP-dependent protein kinase
role of PKA during *Dictyostelium* development: MANN AND FIRTEL **119**, 135.
Amphibia
hsp70 expression in amphibian oocyte: BILLOUD, RODRIGUEZ-MARTIN, BERARD, MOREAU AND ANGELIER **119**, 921.
mesoderm morphogenesis in *Ceratophyrs ornata*: PURCELL AND KELLER **117**, 307.
Xenopus integrin α subunits: WHITTAKER AND DESIMONE **117**, 1239.
Angioblast
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
tie-2 expression during vascular development: SCHNURCH AND RISAU **119**, 957.
Angiogenesis
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
tie-2 expression during vascular development: SCHNURCH AND RISAU **119**, 957.
Annelid
engrailed homologue expression in leech embryos: LANS, WEDEEN AND WEISBLAT **117**, 857.
Antennapedia
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
Anterior-like cell
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL, TRAYNOR AND WILLIAMS **118**, 353.
Anterior-posterior axis
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
Antisense
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
kidney development requires *Pax-2*: ROTHENPIELER AND DRESSLER **119**, 711.
Antisense oligodeoxynucleotide
inhibition of amelogenin translation: DIEKWISCH, DAVID, BRINGAS, SANTOS AND SLAVKIN **117**, 471.
Antp
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
apetala1
flower development in *Arabidopsis*: BOWMAN, ALVAREZ, WEIGEL, MEYEROWITZ AND SMYTH **119**, 721.
APETALA
floral initiation process in *Arabidopsis*: SCHULTZ AND HAUGHN **119**, 745.
Apical ectodermal ridge
FGF regulates *Evx-1* expression in limbs: NISWANDER AND MARTIN **119**, 287.

FGF-4 and limb polarizing activity: VOGEL AND TICKLE **119**, 199.
Apical-basal pattern
gnom in *Arabidopsis* embryogenesis: MAYER, BUTTNER AND JURGENS **117**, 149.
Apoptosis
cell death in the *Drosophila* embryo: ABRAMS, WHITE, FESSLER AND STELLER **117**, 29.
control of neural crest cell death: GRAHAM, HEYMAN AND LUMSDEN **119**, 233.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELICI **118**, 1089.
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
apterous
D/V boundary in *Drosophila* wing: BLAIR **119**, 339.
wingless regulates wing formation: WILLIAMS, PADDOCK AND CARROLL **117**, 571.
Aqueous
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
Arabidopsis
Arabidopsis root development: DOLAN, JANMAAT, WILLEMSEN, LINSTEAD, POETHIG, ROBERTS AND SCHERES **119**, 71.
basal body pattern in *Arabidopsis* embryo: BERLETH AND JURGENS **118**, 575.
CLV1 in *Arabidopsis*: CLARK, RUNNING AND MEYEROWITZ **119**, 397.
floral initiation process in *Arabidopsis*: SCHULTZ AND HAUGHN **119**, 745.
flower development in *Arabidopsis*: BOWMAN, ALVAREZ, WEIGEL, MEYEROWITZ AND SMYTH **119**, 721.
gnom in *Arabidopsis* embryogenesis: MAYER, BUTTNER AND JURGENS **117**, 149.
inflorescence-developmental mutants of *Arabidopsis*: TSUKAYA, NAITO, REDEI AND KOMEDA **118**, 751.
meristem initiation in *Arabidopsis*: BARTON AND POETHIG **119**, 823.
armidillo
role in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
Artemia
engrailed gene: MANZANARES, MARCO AND GARESSE **118**, 1209.
Arthropod evolution
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Artificial microstructure
perpendicular contact guidance on microstructures: NAGATA, KAWANA AND NAKATSUJI **117**, 401.
Ascidia
egg cytoplasmic determinants: NISHIDA **118**, 1.
Uro genes: SWALLA, MAKABE, SATOH AND JEFFERY **119**, 307.
Ascorbate
ascorbate induces P0 gene expression: FERNANDEZ-VALLE, FREGIEN, WOOD AND BUNGE **119**, 867.
Aster
axis establishment and microtubules in *Beroe*: HOULISTON, CARRE, JOHNSTON AND SARDET **117**, 75.
Astrocyte
migration and fate of SVZ cells: LEVISON, CHUANG, ABRAMSON AND GOLDMAN **119**, 611.
Asymmetry
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
Autonomic nervous system
Phox2 and Cux in mouse: VALARCHE, TISSIER-SETA, HIRSCH, MARTINEZ, GORIDIS AND BRUNET **119**, 881.
Autonomous expression
expression of stripe enhancers in the *even-skipped* promoter: SMALL, ARNOSTI AND LEVINE **119**, 767.
Avian embryo
commitment of placodal ectoderm: VOGEL AND DAVIES **119**, 263.
tenascin and thrombospondin 2 mRNA: TUCKER **117**, 347.
Axial curvature
axial curvature and neurulation: VAN STRAATEN, HEKKING, CONSTEN AND COPP **117**, 1163.
Axis formation
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
Xwnt-11: a maternally expressed *Xenopus wnt* gene: KU AND MELTON **119**, 1161.
Axis specification
chick *CdxA* in axial positioning: FRUMKIN, HAFFNER, SHAPIRA, TARCIC, GRUENBAUM AND FAINSOD **118**, 553.
Hox-4.5 and *Hox-3.6* expression during newt regeneration: SIMON AND TABIN **117**, 1397.
Axon growth
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Axon guidance
by *Delta* and *Notch*: GINIGER, JAN AND JAN **117**, 431.
histochemical study of floor plate cells: CAMPBELL AND PETERSON **119**, 1217.
Axon outgrowth
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Axon pathway
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.
Axonal branching
cell interactions in *Caenorhabditis* axonal guidance: GARRIGA, DESAI AND HORVITZ **117**, 1071.
Axonal growth
cell interactions in *Caenorhabditis* axonal guidance: GARRIGA, DESAI AND HORVITZ **117**, 1071.
guidance of retinal axons by chiasm membranes: WIZENMANN, THANOS, BOXBERG AND BONHOEFFER **117**, 725.
Axonogenesis
wing sensory axons in *Drosophila* mutants: WHITLOCK **117**, 1251.
B1 element
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
Basal body
basal body pattern in *Arabidopsis* embryo: BERLETH AND JURGENS **118**, 575.
Basal lamina
ascorbate induces P0 gene expression: FERNANDEZ-VALLE, FREGIEN, WOOD AND BUNGE **119**, 867.
Basement membrane
collagen IV cleavage in *Drosophila*: FESSLER, CONDIC, NELSON, FESSLER AND FRISTROM **117**, 1061.
Basic fibroblast growth factor (bFGF)
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
neural induction by bFGF: KENGAKU AND OKAMOTO **119**, 1067.

Basic helix-loop-helix
isolation of a novel *Xenopus achaete-scute* homolog: ZIMMERMAN, SHIH, BARS, COLLAZO AND ANDERSON **119**, 221.
Beroe ovata
axis establishment and microtubules in *Beroe*: HOULISTON, CARRE, JOHNSTON AND SARDET **117**, 75.
bHLH
delayed somitogenesis in quail: COUTINHO, MORRIS, MARKS, BUHR AND IVARIE **117**, 563.
Bicaudal-D
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
bicoid
mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
***bicoid* RNA**
swallow protein in *Drosophila*: HEGDE AND STEPHENSON **119**, 457.
Bidirectional promoter
Drosophila Ras2 and *Rop* genes: SALZBERG, COHEN, HALACHMI, KIMCHIE AND LEV **117**, 1309.
Biomineralization
inhibition of amelogenin translation: DIEKWISCH, DAVID, BRINGAS, SANTOS AND SLAVKIN **117**, 471.
Birthdating
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Bithorax complex
autoregulation by *Ultrabithorax*: IRVINE, BOTAS, JHA, MANN AND HOGNESS **117**, 387.
Blastema
FGF receptors in limb regeneration: POULIN, PATRIE, BOTELHO, TASSAVA AND CHIU **119**, 353.
Blastomere
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
Blastopore lip
Spemann's organizer in the *Xenopus* tailbud: GONT, STEINBEISSER, BLUMBERG AND DE ROBERTIS **119**, 991.
Blastula
zebrafish midblastula transition: KANE AND KIMMEL **119**, 447.
BLE1
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
Blood vessel
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
bmi-1
Psc is a chromosomal protein: MARTIN AND ADLER **117**, 641.
Bolting process
inflorescence-developmental mutants of *Arabidopsis*: TSUKAYA, NAITO, REDEI AND KOMEDA **118**, 751.
Bolwig's nerve
brain-specific-homeobox gene in *Drosophila*: JONES AND MCGINNIS **117**, 793.
Brachial spinal cord
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
Brachydanio
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
Brachyury (T)
expression of *sna-1* in zebrafish embryos: HAMMERSCHMIDT AND NUSSLEIN-VOLHARD **119**, 1107.
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
Spemann's organizer in the *Xenopus* tailbud: GONT, STEINBEISSER, BLUMBERG AND DE ROBERTIS **119**, 991.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
Brain
brain-specific-homeobox gene in *Drosophila*: JONES AND MCGINNIS **117**, 793.
regional specification of neural ectoderm: THOMAS AND DZIADEK **117**, 253.
Brain neuroblast
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
Brain-derived neurotrophic factor
neurotrophin-4 is a neurotrophic factor for trigeminal ganglion: IBANEZ, ERNFORS, TIMMUSK, IP, ARENAS, YANCOPOULOS AND PERSSON **117**, 1345.
Branchial arch
gene expression in *kreisler* mouse embryos: FROHMAN, MARTIN, CORDES, HALAMEK AND BARSH **117**, 925.
goosecoid expression in murine organogenesis: GAUNT, BLUM AND DE ROBERTIS **117**, 769.
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
BrdU
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
origin of spinal cord oligodendrocytes: NOLL AND MILLER **118**, 563.
bric a brac
bric a brac function in limb development: GODT, COUDERC, CRAMTON AND LASKI **119**, 799.
Bromodeoxyuridine
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
BTB domain
bric a brac function in limb development: GODT, COUDERC, CRAMTON AND LASKI **119**, 799.
Budding
retinoids in morphallaxis of budding tunicates: KAWAMURA, HARA AND FUJIWARA **117**, 835.
c-*kit* receptor
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
neurite outgrowth and neuronal survival by SCF: HIRATA, MORII, MORIMOTO, KASUGAI, TSUJIMURA, HIROTA, KANAKURA, NOMURA AND KITAMURA **119**, 49.
c-*myc*
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
c-*ret*
expression of c-*ret* proto-oncogene in mouse: PACHNIS, MANKOO AND COSTANTINI **119**, 1005.
cactus
a gradient of dorsal protein: GOVIND, BRENNAN AND STEWARD **117**, 135.
Cadherin
catenins in the *Xenopus* embryo: SCHNEIDER, HERRENKNECHT, BUTZ, KEMLER AND HAUSEN **118**, 629.
M-cadherin expression in skeletal muscle: MOORE AND WALSH **117**, 1409.
Caenorhabditis
cell interactions in *Caenorhabditis* axonal guidance: GARRIGA, DESAI AND HORVITZ **117**, 1071.

cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
combinatorial regulation of cell identity: MITANI, DU, HALL, DRISCOLL AND CHALFIE **119**, 773.
glp-1 can substitute for *lin-12*: FITZGERALD, WILKINSON AND GREENWALD **119**, 1019.
gut specification: GOLDSTEIN **118**, 1267.
Calcium concentration
lighting the fuse at fertilization: WHITAKER AND SWANN **117**, 1.
Calcium current
I_{Ca} and contraction appearance in muscle: COGNARD, CONSTANTIN, RIVET-BASTIDE, IMBERT, BESSE AND RAYMOND **117**, 1153.
Capsule
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
Carbohydrate
targeted disruption of the L14 S-type lectin: POIRIER AND ROBERTSON **119**, 1229.
wing sensory axons in *Drosophila* mutants: WHITLOCK **117**, 1251.
Cardiac chamber
zebrafish heart development: STAINIER, LEE AND FISHMAN **119**, 31.
Cardiac mesoderm
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
Cardiac muscle
cardiac muscle differentiation in *Xenopus*: LOGAN AND MOHUN **118**, 865.
Cardiac progenitor
zebrafish heart development: STAINIER, LEE AND FISHMAN **119**, 31.
Cardiogenesis
TGFβ2 in heart development: DICKSON, SLAGER, DUFFIE, MUMMERY AND AKHURST **117**, 625.
Cardiovascular
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
Cartilage
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
Castration
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
Cat
subplate neurons and cortical targeting: GHOSH AND SHATZ **117**, 1031.
CAT
Xsna promoter in *Drosophila*: MAYOR, ESSEX, BENNETT AND SARGENT **119**, 661.
Cataract
ectopic expression of CRABP I in the lens: PEREZ-CASTRO, TRAN AND CHI NGUYEN-HUU **119**, 363.
Catenin
catenins in the *Xenopus* embryo: SCHNEIDER, HERRENKNECHT, BUTZ, KEMLER AND HAUSEN **118**, 629.
β-catenin
role of *armidillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
Caudal
mouse *Cdx-1* expression during gastrulation: MEYER AND GRUSS **117**, 191.
cauliflower
flower development in *Arabidopsis*: BOWMAN, ALVAREZ, WEIGEL, MEYEROWITZ AND SMYTH **119**, 721.
Ca^{2+}
Ca^{2+} spiking in oocytes: CHEEK, MCGUINNESS, VINCENT, MORETON, BERRIDGE AND JOHNSON **119**, 179.
CBP35
targeted disruption of the L14 S-type lectin: POIRIER AND ROBERTSON **119**, 1229.
CD44
expression of hyaluronan receptor, CD44: WHEATLEY, ISACKE AND CROSSLEY **119**, 295.
cdc2c
Drosophila cdc2 mutants: STERN, RIED, CLEGG, GRIGLIATTI AND LEHNER **117**, 219.
cdc2
Drosophila cdc2 mutants: STERN, RIED, CLEGG, GRIGLIATTI AND LEHNER **117**, 219.
Cdx-1
mouse *Cdx-1* expression during gastrulation: MEYER AND GRUSS **117**, 191.
Cell ablation
segmental identity in the mesoderm: GLEIZER AND STENT **117**, 177.
Cell adhesion
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
catenins in the *Xenopus* embryo: SCHNEIDER, HERRENKNECHT, BUTZ, KEMLER AND HAUSEN **118**, 629.
Drosophila wing development: FRISTROM, WILCOX AND FRISTROM **117**, 509.
M-cadherin expression in skeletal muscle: MOORE AND WALSH **117**, 1409.
NCAM in mouse neural tube: BALLY-CUIF, GORIDIS AND SANTONI **117**, 543.
novel integrin subunit: YEE AND HYNES **118**, 845.
role of *armidillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
Cell adhesion molecule
expression of hyaluronan receptor, CD44: WHEATLEY, ISACKE AND CROSSLEY **119**, 295.
Cell attachment
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
Cell commitment
segmental identity in the mesoderm: GLEIZER AND STENT **117**, 177.
Cell cycle
cdk5 and mouse embryonic nervous system: TSAI, TAKAHASHI, CAVINESS AND HARLOW **119**, 1029.
cell cycle during rat gastrulation: MAC AULEY, WERB AND MIRKES **117**, 873.
control of lens growth and cell polarity: HYATT AND BEEBE **117**, 701.
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
Drosophila cdc2 mutants: STERN, RIED, CLEGG, GRIGLIATTI AND LEHNER **117**, 219.
Drosophila cyclin E expression: RICHARDSON, O'KEEFE, REED AND SAINT **119**, 673.
fizzy mutations cause metaphase arrest: DAWSON, ROTH, AKAM AND ARTAVANIS-TSAKONAS **117**, 359.
zebrafish midblastula transition: KANE AND KIMMEL **119**, 447.
Cell death
cell death in the *Drosophila* embryo: ABRAMS, WHITE, FESSLER AND STELLER **117**, 29.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELICI **118**, 1089.

survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
wingless regulates wing formation: WILLIAMS, PADDOCK AND CARROLL **117**, 571.
Cell differentiation
prestalk cell cellulose synthesis: BLANTON **119**, 703.
stalk cell differentiation in *Dictyostelium*: INOUYE AND GROSS **118**, 523.
Cell expansion
Arabidopsis root development mutants: BENFEY, LINSTEAD, ROBERTS, SCHIEFELBEIN, HAUSER AND AESCHBACHER **119**, 57.
Cell fate
Arabidopsis root development: DOLAN, JANMAAT, WILLEMSEN, LINSTEAD, POETHIG, ROBERTS AND SCHERES **119**, 71.
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
combinatorial regulation of cell identity: MITANI, DU, HALL, DRISCOLL AND CHALFIE **119**, 773.
Delta and Notch in cell interactions: KOOH, FEHON AND MUSKAVITCH **117**, 493.
ectopic expression of *seven-up*: HIROMI, MLODZIK, WEST, RUBIN AND GOODMAN **118**, 1123.
genetic analysis of *Drosophila* laminin A: HENCHCLIFFE, GARCIA-ALONSO, TANG AND GOODMAN **118**, 325.
glp-1 can substitute for *lin-12*: FITZGERALD, WILKINSON AND GREENWALD **119**, 1019.
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
mesoderm development requires *tinman*: BODMER **118**, 719.
mesodermal cell interactions in sea urchin embryo: ETTENSOHN AND RUFFINS **117**, 1275.
role of *Notch* in cell fate decisions: HEITZLER AND SIMPSON **117**, 1113.
spitz class gene influence on epidermis: KIM AND CREWS **118**, 893.
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
Cell fusion
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Cell growth
control of lens growth and cell polarity: HYATT AND BEEBE **117**, 701.
Cell interaction
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
mesodermal cell interactions in sea urchin embryo: ETTENSOHN AND RUFFINS **117**, 1275.
role of *Notch* in cell fate decisions: HEITZLER AND SIMPSON **117**, 1113.
Cell junction
ubiquitous expression of *wingless*: SAMPEDRO, JOHNSTON AND LAWRENCE **117**, 677.
Cell line
MAP2-induced processes: EDSON, WEISSHAAR AND MATUS **117**, 689.
Cell lineage
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
D/V boundary in *Drosophila* wing: BLAIR **119**, 339.
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
engrailed homologue expression in leech embryos: LANS, WEDEEN AND WEISBLAT **117**, 857.
gliogenesis in insect ENS: COPENHAVER **117**, 59.
HNF3 proteins and endoderm development: ANG, WIERDA, WONG, STEVENS, CASCIO, ROSSANT AND ZARET **119**, 1301.
in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
regional specification of neural ectoderm: THOMAS AND DZIADEK **117**, 253.
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
restricted cortical cell lineages: GROVE, WILLIAMS, LI, HAJIHOSSEINI AND FRIEDRICH **117**, 553.
segmental identity in the mesoderm: GLEIZER AND STENT **117**, 177.
Cell marker
mosaic analysis in *Drosophila*: XU AND RUBIN **117**, 1223.
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
Cell migration
adhesive interactions at the primitive streak: BURDSAL, DAMSKY AND PEDERSEN **118**, 829.
chimeras with *ls/ls* transgenic embryos: KAPUR, YOST AND PALMITER **117**, 993.
mesoderm requirement for midgut morphogenesis: REUTER, GRUNEWALD AND LEPTIN **119**, 1135.
Cell mixing
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
Cell motility
zebrafish midblastula transition: KANE AND KIMMEL **119**, 447.
Cell proliferation
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
Cell signalling
lighting the fuse at fertilization: WHITAKER AND SWANN **117**, 1.
Cell spreading
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
Cell surface
developmental expression of fibroglycan: DAVID, BAI, VAN DER SCHUEREN, MARYNEN, CASSIMAN AND VAN DEN BERGHE **119**, 841.
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
wing sensory axons in *Drosophila* mutants: WHITLOCK **117**, 1251.
Cell surface receptor
t-PA in the preimplantation mouse embryo: CARROLL, RICHARDS, DARROW, WELLS AND STRICKLAND **119**, 191.
Cell survival
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
Cell type
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL, TRAYNOR AND WILLIAMS **118**, 353.
Cell-cell adhesion
adhesive interactions at the primitive streak: BURDSAL, DAMSKY AND PEDERSEN **118**, 829.
cingulin expression in embryos: JAVED, FLEMING, HAY AND CITI **117**, 1145.

Cell-cell interaction
glp-1 can substitute for *lin-12*: FITZGERALD, WILKINSON AND GREENWALD **119**, 1019.
strawberry notch gene in *Drosophila*: COYLE-THOMPSON AND BENERJEE **119**, 377.
Cell-matrix interaction
integrins in early mouse embryos: SUTHERLAND, CALARCO AND DAMSKY **119**, 1175.
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
Cellularisation
sry α expression and cellularisation: IBNSOUDA, SCHWEISGUTH, DE BILLY AND VINCENT **119**, 471.
Cellulose synthesis
prestalk cell cellulose synthesis: BLANTON **119**, 703.
Central nervous system
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
brain-specific-homeobox gene in *Drosophila*: JONES AND MCGINNIS **117**, 793.
the *lethal of scute* gene: MARTIN-BERMUDO, GONZALEZ, DOMINGUEZ, RODRIGUEZ, RUIZ-GOMEZ, ROMANI, MODOLELL AND JIMENEZ **118**, 1003.
two *Drosophila* FGF-receptor homologues: SHISHIDO, HIGASHIJIMA, EMORI AND SAIGO **117**, 751.
Cephalic mesenchyme
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.
Ceratophyrs
mesoderm morphogenesis in *Ceratophyrs ornata*: PURCELL AND KELLER **117**, 307.
Cerebellar compartments
enhancer regions in the mouse *En-2* locus: LOGAN, KHOO, CADO AND JOYNER **117**, 905.
Cerebellum
cDNAs mark stages of granule cell development: KUHAR, FENG, VIDAN, ROSS, HATTEN AND HEINTZ **117**, 97.
Cerebral cortex
restricted cortical cell lineages: GROVE, WILLIAMS, LI, HAJIHOSSEINI AND FRIEDRICH **117**, 553.
subplate neurons and cortical targeting: GHOSH AND SHATZ **117**, 1031.
Cervical spinal cord
postnatal motoneuron maturation in rats: CURFS, GRIBNAU AND DEDEREN **117**, 535.
Cervical vertebra
homeosis of cervical vertebrae in *Hoxd-3*$^{-}$ mice: CONDIE AND CAPECCHI **119**, 579.
Chick
Cwnt-8C in axial and neural patterning: HUME AND DODD **119**, 1147.
enhancer factor δEF1 in embryogenesis: FUNAHASHI, SEKIDO, MURAI, KAMACHI AND KONDOH **119**, 433.
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
Chick chimera
germline chimeric chickens: CARSIENCE, CLARK, GIBBINS AND ETCHES **117**, 669.
Chick collagen
early upregulation of type VI collagen: QUARTO, DOZIN, BONALDO, CANCEDDA AND COLOMBATTI **117**, 245.
Chick embryo
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
FGF-4 and limb polarizing activity: VOGEL AND TICKLE **119**, 199.
GATA factors in erythropoiesis: LEONARD, LIM AND ENGEL **119**, 519.
Msx-1 expression in developing face and limbs: BROWN, WEDDEN, MILLBURN, ROBSON, HILL, DAVIDSON AND TICKLE **119**, 41.
Chick gastrulation
CdxA in axial positioning: FRUMKIN, HAFFNER, SHAPIRA, TARCIC, GRUENBAUM AND FAINSOD **118**, 553.
Chick hindbrain
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.
Chick lens
control of lens growth and cell polarity: HYATT AND BEEBE **117**, 701.
Chick limb
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
Chick myogenesis
patterning of fast and slow fibres: ROBSON **117**, 329.
Chick nervous system
control of neural crest cell death: GRAHAM, HEYMAN AND LUMSDEN **119**, 233.
Pax gene expression in the developing chick spinal cord: GOULDING, LUMSDEN AND GRUSS **117**, 1001.
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
segmental organization of chick hindbrain: KURATANI AND EICHELE **117**, 105.
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
Chick neural tube
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
Chick neurulation
axial curvature and neurulation: VAN STRAATEN, HEKKING, CONSTEN AND COPP **117**, 1163.
Chick retina
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
laminin receptors in the developing retina: DE CURTIS AND REICHARDT **118**, 377.
Chick skin
dye coupling patterns in embryonic skin: SERRAS, FRASER AND CHUONG **119**, 85.
Chick somite
somite pattern regulation: PACKARD, ZHENG AND TURNER **117**, 779.
Chick tenascin
tenascin and thrombospondin 2 mRNA: TUCKER **117**, 347.
Chick *trk*B
chick *trk*B and neuronal BDNF receptors: DECHANT, BIFFO, OKAZAWA, KOLBECK, POTTGIESSER AND BARDE **119**, 545.
Chick wing
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
Chimera
autosomal dominant female-sterile mutations: CHOU, NOLL AND PERRIMON **119**, 1359.
chimeric analysis of *T(Brachyury)*: WILSON, RASHBASS AND BEDDINGTON **117**, 1321.
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.
germline chimeric chickens: CARSIENCE, CLARK, GIBBINS AND ETCHES **117**, 669.
segmental organization of chick hindbrain: KURATANI AND EICHELE **117**, 105.
Chimeric protein
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.

Chondrocyte
early upregulation of type VI collagen: QUARTO, DOZIN, BONALDO, CANCEDDA AND COLOMBATTI **117**, 245.
Chordamesoderm
role for mouse HNF-3 α, β and γ genes in tissue determination: MONAGHAN, KAESTNER, GRAU AND SCHUTZ **119**, 567.
Chordoneural hinge
Spemann's organizer in the *Xenopus* tailbud: GONT, STEINBEISSER, BLUMBERG AND DE ROBERTIS **119**, 991.
Choroid plexus
regional specification of neural ectoderm: THOMAS AND DZIADEK **117**, 253.
Chromosomal protein
Psc is a chromosomal protein: MARTIN AND ADLER **117**, 641.
Chromosome
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
Ciliary neurotrophic factor
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
CNTF maintains pluripotentiality of ES cells: CONOVER, IP, POUEYMIROU, BATES, GOLDFARB, DECHIARA AND YANCOPOULOS **119**, 559.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
Cingulin
expression in embryos: JAVED, FLEMING, HAY AND CITI **117**, 1145.
localisation in embryos: FLEMING, HAY, JAVED AND CITI **117**, 1135.
***Cis* regulation**
decapentaplegic in visceral mesoderm: HURSH, PADGETT AND GELBART **117**, 1211.
***Cis*-acting elements**
Hox-1.4 directed expression in transgenic mice: BEHRINGER, CROTTY, TENNYSON, BRINSTER, PALMITER AND WOLGEMUTH **117**, 823.
***cis*-regulatory element**
the *lethal of scute* gene: MARTIN-BERMUDO, GONZALEZ, DOMINGUEZ, RODRIGUEZ, RUIZ-GOMEZ, ROMANI, MODOLELL AND JIMENEZ **118**, 1003.
Citral
retinoic acid and *Xenopus* embryogenesis: SCHUH, HALL, CREECH KRAFT, PRIVALSKY AND KIMELMAN **119**, 785.
CLAVATA1
CLV1 in *Arabidopsis*: CLARK, RUNNING AND MEYEROWITZ **119**, 397.
Cleavage
axis establishment and microtubules in *Beroe*: HOULISTON, CARRE, JOHNSTON AND SARDET **117**, 75.
collagen IV cleavage in *Drosophila*: FESSLER, CONDIC, NELSON, FESSLER AND FRISTROM **117**, 1061.
zebrafish midblastula transition: KANE AND KIMMEL **119**, 447.
Clonal analysis
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Clonal heterogeneity
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Cnidaria
axial expression of *Cnox-2* in hydra: SHENK, BODE AND STEELE **117**, 657.
Cnox-2
axial expression of *Cnox-2* in hydra: SHENK, BODE AND STEELE **117**, 657.
CNS
cDNAs mark stages of granule cell development: KUHAR, FENG, VIDAN, ROSS, HATTEN AND HEINTZ **117**, 97.
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
EcR-A marks doomed neurons of *Drosophila*: ROBINOW, TALBOT, HOGNESS AND TRUMAN **119**, 1251.
paired expression and regulation: GUTJAHR, FREI AND NOLL **117**, 609.
pointed encodes two ETS-like proteins: KLAMBT **117**, 163.
spitz class gene influence on epidermis: KIM AND CREWS **118**, 893.
the origin of oligodendrocytes?: PRINGLE AND RICHARDSON **117**, 525.
Wnt in embryonic CNS and limb buds: PARR, SHEA, VASSILEVA AND MCMAHON **119**, 247.
CNS neuroblasts
perpendicular contact guidance on microstructures: NAGATA, KAWANA AND NAKATSUJI **117**, 401.
Cochlea
retinoic acid in the developing cochlea: KELLEY, XU, WAGNER, WARCHOL AND CORWIN **119**, 1041.
Collagen IV
collagen IV cleavage in *Drosophila*: FESSLER, CONDIC, NELSON, FESSLER AND FRISTROM **117**, 1061.
Collagen VI
early upregulation of type VI collagen: QUARTO, DOZIN, BONALDO, CANCEDDA AND COLOMBATTI **117**, 245.
Combinatorial regulation
combinatorial regulation of cell identity: MITANI, DU, HALL, DRISCOLL AND CHALFIE **119**, 773.
Commitment
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
Compartment
D/V boundary in *Drosophila* wing: BLAIR **119**, 339.
Competence
neural induction by bFGF: KENGAKU AND OKAMOTO **119**, 1067.
Computer simulation
evaluation of theories of neurulation: CLAUSI AND BRODLAND **118**, 1013.
Concentration
ubiquitous expression of *wingless*: SAMPEDRO, JOHNSTON AND LAWRENCE **117**, 677.
Conduction system
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.
Congenital defect
chimeras with *ls/ls* transgenic embryos: KAPUR, YOST AND PALMITER **117**, 993.
mutant interaction in mouse neurulation: ESTIBEIRO, BROOK AND COPP **119**, 113.
Conjugation
cortical development in conjugant *Paramecium*: ROMERO AND TORRES **117**, 1099.
Connexin43
control of gap junction assembly in mouse: DE SOUSA, VALDIMARSSON, NICHOLSON AND KIDDER **117**, 1355.
Contraction
I_{Ca} and contraction appearance in muscle: COGNARD, CONSTANȚIN, RIVET-BASTIDE, IMBERT, BESSE AND RAYMOND **117**, 1153.
Corpora cardiaca
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Cortex
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Cortical cytoskeleton
vegetally localized maternal RNA: MOSQUERA, FORRISTALL, ZHOU AND KING **117**, 377.

Cortical morphogenesis
cortical development in conjugant *Paramecium*: ROMERO AND TORRES **117**, 1099.
Cortical rotation
axis specification in *Xenopus*: FUJISUE, KOBAYAKAWA AND YAMANA **118**, 163.
Coturnix
delayed somitogenesis in quail: COUTINHO, MORRIS, MARKS, BUHR AND IVARIE **117**, 563.
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CIMENT **118**, 1313.
CRABP
CRBP I/CRABP I in the mouse embryo: GUSTAFSON, DENCKER AND ERIKSSON **117**, 451.
ectopic expression of CRABP I in the lens: PEREZ-CASTRO, TRAN AND CHI NGUYEN-HUU **119**, 363.
retinoic acid in the developing cochlea: KELLEY, XU, WAGNER, WARCHOL AND CORWIN **119**, 1041.
Cranial nerve
Hoxa-1 mutant phenotype: MARK, LUFKIN, VONESCH, RUBERTE, OLIVO, DOLLE, GORRY, LUMSDEN AND CHAMBON **119**, 319.
Cranial sensory neuron
commitment of placodal ectoderm: VOGEL AND DAVIES **119**, 263.
Craniocervical region
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
Craniofacial development
CRBP I/CRABP I in the mouse embryo: GUSTAFSON, DENCKER AND ERIKSSON **117**, 451.
msx 1 and *msx 2* during tissue interactions: JOWETT, VAINIO, FERGUSON, SHARPE AND THESLEFF **117**, 461.
Crayfish
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
CRBP I
CRBP I/CRABP I in the mouse embryo: GUSTAFSON, DENCKER AND ERIKSSON **117**, 451.
Cremaster sac
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
Crustacea
Artemia engrailed gene: MANZANARES, MARCO AND GARESSE **118**, 1209.
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
δ-Crystallin enhancer
enhancer factor δEF1 in embryogenesis: FUNAHASHI, SEKIDO, MURAI, KAMACHI AND KONDOH **119**, 433.
CTB-HRP
postnatal motoneuron maturation in rats: CURFS, GRIBNAU AND DEDEREN **117**, 535.
Ctenophore
axis establishment and microtubules in *Beroe*: HOULISTON, CARRE, JOHNSTON AND SARDET **117**, 75.
curly tail
mutant interaction in mouse neurulation: ESTIBEIRO, BROOK AND COPP **119**, 113.
cut
D/V boundary in *Drosophila* wing: BLAIR **119**, 339.
expression in *Drosophila*: BLOCHLINGER, JAN AND JAN **117**, 441.
Cuticular pattern
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
Cwnt-8C
Cwnt-8C in axial and neural patterning: HUME AND DODD **119**, 1147.
Cyclin
Drosophila cyclin E expression: RICHARDSON, O'KEEFE, REED AND SAINT **119**, 673.
Cyclin B
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
Cyclin-dependent kinases
cdk5 and mouse embryonic nervous system: TSAI, TAKAHASHI, CAVINESS AND HARLOW **119**, 1029.
Cytoplasmic determinant
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
dorsalizing cytoplasm in *Xenopus*: HOLOWACZ AND ELINSON **119**, 277.
Cytoplasmic transfer
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Cytoplasmic volume
zebrafish midblastula transition: KANE AND KIMMEL **119**, 447.
Cytoskeleton
MAP2-induced processes: EDSON, WEISSHAAR AND MATUS **117**, 689.
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
role of *armidillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
D-raf
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
Danforth's short-tail
Pax-1 as a mediator of notochordal signals: KOSEKI, WALLIN, WILTING, MIZUTANI, KISPERT, EBENSPERGER, HERRMANN, CHRIST AND BALLING **119**, 649.
decapentaplegic
allocation of leg and wing imaginal discs: COHEN, SIMCOX AND COHEN **117**, 597.
gradient in *Drosophila*: WHARTON, RAY AND GELBART **117**, 807.
in visceral mesoderm: HURSH, PADGETT AND GELBART **117**, 1211.
Decapoda
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Dedifferentiation
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
Definitive endoderm
role for mouse HNF-3 α, β and γ genes in tissue determination: MONAGHAN, KAESTNER, GRAU AND SCHUTZ **119**, 567.
Deformed
regulates *Distal-less*: O'HARA, COHEN, COHEN AND MCGINNIS **117**, 847.
targets of the *Deformed* homeotic gene: MAHAFFEY, JONES, HICKEL AND GRISWOLD **118**, 203.
Delta
axon guidance by *Delta* and *Notch*: GINIGER, JAN AND JAN **117**, 431.
Delta and Notch in cell interactions: KOOH, FEHON AND MUSKAVITCH **117**, 493.
role of *Notch* in cell fate decisions: HEITZLER AND SIMPSON **117**, 1113.
Dendritic antigen-presenting cell
*rel*B expression in lymphoid tissues: CARRASCO, RYSECK AND BRAVO **118**, 1221.
Dendritic field
postnatal motoneuron maturation in rats: CURFS, GRIBNAU AND DEDEREN **117**, 535.
Desmin gene
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.

Developmental mutant
tail and inner ear defects in *int-2* mutant mice: MANSOUR, GODDARD AND CAPECCHI **117**, 13.
Developmental potential
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Developmental profile
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Diacylglycerol
axial expression of *Cnox-2* in hydra: SHENK, BODE AND STEELE **117**, 657.
Dictyostelium
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.
expression of Dp87 gene in *Dictyostelium*: OZAKI, NAKAO, ORII, MORIO, TAKEUCHI AND TASAKA **117**, 1299.
induction of terminal differentiation of *Dictyostelium*: HOPPER, ANJARD, REYMOND AND WILLIAMS **119**, 147.
prestalk cell cellulose synthesis: BLANTON **119**, 703.
role of PKA during *Dictyostelium* development: MANN AND FIRTEL **119**, 135.
stalk cell differentiation in *Dictyostelium*: INOUYE AND GROSS **118**, 523.
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL, TRAYNOR AND WILLIAMS **118**, 353.
DIF
prestalk cell cellulose synthesis: BLANTON **119**, 703.
stalk cell differentiation in *Dictyostelium*: INOUYE AND GROSS **118**, 523.
Differentiation
early upregulation of type VI collagen: QUARTO, DOZIN, BONALDO, CANCEDDA AND COLOMBATTI **117**, 245.
extracellular matrix and differentiation: ADAMS AND WATT **117**, 1183.
migration and fate of SVZ cells: LEVISON, CHUANG, ABRAMSON AND GOLDMAN **119**, 611.
DiI labelling
segmental migration of the hindbrain neural crest: SECHRIST, SERBEDZIJA, SCHERSON, FRASER AND BRONNER-FRASER **118**, 691.
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Distal forepaw
postnatal motoneuron maturation in rats: CURFS, GRIBNAU AND DEDEREN **117**, 535.
Distal-less
allocation of leg and wing imaginal discs: COHEN, SIMCOX AND COHEN **117**, 597.
Deformed regulates *Distal-less*: O'HARA, COHEN, COHEN AND MCGINNIS **117**, 847.
distal-less
Xenopus distal-less in forebrain development: PAPALOPULU AND KINTNER **117**, 961.
Dithiothreitol
Ca^{2+} spiking in oocytes: CHEEK, MCGUINNESS, VINCENT, MORETON, BERRIDGE AND JOHNSON **119**, 179.
cDNA
ascidian *Uro* genes: SWALLA, MAKABE, SATOH AND JEFFERY **119**, 307.
DNA
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
DNA methylation
epigenetic modifications and development: REIK, ROMER, BARTON, SURANI, HOWLETT AND KLOSE **119**, 933.
DNA-binding protein
transcriptional regulation of *Tcp-10b*: EWULONU, BURATYNSKI AND SCHIMENTI **117**, 89.
Dopamine
monoamines and neuronal differentiation: ROWE, MESSENGER AND WARNER **119**, 1343.
dorsal
a gradient of dorsal protein: GOVIND, BRENNAN AND STEWARD **117**, 135.
Dorsal axis determination
axis specification in *Xenopus*: FUJISUE, KOBAYAKAWA AND YAMANA **118**, 163.
early specification of zebrafish dorsoventral axis: STACHEL, GRUNWALD AND MYERS **117**, 1261.
Dorsal axis induction
dorsalizing cytoplasm in *Xenopus*: HOLOWACZ AND ELINSON **119**, 277.
Dorsalization
dorsalization in *Xenopus* gastrulae: LETTICE AND SLACK **117**, 263.
Dorsal root ganglion
neurite outgrowth and neuronal survival by SCF: HIRATA, MORII, MORIMOTO, KASUGAI, TSUJIMURA, HIROTA, KANAKURA, NOMURA AND KITAMURA **119**, 49.
ventral spinal cord inhibits DRG outgrowth: FITZGERALD, KWIAT, MIDDLETON AND PINI **117**, 1377.
Dorsal-ventral patterning
decapentaplegic gradient in *Drosophila*: WHARTON, RAY AND GELBART **117**, 807.
Xenopus anterior homeobox gene: SAHA, MICHEL, GULDING AND GRAINGER **118**, 193.
Dorsoventral axis
a gradient of dorsal protein: GOVIND, BRENNAN AND STEWARD **117**, 135.
the origin of oligodendrocytes?: PRINGLE AND RICHARDSON **117**, 525.
Dorsoventral expression
Pax gene expression in the developing chick spinal cord: GOULDING, LUMSDEN AND GRUSS **117**, 1001.
Dorsoventral patterning
dGATAa is dorsally restricted: WINICK, ABEL, LEONARD, MICHELSON, CHARDON-LORIAUX, HOLMGREN, MANIATIS AND ENGEL **119**, 1055.
Dorsoventral specification
Pax-1 as a mediator of notochordal signals: KOSEKI, WALLIN, WILTING, MIZUTANI, KISPERT, EBENSPERGER, HERRMANN, CHRIST AND BALLING **119**, 649.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
Dosage compensation
Drosophila AS-C feminizing activities: PARKHURST, LIPSHITZ AND ISH-HOROWICZ **117**, 737.
Double enzymatic staining
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL, TRAYNOR AND WILLIAMS **118**, 353.
DP87 gene
expression of Dp87 gene in *Dictyostelium*: OZAKI, NAKAO, ORII, MORIO, TAKEUCHI AND TASAKA **117**, 1299.
Drosophila
aneural myogenesis in *Drosophila*: BROADIE AND BATE **119**, 533.
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
collagen IV cleavage in *Drosophila*: FESSLER, CONDIC, NELSON, FESSLER AND FRISTROM **117**, 1061.
cyclin E expression: RICHARDSON, O'KEEFE, REED AND SAINT **119**, 673.
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
D/V boundary in *Drosophila* wing: BLAIR **119**, 339.
dGATAa is dorsally restricted: WINICK, ABEL, LEONARD,

MICHELSON, CHARDON-LORIAUX, HOLMGREN, MANIATIS AND ENGEL **119**, 1055.
epidermal patterning in *Drosophila*: BEJSOVEC AND WIESCHAUS **119**, 501.
GATA factor in the developing fat body: ABEL, MICHELSON AND MANIATIS **119**, 623.
imaginal development: HAYASHI, HIROSE, METCALFE AND SHIRRAS **118**, 105.
localization of tudor protein in embryogenesis: BARDSLEY, MCDONALD AND BOSWELL **119**, 207.
mesoderm requirement for midgut morphogenesis: REUTER, GRUNEWALD AND LEPTIN **119**, 1135.
novel integrin subunit: YEE AND HYNES **118**, 845.
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
segmentation: after the first three hours: LAWRENCE AND SAMPEDRO **119**, 971.
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.

***Drosophila* axis**
dorsal-ventral pattern formation in *Drosophila*: ROTH **117**, 1385.

***Drosophila* cell death**
cell death in the *Drosophila* embryo: ABRAMS, WHITE, FESSLER AND STELLER **117**, 29.

***Drosophila* cell division**
a functionally unique α-tubulin isotype: MATTHEWS, REES AND KAUFMAN **117**, 977.

***Drosophila* cell fate**
Delta and Notch in cell interactions: KOOH, FEHON AND MUSKAVITCH **117**, 493.
role of *Notch* in cell fate decisions: HEITZLER AND SIMPSON **117**, 1113.

***Drosophila* egg**
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.

***Drosophila* embryo**
sry α expression and cellularisation: IBNSOUDA, SCHWEISGUTH, DE BILLY AND VINCENT **119**, 471.

***Drosophila* eye**
ectopic expression of *seven-up*: HIROMI, MLODZIK, WEST, RUBIN AND GOODMAN **118**, 1123.
murine homologues of *seven in absentia*: DELLA, SENIOR AND BOWTELL **117**, 1333.

***Drosophila* gene**
a gradient of dorsal protein: GOVIND, BRENNAN AND STEWARD **117**, 135.
an essential immunoglobulin family gene: GARBE, YANG AND FRISTROM **119**, 1237.
asense, a neural precursor gene: BRAND, JARMAN, JAN AND JAN **119**, 1.
autoregulation by *Ultrabithorax*: IRVINE, BOTAS, JHA, MANN AND HOGNESS **117**, 387.
bric a brac function in limb development: GODT, COUDERC, CRAMTON AND LASKI **119**, 799.
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
conservation of *hairy* regulation: LANGELAND AND CARROLL **117**, 585.
decapentaplegic in visceral mesoderm: HURSH, PADGETT AND GELBART **117**, 1211.
Deformed regulates *Distal-less*: O'HARA, COHEN, COHEN AND MCGINNIS **117**, 847.
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
expression of stripe enhancers in the *even-skipped* promoter: SMALL, ARNOSTI AND LEVINE **119**, 767.
functions of *Drosophila* integrins: ZUSMAN, GRINBLAT, YEE, KAFATOS AND HYNES **118**, 737.
genetic analysis of *Drosophila* laminin A: HENCHCLIFFE, GARCIA-ALONSO, TANG AND GOODMAN **118**, 325.
molecular phenotypes of *Broad-Complex* mutations: KARIM, GUILD AND THUMMEL **118**, 977.
otu and germ-line sex determination: PAULI, OLIVER AND MAHOWALD **119**, 123.
pannier encodes zinc finger protein homologous to GATA-1: RAMAIN, HEITZLER, HAENLIN AND SIMPSON **119**, 1277.
pipsqueak, a new posterior group gene: SIEGEL, JONGENS, JAN AND JAN **119**, 1187.
Psc is a chromosomal protein: MARTIN AND ADLER **117**, 641.
Ras2 and *Rop* genes: SALZBERG, COHEN, HALACHMI, KIMCHIE AND LEV **117**, 1309.
regional repression of a *Drosophila* POU box gene: AFFOLTER, WALLDORF, KLOTER, SCHIER AND GEHRING **117**, 1199.
regulation and function of *asense*: JARMAN, BRAND, JAN AND JAN **119**, 19.
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
regulation of Glass activity: ELLIS, O'NEILL AND RUBIN **119**, 855.
regulation of *wingless* transcription in *Drosophila*: INGHAM AND HIDALGO **117**, 283.
repression of *Drosophila* pair-rule genes by *tramtrack*: BROWN AND WU **117**, 45.
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
Scr ectopic expression: PELAZ, URQUIA AND MORATA **117**, 917.
strawberry notch gene in *Drosophila*: COYLE-THOMPSON AND BENERJEE **119**, 377.
SXl, master and slave: OLIVER, KIM AND BAKER **119**, 897.
targets of the *Deformed* homeotic gene: MAHAFFEY, JONES, HICKEL AND GRISWOLD **118**, 203.
the *lethal of scute* gene: MARTIN-BERMUDO, GONZALEZ, DOMINGUEZ, RODRIGUEZ, RUIZ-GOMEZ, ROMANI, MODOLELL AND JIMENEZ **118**, 1003.

***Drosophila* growth factor**
two *Drosophila* FGF-receptor homologues: SHISHIDO, HIGASHIJIMA, EMORI AND SAIGO **117**, 751.

***Drosophila* homolog**
a beetle *abdominal-A* homolog: STUART, BROWN, BEEMAN AND DENELL **117**, 233.

***Drosophila* imaginal disc**
allocation of leg and wing imaginal discs: COHEN, SIMCOX AND COHEN **117**, 597.
cut expression in *Drosophila*: BLOCHLINGER, JAN AND JAN **117**, 441.
regeneration genes in *Drosophila*: BROOK, OSTAFICHUK, PIORECKY, WILKINSON, HODGETTS AND RUSSELL **117**, 1287.
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.

***Drosophila* leg**
hairy and patterning of leg bristles: ORENIC, HELD, PADDOCK AND CARROLL **118**, 9.

***Drosophila* mosaic**
mosaic analysis in *Drosophila*: XU AND RUBIN **117**, 1223.

***Drosophila* muscle**
flight muscle innervation: FERNANDES AND VIJAYRAGHAVAN **118**, 215.
mesoderm development requires *tinman*: BODMER **118**, 719.

***Drosophila* mutant**
autosomal dominant female-sterile mutations: CHOU, NOLL AND PERRIMON **119**, 1359.
Drosophila cdc2 mutants: STERN, RIED, CLEGG, GRIGLIATTI AND LEHNER **117**, 219.
fizzy mutations cause metaphase arrest: DAWSON, ROTH, AKAM AND ARTAVANIS-TSAKONAS **117**, 359.

homeotic protein expression in *trithorax* mutants: BREEN AND HARTE **117**, 119.

***Drosophila* nervous system**
axon guidance by *Delta* and *Notch*: GINIGER, JAN AND JAN **117**, 431.
brain-specific-homeobox gene in *Drosophila*: JONES AND MCGINNIS **117**, 793.
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
EcR-A marks doomed neurons of *Drosophila*: ROBINOW, TALBOT, HOGNESS AND TRUMAN **119**, 1251.
gliogenesis in the adult fly PNS: GIANGRANDE, MURRAY AND PALKA **117**, 895.
optomotor-blind in *Drosophila* nervous system development: POECK, HOFBAUER AND PFLUGFELDER **117**, 1017.
pointed encodes two ETS-like proteins: KLAMBT **117**, 163.
spitz class gene influence on epidermis: KIM AND CREWS **118**, 893.

***Drosophila* neurogenesis**
wing sensory axons in *Drosophila* mutants: WHITLOCK **117**, 1251.

***Drosophila* oocyte**
oskar mRNA localization elements: KIM-HA, WEBSTER, SMITH AND MCDONALD **119**, 169.
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.

***Drosophila* oogenesis**
activation of *Sex-lethal* in the germ line: GRANADINO, SANTAMARIA AND SANCHEZ **118**, 813.
Drosophila ovarian follicles: GIORGI, LUCCHESI, MORELLI AND BOWNES **117**, 319.
role of *armidillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.

***Drosophila* pattern formation**
decapentaplegic gradient in *Drosophila*: WHARTON, RAY AND GELBART **117**, 807.

***Drosophila* pole cell**
P-element splicing in pole cells: KOBAYASHI, KITAMURA, SASAKI AND OKADA **117**, 885.

***Drosophila* segmentation**
paired expression and regulation: GUTJAHR, FREI AND NOLL **117**, 609.
ubiquitous expression of *wingless*: SAMPEDRO, JOHNSTON AND LAWRENCE **117**, 677.

***Drosophila* sex determination**
a germ cell-specific X:A ratio in *Drosophila*: STEINMANN-ZWICKY **117**, 763.
Drosophila AS-C feminizing activities: PARKHURST, LIPSHITZ AND ISH-HOROWICZ **117**, 737.

***Drosophila* wing**
Drosophila wing development: FRISTROM, WILCOX AND FRISTROM **117**, 509.
wingless regulates wing formation: WILLIAMS, PADDOCK AND CARROLL **117**, 571.

Dth-1
planarian homeobox genes: GARCIA-FERNANDEZ, BAGUNA AND SALO **118**, 241.

Dye coupling
control of gap junction assembly in mouse: DE SOUSA, VALDIMARSSON, NICHOLSON AND KIDDER **117**, 1355.
dye coupling patterns in embryonic skin: SERRAS, FRASER AND CHUONG **119**, 85.

Ear
goosecoid expression in murine organogenesis: GAUNT, BLUM AND DE ROBERTIS **117**, 769.

Ear development
Hoxa-1 mutant phenotype: MARK, LUFKIN, VONESCH, RUBERTE, OLIVO, DOLLE, GORRY, LUMSDEN AND CHAMBON **119**, 319.

Early gene
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.

Ecdysone
molecular phenotypes of *Broad-Complex* mutations: KARIM, GUILD AND THUMMEL **118**, 977.
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.

Ecdysteroid
EcR-A marks doomed neurons of *Drosophila*: ROBINOW, TALBOT, HOGNESS AND TRUMAN **119**, 1251.

ecmA
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.

ecmB
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.

Ectoderm
an essential immunoglobulin family gene: GARBE, YANG AND FRISTROM **119**, 1237.
cell cycle during rat gastrulation: MAC AULEY, WERB AND MIRKES **117**, 873.
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
hyaluronic acid in the early mouse embryo: BROWN AND PAPAIOANNOU **117**, 483.

Ectopic expression
repression of *Drosophila* pair-rule genes by *tramtrack*: BROWN AND WU **117**, 45.

Egalitarian
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.

EGF
regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.

EGF receptor
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
mosaic analysis in *Drosophila*: XU AND RUBIN **117**, 1223.

Egg chamber
swallow protein in *Drosophila*: HEGDE AND STEPHENSON **119**, 457.

Egg cortex
dorsalizing cytoplasm in *Xenopus*: HOLOWACZ AND ELINSON **119**, 277.

Egg cytoplasm
lighting the fuse at fertilization: WHITAKER AND SWANN **117**, 1.

Embryogenesis
a beetle *abdominal-A* homolog: STUART, BROWN, BEEMAN AND DENELL **117**, 233.
catenins in the *Xenopus* embryo: SCHNEIDER, HERRENKNECHT, BUTZ, KEMLER AND HAUSEN **118**, 629.
meristem initiation in *Arabidopsis*: BARTON AND POETHIG **119**, 823.

Embryoid body
X-chromosome imprinting in mouse ES cells: TADA, TADA AND TAKAGI **119**, 813.

Embryonic axis
axis establishment and microtubules in *Beroe*: HOULISTON, CARRE, JOHNSTON AND SARDET **117**, 75.

Embryonic development
Xwnt-5A in *Xenopus* embryos: MOON, CAMPBELL, CHRISTIAN, MCGREW, SHIH AND FRASER **119**, 97.
Embryonic ectoderm
hyaluronic acid in the early mouse embryo: BROWN AND PAPAIOANNOU **117**, 483.
Embryonic organogenesis
enhancer factor δEF1 in embryogenesis: FUNAHASHI, SEKIDO, MURAI, KAMACHI AND KONDOH **119**, 433.
Embryonic shield
early specification of zebrafish dorsoventral axis: STACHEL, GRUNWALD AND MYERS **117**, 1261.
Embryonic stem cell
α_5 integrin-deficient mice: YANG, RAYBURN AND HYNES **119**, 1093.
CNTF maintains pluripotentiality of ES cells: CONOVER, IP, POUEYMIROU, BATES, GOLDFARB, DECHIARA AND YANCOPOULOS **119**, 559.
embryonic stem cell repopulation: MULLER AND DZIERZAK **118**, 1343.
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
X-chromosome imprinting in mouse ES cells: TADA, TADA AND TAKAGI **119**, 813.
Embryonic transcription
induction of embryonic transcription in vitro: VERNET, CAVARD, ZIDER, FERGELOT, GRIMBER AND BRIAND **119**, 1293.
Enamel
inhibition of amelogenin translation: DIEKWISCH, DAVID, BRINGAS, SANTOS AND SLAVKIN **117**, 471.
Endocardium
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
zebrafish heart development: STAINIER, LEE AND FISHMAN **119**, 31.
Endocytosis
Drosophila Ras2 and *Rop* genes: SALZBERG, COHEN, HALACHMI, KIMCHIE AND LEV **117**, 1309.
Endoderm
chick *CdxA* in axial positioning: FRUMKIN, HAFFNER, SHAPIRA, TARCIC, GRUENBAUM AND FAINSOD **118**, 553.
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
heart homeobox gene: LINTS, PARSONS, HARTLEY, LYONS AND HARVEY **119**, 419.
HNF3 proteins and endoderm development: ANG, WIERDA, WONG, STEVENS, CASCIO, ROSSANT AND ZARET **119**, 1301.
hyaluronic acid in the early mouse embryo: BROWN AND PAPAIOANNOU **117**, 483.
mesoderm requirement for midgut morphogenesis: REUTER, GRUNEWALD AND LEPTIN **119**, 1135.
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
regional repression of a *Drosophila* POU box gene: AFFOLTER, WALLDORF, KLOTER, SCHIER AND GEHRING **117**, 1199.
role for mouse HNF-3 α, β and γ genes in tissue determination: MONAGHAN, KAESTNER, GRAU AND SCHUTZ **119**, 567.
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
Endoderm differentiation
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Endothelial cell
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
tie-2 expression during vascular development: SCHNURCH AND RISAU **119**, 957.
engrailed
Artemia engrailed gene: MANZANARES, MARCO AND GARESSE **118**, 1209.
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
enhancer regions in the mouse *En-2* locus: LOGAN, KHOO, CADO AND JOYNER **117**, 905.
epidermal patterning in *Drosophila*: BEJSOVEC AND WIESCHAUS **119**, 501.
homologue expression in leech embryos: LANS, WEDEEN AND WEISBLAT **117**, 857.
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
Enhancer
expression of stripe enhancers in the *even-skipped* promoter: SMALL, ARNOSTI AND LEVINE **119**, 767.
Enhancer detection
regeneration genes in *Drosophila*: BROOK, OSTAFICHUK, PIORECKY, WILKINSON, HODGETTS AND RUSSELL **117**, 1287.
Enhancer trap
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
Enhancer trap lines
gliogenesis in the adult fly PNS: GIANGRANDE, MURRAY AND PALKA **117**, 895.
Enteric nervous system
gliogenesis in insect ENS: COPENHAVER **117**, 59.
Epiboly
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
ultraviolet light impairs zebrafish epiboly: STRAHLE AND JESUTHASAN **119**, 909.
Epidermal growth factor
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
role of *Notch* in cell fate decisions: HEITZLER AND SIMPSON **117**, 1113.
Epidermal patterning
epidermal patterning in *Drosophila*: BEJSOVEC AND WIESCHAUS **119**, 501.
Epidermis
spitz class gene influence on epidermis: KIM AND CREWS **118**, 893.
Epigenetic modification
epigenetic modifications and development: REIK, ROMER, BARTON, SURANI, HOWLETT AND KLOSE **119**, 933.
Epithelial biogenesis
cingulin localisation in embryos: FLEMING, HAY, JAVED AND CITI **117**, 1135.
Epithelial morphogenesis
grasshopper epithelial alkaline phosphatase: CHANG, ZACHOW AND BENTLEY **118**, 651.
Epithelial-mesenchymal interaction
CRBP I/CRABP I in the mouse embryo: GUSTAFSON, DENCKER AND ERIKSSON **117**, 451.
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
msx 1 and *msx 2* during tissue interactions: JOWETT, VAINIO, FERGUSON, SHARPE AND THESLEFF **117**, 461.
Msx-1 expression in developing face and limbs: BROWN,

WEDDEN, MILLBURN, ROBSON, HILL, DAVIDSON AND TICKLE **119**, 41.
Epithelium
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
kidney development requires *Pax-2*: ROTHENPIELER AND DRESSLER **119**, 711.
Erythropoiesis
GATA factors in erythropoiesis: LEONARD, LIM AND ENGEL **119**, 519.
***escargot* gene**
Drosophila imaginal development: HAYASHI, HIROSE, METCALFE AND SHIRRAS **118**, 105.
ES cell
activin in mouse preimplantation embryos: ALBANO, GROOME AND SMITH **117**, 711.
chimeric analysis of *T*(*Brachyury*): WILSON, RASHBASS AND BEDDINGTON **117**, 1321.
homeosis of cervical vertebrae in *Hoxd-3*$^{-}$ mice: CONDIE AND CAPECCHI **119**, 579.
N-*myc* gene in the mouse: SAWAI, SHIMONO, WAKAMATSU, PALMES, HANAOKA AND KONDOH **117**, 1445.
tail and inner ear defects in *int-2* mutant mice: MANSOUR, GODDARD AND CAPECCHI **117**, 13.
eve1
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
even-skipped
expression of stripe enhancers in the *even-skipped* promoter: SMALL, ARNOSTI AND LEVINE **119**, 767.
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
Evolution
a beetle *abdominal-A* homolog: STUART, BROWN, BEEMAN AND DENELL **117**, 233.
ascidian *Uro* genes: SWALLA, MAKABE, SATOH AND JEFFERY **119**, 307.
Evx-1
FGF regulates *Evx-1* expression in limbs: NISWANDER AND MARTIN **119**, 287.
Excretory system
expression of c-*ret* proto-oncogene in mouse: PACHNIS, MANKOO AND COSTANTINI **119**, 1005.
expanded
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
Explant culture
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
Expression
cut expression in *Drosophila*: BLOCHLINGER, JAN AND JAN **117**, 441.
Drosophila cyclin E expression: RICHARDSON, O'KEEFE, REED AND SAINT **119**, 673.
expression of stripe enhancers in the *even-skipped* promoter: SMALL, ARNOSTI AND LEVINE **119**, 767.
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
induction of embryonic transcription in vitro: VERNET, CAVARD, ZIDER, FERGELOT, GRIMBER AND BRIAND **119**, 1293.
migration of moth germ cells: NARDI **118**, 967.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
Expression mutation
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
Extracellular matrix
adhesive interactions at the primitive streak: BURDSAL, DAMSKY AND PEDERSEN **118**, 829.
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
epithelial invagination in sea urchin: LANE, KOEHL, WILT AND KELLER **117**, 1049.
extracellular matrix and differentiation: ADAMS AND WATT **117**, 1183.
Extraembryonic endoderm
expression and DNA methylation of an X-linked transgene: DANDOLO, STEWART, MATTEI AND AVNER **118**, 641.
exuperantia
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
Eye
murine homologues of *seven in absentia*: DELLA, SENIOR AND BOWTELL **117**, 1333.
Eye development
regulation of Glass activity: ELLIS, O'NEILL AND RUBIN **119**, 855.
Eye fragment
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Face development
Msx-1 expression in developing face and limbs: BROWN, WEDDEN, MILLBURN, ROBSON, HILL, DAVIDSON AND TICKLE **119**, 41.
Facial skeleton
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.
Fasciation
CLV1 in *Arabidopsis*: CLARK, RUNNING AND MEYEROWITZ **119**, 397.
Fasciclin I
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
Fasciculation
cell interactions in *Caenorhabditis* axonal guidance: GARRIGA, DESAI AND HORVITZ **117**, 1071.
Fat body
Drosophila GATA factor in the developing fat body: ABEL, MICHELSON AND MANIATIS **119**, 623.
Fate determination
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Feather development
dye coupling patterns in embryonic skin: SERRAS, FRASER AND CHUONG **119**, 85.
Female-sterile
autosomal dominant female-sterile mutations: CHOU, NOLL AND PERRIMON **119**, 1359.
Fertility
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Fertilization
Ca^{2+} spiking in oocytes: CHEEK, MCGUINNESS, VINCENT, MORETON, BERRIDGE AND JOHNSON **119**, 179.
lighting the fuse at fertilization: WHITAKER AND SWANN **117**, 1.
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
Fetal haematopoiesis
role of c-*kit* in fetal hematopoiesis: OGAWA, NISHIKAWA, YOSHINAGA, HAYASHI, KUNISADA, NAKAO, KINA, SUDO, KODAMA AND NISHIKAWA **117**, 1089.

FGF
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
FGF regulates *Evx-1* expression in limbs: NISWANDER AND MARTIN **119**, 287.
FGF-4 and limb polarizing activity: VOGEL AND TICKLE **119**, 199.
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CIMENT **118**, 1313.
two *Drosophila* FGF-receptor homologues: SHISHIDO, HIGASHIJIMA, EMORI AND SAIGO **117**, 751.
FGF receptor
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
FGF-2
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
maintenance of ZPA signaling in vitro: ANDERSON, LANDRY AND MUNEOKA **117**, 1421.
Fgf-3
gene expression in *kreisler* mouse embryos: FROHMAN, MARTIN, CORDES, HALAMEK AND BARSH **117**, 925.
tail and inner ear defects in *int-2* mutant mice: MANSOUR, GODDARD AND CAPECCHI **117**, 13.
FGF-4
FGF regulates *Evx-1* expression in limbs: NISWANDER AND MARTIN **119**, 287.
Fgf6
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
Fgfr-4
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
FGFR1
FGF receptors in limb regeneration: POULIN, PATRIE, BOTELHO, TASSAVA AND CHIU **119**, 353.
Fibre differentiation
ectopic expression of CRABP I in the lens: PEREZ-CASTRO, TRAN AND CHI NGUYEN-HUU **119**, 363.
Fibre interaction
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Fibre type
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
patterning of fast and slow fibres: ROBSON **117**, 329.
Fibroblast growth factor (see FGF)
Fibroglycan
developmental expression of fibroglycan: DAVID, BAI, VAN DER SCHUEREN, MARYNEN, CASSIMAN AND VAN DEN BERGHE **119**, 841.
Fibronectin
α_5 integrin-deficient mice: YANG, RAYBURN AND HYNES **119**, 1093.
fibronectin-deficient mice: GEORGE, GEORGES-LABOUESSE, PATEL-KING, RAYBURN AND HYNES **119**, 1079.
Finite element method
evaluation of theories of neurulation: CLAUSI AND BRODLAND **118**, 1013.
***fizzy* gene**
fizzy mutations cause metaphase arrest: DAWSON, ROTH, AKAM AND ARTAVANIS-TSAKONAS **117**, 359.
Flight
Drosophila flight muscle innervation: FERNANDES AND VIJAYRAGHAVAN **118**, 215.
Floor plate
floor plate induction: PLACZEK, JESSELL AND DODD **117**, 205.
histochemical study of floor plate cells: CAMPBELL AND PETERSON **119**, 1217.
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
Pax gene expression in the developing chick spinal cord: GOULDING, LUMSDEN AND GRUSS **117**, 1001.
role for mouse HNF-3 α, β and γ genes in tissue determination: MONAGHAN, KAESTNER, GRAU AND SCHUTZ **119**, 567.
Flower
CLV1 in *Arabidopsis*: CLARK, RUNNING AND MEYEROWITZ **119**, 397.
Flower development
flower development in *Arabidopsis*: BOWMAN, ALVAREZ, WEIGEL, MEYEROWITZ AND SMYTH **119**, 721.
Flower initiation
floral initiation process in *Arabidopsis*: SCHULTZ AND HAUGHN **119**, 745.
Flower stalk
inflorescence-developmental mutants of *Arabidopsis*: TSUKAYA, NAITO, REDEI AND KOMEDA **118**, 751.
Foetal castration
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
Forebrain
Xenopus distal-less in forebrain development: PAPALOPULU AND KINTNER **117**, 961.
Xenopus anterior homeobox gene: SAHA, MICHEL, GULDING AND GRAINGER **118**, 193.
Fork head domain
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
forkhead
HNF3 proteins and endoderm development: ANG, WIERDA, WONG, STEVENS, CASCIO, ROSSANT AND ZARET **119**, 1301.
role for mouse HNF-3 α, β and γ genes in tissue determination: MONAGHAN, KAESTNER, GRAU AND SCHUTZ **119**, 567.
Frontal bone
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.
Fruitfly
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
Functional specificity
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
Fusilli
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
G-protein
lighting the fuse at fertilization: WHITAKER AND SWANN **117**, 1.
GAL4
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
β-galactosidase
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.
fiber-type specificity of TnIfast transgenes: HALLAUER, BRADSHAW AND HASTINGS **119**, 691.

histochemical study of floor plate cells: CAMPBELL AND PETERSON **119**, 1217.
Xsna promoter in *Drosophila*: MAYOR, ESSEX, BENNETT AND SARGENT **119**, 661.
Galactosyltransferase
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
Gap gene
paired expression and regulation: GUTJAHR, FREI AND NOLL **117**, 609.
Gap junction
dye coupling patterns in embryonic skin: SERRAS, FRASER AND CHUONG **119**, 85.
Gap protein
conservation of *hairy* regulation: LANGELAND AND CARROLL **117**, 585.
Garland cell
Drosophila Ras2 and *Rop* genes: SALZBERG, COHEN, HALACHMI, KIMCHIE AND LEV **117**, 1309.
Gastrula
neural induction by bFGF: KENGAKU AND OKAMOTO **119**, 1067.
Gastrulation
cell cycle during rat gastrulation: MAC AULEY, WERB AND MIRKES **117**, 873.
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
chick *CdxA* in axial positioning: FRUMKIN, HAFFNER, SHAPIRA, TARCIC, GRUENBAUM AND FAINSOD **118**, 553.
chimeric analysis of *T(Brachyury)*: WILSON, RASHBASS AND BEDDINGTON **117**, 1321.
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
dorsalization in *Xenopus* gastrulae: LETTICE AND SLACK **117**, 263.
epithelial invagination in sea urchin: LANE, KOEHL, WILT AND KELLER **117**, 1049.
expression of *sna-1* in zebrafish embryos: HAMMERSCHMIDT AND NUSSLEIN-VOLHARD **119**, 1107.
fibronectin-deficient mice: GEORGE, GEORGES-LABOUESSE, PATEL-KING, RAYBURN AND HYNES **119**, 1079.
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
hyaluronic acid in the early mouse embryo: BROWN AND PAPAIOANNOU **117**, 483.
mesodermal cell interactions in sea urchin embryo: ETTENSOHN AND RUFFINS **117**, 1275.
morphological landmarks of mouse gastrulation: DOWNS AND DAVIES **118**, 1255.
mouse *Cdx-1* expression during gastrulation: MEYER AND GRUSS **117**, 191.
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
Spemann's organizer in the *Xenopus* tailbud: GONT, STEINBEISSER, BLUMBERG AND DE ROBERTIS **119**, 991.
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
ultraviolet light impairs zebrafish epiboly: STRAHLE AND JESUTHASAN **119**, 909.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
Xenopus integrin α subunits: WHITTAKER AND DESIMONE **117**, 1239.
GATA
dGATAa is dorsally restricted: WINICK, ABEL, LEONARD, MICHELSON, CHARDON-LORIAUX, HOLMGREN, MANIATIS AND ENGEL **119**, 1055.
Drosophila GATA factor in the developing fat body: ABEL, MICHELSON AND MANIATIS **119**, 623.
GATA factors in erythropoiesis: LEONARD, LIM AND ENGEL **119**, 519.
GATA-1
pannier encodes zinc finger protein homologous to GATA-1: RAMAIN, HEITZLER, HAENLIN AND SIMPSON **119**, 1277.
GATA-binding protein
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
Gene disruption
tail and inner ear defects in *int-2* mutant mice: MANSOUR, GODDARD AND CAPECCHI **117**, 13.
Gene expression
contractile protein gene expression: ONTELL, ONTELL, SOPPER, MALLONGA, LYONS AND BUCKINGHAM **117**, 1435.
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
goosecoid expression in murine organogenesis: GAUNT, BLUM AND DE ROBERTIS **117**, 769.
optomotor-blind in *Drosophila* nervous system development: POECK, HOFBAUER AND PFLUGFELDER **117**, 1017.
planarian homeobox genes: GARCIA-FERNANDEZ, BAGUNA AND SALO **118**, 241.
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
Gene interaction
epidermal patterning in *Drosophila*: BEJSOVEC AND WIESCHAUS **119**, 501.
Gene networks
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Gene regulation
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
molecular phenotypes of *Broad-Complex* mutations: KARIM, GUILD AND THUMMEL **118**, 977.
paired expression and regulation: GUTJAHR, FREI AND NOLL **117**, 609.
regulation of *wingless* transcription in *Drosophila*: INGHAM AND HIDALGO **117**, 283.
Gene targeting
homeosis of cervical vertebrae in *Hoxd-3*$^{-}$ mice: CONDIE AND CAPECCHI **119**, 579.
tail and inner ear defects in *int-2* mutant mice: MANSOUR, GODDARD AND CAPECCHI **117**, 13.
targeted disruption of the L14 S-type lectin: POIRIER AND ROBERTSON **119**, 1229.
Genetic mosaic
mosaic analysis in *Drosophila*: XU AND RUBIN **117**, 1223.
Genetic screen
mosaic analysis in *Drosophila*: XU AND RUBIN **117**, 1223.
Genitourinary development
Wilms' tumor gene expression: MUNDLOS, PELLETIER, DARVEAU, BACHMANN, WINTERPACHT AND ZABEL **119**, 1329.
Genome activation
induction of embryonic transcription in vitro: VERNET, CAVARD, ZIDER, FERGELOT, GRIMBER AND BRIAND **119**, 1293.
Germ cell
a germ cell-specific X:A ratio in *Drosophila*: STEINMANN-ZWICKY **117**, 763.

Germinal zone
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Germ layer
regional repression of a *Drosophila* POU box gene: AFFOLTER, WALLDORF, KLOTER, SCHIER AND GEHRING **117**, 1199.
Germ line
activation of *Sex-lethal* in the germ line: GRANADINO, SANTAMARIA AND SANCHEZ **118**, 813.
otu and germ-line sex determination: PAULI, OLIVER AND MAHOWALD **119**, 123.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
Germ line chimera
autosomal dominant female-sterile mutations: CHOU, NOLL AND PERRIMON **119**, 1359.
germline chimeric chickens: CARSIENCE, CLARK, GIBBINS AND ETCHES **117**, 669.
Germ plasm
localization of tudor protein in embryogenesis: BARDSLEY, MCDONALD AND BOSWELL **119**, 207.
Germ-line sex determination
SXl, master and slave: OLIVER, KIM AND BAKER **119**, 897.
glass
regulation of Glass activity: ELLIS, O'NEILL AND RUBIN **119**, 855.
Glia
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
Glial cell
optomotor-blind in *Drosophila* nervous system development: POECK, HOFBAUER AND PFLUGFELDER **117**, 1017.
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
the origin of oligodendrocytes?: PRINGLE AND RICHARDSON **117**, 525.
Glial differentiation
gliogenesis in insect ENS: COPENHAVER **117**, 59.
gliogenesis in the adult fly PNS: GIANGRANDE, MURRAY AND PALKA **117**, 895.
Glial precursor
migration and fate of SVZ cells: LEVISON, CHUANG, ABRAMSON AND GOLDMAN **119**, 611.
Glial progenitor
gliogenesis in insect ENS: COPENHAVER **117**, 59.
Glial proliferation
origin of spinal cord oligodendrocytes: NOLL AND MILLER **118**, 563.
glp-1
glp-1 can substitute for *lin-12*: FITZGERALD, WILKINSON AND GREENWALD **119**, 1019.
***gnom* gene**
gnom in *Arabidopsis* embryogenesis: MAYER, BUTTNER AND JURGENS **117**, 149.
Gooseberry neuro
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
gooseberry
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
goosecoid
early specification of zebrafish dorsoventral axis: STACHEL, GRUNWALD AND MYERS **117**, 1261.
expression in murine organogenesis: GAUNT, BLUM AND DE ROBERTIS **117**, 769.
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
gp130
CNTF maintains pluripotentiality of ES cells: CONOVER, IP, POUEYMIROU, BATES, GOLDFARB, DECHIARA AND YANCOPOULOS **119**, 559.
Gradient
Drosophila segmentation: after the first three hours: LAWRENCE AND SAMPEDRO **119**, 971.
Granule neuron
cDNAs mark stages of granule cell development: KUHAR, FENG, VIDAN, ROSS, HATTEN AND HEINTZ **117**, 97.
Granulosa
Wilms' tumor gene expression: MUNDLOS, PELLETIER, DARVEAU, BACHMANN, WINTERPACHT AND ZABEL **119**, 1329.
grapes
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
Grasshopper
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Growth factor
control of lens growth and cell polarity: HYATT AND BEEBE **117**, 701.
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
extracellular matrix and differentiation: ADAMS AND WATT **117**, 1183.
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
neurotrophin-4 is a neurotrophic factor for trigeminal ganglion: IBANEZ, ERNFORS, TIMMUSK, IP, ARENAS, YANCOPOULOS AND PERSSON **117**, 1345.
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
ventral spinal cord inhibits DRG outgrowth: FITZGERALD, KWIAT, MIDDLETON AND PINI **117**, 1377.
Xwnt-5A in *Xenopus* embryos: MOON, CAMPBELL, CHRISTIAN, MCGREW, SHIH AND FRASER **119**, 97.
Growth regulation
cell cycle during rat gastrulation: MAC AULEY, WERB AND MIRKES **117**, 873.
gsc
Cwnt-8C in axial and neural patterning: HUME AND DODD **119**, 1147.
Gubernacular cone
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
Gut
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
G_1 phase
Drosophila cyclin E expression: RICHARDSON, O'KEEFE, REED AND SAINT **119**, 673.
Haematopoiesis
HPRT$^-$ cells in mouse haematopoiesis: SAMUEL, CLARKE, ANSELL AND HOOPER **118**, 859.
Hair cell
retinoic acid in the developing cochlea: KELLEY, XU, WAGNER, WARCHOL AND CORWIN **119**, 1041.
hairy
conservation of *hairy* regulation: LANGELAND AND CARROLL **117**, 585.
hairy and patterning of leg bristles: ORENIC, HELD, PADDOCK AND CARROLL **118**, 9.

regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
Halocynthia
ascidian egg cytoplasmic determinants: NISHIDA **118**, 1.
Head development
segmental organization of chick hindbrain: KURATANI AND EICHELE **117**, 105.
Head segmentation mechanism
segmental organization of chick hindbrain: KURATANI AND EICHELE **117**, 105.
Hearing
retinoic acid in the developing cochlea: KELLEY, XU, WAGNER, WARCHOL AND CORWIN **119**, 1041.
Heart
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.
heart homeobox gene: LINTS, PARSONS, HARTLEY, LYONS AND HARVEY **119**, 419.
mesoderm development requires *tinman*: BODMER **118**, 719.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
Heart beat
zebrafish heart development: STAINIER, LEE AND FISHMAN **119**, 31.
Heart development
N-*myc* mutant mice: MOENS, STANTON, PARADA AND ROSSANT **119**, 485.
Heart inducer
heart homeobox gene: LINTS, PARSONS, HARTLEY, LYONS AND HARVEY **119**, 419.
Heart tube
zebrafish heart development: STAINIER, LEE AND FISHMAN **119**, 31.
Heat-shock construct
ubiquitous expression of *wingless*: SAMPEDRO, JOHNSTON AND LAWRENCE **117**, 677.
hedgehog
epidermal patterning in *Drosophila*: BEJSOVEC AND WIESCHAUS **119**, 501.
regulation of *wingless* transcription in *Drosophila*: INGHAM AND HIDALGO **117**, 283.
Helix-loop-helix
asense, a neural precursor gene: BRAND, JARMAN, JAN AND JAN **119**, 1.
Drosophila AS-C feminizing activities: PARKHURST, LIPSHITZ AND ISH-HOROWICZ **117**, 737.
isolation of a novel *Xenopus achaete-scute* homolog: ZIMMERMAN, SHIH, BARS, COLLAZO AND ANDERSON **119**, 221.
regulation and function of *asense*: JARMAN, BRAND, JAN AND JAN **119**, 19.
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
Helobdella
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
Hematopoietic stem cell
role of c-*kit* in fetal hematopoiesis: OGAWA, NISHIKAWA, YOSHINAGA, HAYASHI, KUNISADA, NAKAO, KINA, SUDO, KODAMA AND NISHIKAWA **117**, 1089.
Heparan sulfate
developmental expression of fibroglycan: DAVID, BAI, VAN DER SCHUEREN, MARYNEN, CASSIMAN AND VAN DEN BERGHE **119**, 841.
Hepatoma cell line
MAP2-induced processes: EDSON, WEISSHAAR AND MATUS **117**, 689.
Hermaphroditism
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Heterotopic transplantation
commitment of placodal ectoderm: VOGEL AND DAVIES **119**, 263.
Hexosaminidase
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
High-affinity receptor
chick *trk*B and neuronal BDNF receptors: DECHANT, BIFFO, OKAZAWA, KOLBECK, POTTGIESSER AND BARDE **119**, 545.
Hindbrain
reorganization of the hindbrain in *hox-A1* mutant mice: CARPENTER, GODDARD, CHISAKA, MANLEY AND CAPECCHI **118**, 1063.
segmental migration of the hindbrain neural crest: SECHRIST, SERBEDZIJA, SCHERSON, FRASER AND BRONNER-FRASER **118**, 691.
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.
Hindbrain development
gene expression in *kreisler* mouse embryos: FROHMAN, MARTIN, CORDES, HALAMEK AND BARSH **117**, 925.
Hirschsprung's disease
chimeras with *ls/ls* transgenic embryos: KAPUR, YOST AND PALMITER **117**, 993.
Histoblast
Drosophila imaginal development: HAYASHI, HIROSE, METCALFE AND SHIRRAS **118**, 105.
Histochemistry
histochemical study of floor plate cells: CAMPBELL AND PETERSON **119**, 1217.
HIV1-LTR
induction of embryonic transcription in vitro: VERNET, CAVARD, ZIDER, FERGELOT, GRIMBER AND BRIAND **119**, 1293.
HMG box
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
HNF3
HNF3 proteins and endoderm development: ANG, WIERDA, WONG, STEVENS, CASCIO, ROSSANT AND ZARET **119**, 1301.
HOM/HOX
axial expression of *Cnox-2* in hydra: SHENK, BODE AND STEELE **117**, 657.
Homeobox
Artemia engrailed gene: MANZANARES, MARCO AND GARESSE **118**, 1209.
axial expression of *Cnox-2* in hydra: SHENK, BODE AND STEELE **117**, 657.
brain-specific-homeobox gene in *Drosophila*: JONES AND MCGINNIS **117**, 793.
chick *CdxA* in axial positioning: FRUMKIN, HAFFNER, SHAPIRA, TARCIC, GRUENBAUM AND FAINSOD **118**, 553.
D/V boundary in *Drosophila* wing: BLAIR **119**, 339.
early specification of zebrafish dorsoventral axis: STACHEL, GRUNWALD AND MYERS **117**, 1261.
enhancer regions in the mouse *En-2* locus: LOGAN, KHOO, CADO AND JOYNER **117**, 905.
gene expression in *kreisler* mouse embryos: FROHMAN, MARTIN, CORDES, HALAMEK AND BARSH **117**, 925.
heart homeobox gene: LINTS, PARSONS, HARTLEY, LYONS AND HARVEY **119**, 419.
Hox-1.4 directed expression in transgenic mice: BEHRINGER,

CROTTY, TENNYSON, BRINSTER, PALMITER AND WOLGEMUTH **117**, 823.
Hox-4.5 and *Hox-3.6* expression during newt regeneration: SIMON AND TABIN **117**, 1397.
mesoderm development requires *tinman*: BODMER **118**, 719.
mouse *Cdx-1* expression during gastrulation: MEYER AND GRUSS **117**, 191.
Msx-1 expression in developing face and limbs: BROWN, WEDDEN, MILLBURN, ROBSON, HILL, DAVIDSON AND TICKLE **119**, 41.
Phox2 and Cux in mouse: VALARCHE, TISSIER-SETA, HIRSCH, MARTINEZ, GORIDIS AND BRUNET **119**, 881.
planarian homeobox genes: GARCIA-FERNANDEZ, BAGUNA AND SALO **118**, 241.
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
Spemann's organizer in the *Xenopus* tailbud: GONT, STEINBEISSER, BLUMBERG AND DE ROBERTIS **119**, 991.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
Xenopus anterior homeobox gene: SAHA, MICHEL, GULDING AND GRAINGER **118**, 193.
Xenopus distal-less in forebrain development: PAPALOPULU AND KINTNER **117**, 961.

Homeobox protein
segmental organization of chick hindbrain: KURATANI AND EICHELE **117**, 105.

Homeodomain
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.

Homeotic expression
Scr ectopic expression: PELAZ, URQUIA AND MORATA **117**, 917.

Homeotic gene
Abdominal-B in *Schistocera*: KELSH, DAWSON AND AKAM **117**, 293.
autoregulation by *Ultrabithorax*: IRVINE, BOTAS, JHA, MANN AND HOGNESS **117**, 387.
regional repression of a *Drosophila* POU box gene: AFFOLTER, WALLDORF, KLOTER, SCHIER AND GEHRING **117**, 1199.
targets of the *Deformed* homeotic gene: MAHAFFEY, JONES, HICKEL AND GRISWOLD **118**, 203.

Homeotic gene regulation
homeotic protein expression in *trithorax* mutants: BREEN AND HARTE **117**, 119.

Homeotic selector gene
Deformed regulates *Distal-less*: O'HARA, COHEN, COHEN AND MCGINNIS **117**, 847.

Homeotic transformation
a beetle *abdominal-A* homolog: STUART, BROWN, BEEMAN AND DENELL **117**, 233.
bric a brac function in limb development: GODT, COUDERC, CRAMTON AND LASKI **119**, 799.
homeosis of cervical vertebrae in *Hoxd-3*$^{-}$ mice: CONDIE AND CAPECCHI **119**, 579.

Homologous recombination
targeted disruption of the L14 S-type lectin: POIRIER AND ROBERTSON **119**, 1229.

Hormonal regulation
EcR-A marks doomed neurons of *Drosophila*: ROBINOW, TALBOT, HOGNESS AND TRUMAN **119**, 1251.

Hox B1
Cwnt-8C in axial and neural patterning: HUME AND DODD **119**, 1147.

Hox gene
expression in *kreisler* mouse embryos: FROHMAN, MARTIN, CORDES, HALAMEK AND BARSH **117**, 925.
homeosis of cervical vertebrae in *Hoxd-3*$^{-}$ mice: CONDIE AND CAPECCHI **119**, 579.
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
reorganization of the hindbrain in *hox-A1* mutant mice: CARPENTER, GODDARD, CHISAKA, MANLEY AND CAPECCHI **118**, 1063.

Hox-3.6
Hox-4.5 and *Hox-3.6* expression during newt regeneration: SIMON AND TABIN **117**, 1397.

Hox-4.5
Hox-4.5 and *Hox-3.6* expression during newt regeneration: SIMON AND TABIN **117**, 1397.

Hoxa-1
Hoxa-1 mutant phenotype: MARK, LUFKIN, VONESCH, RUBERTE, OLIVO, DOLLE, GORRY, LUMSDEN AND CHAMBON **119**, 319.

***Hox/LacZ* transgenic mouse**
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.

HPRT
HPRT^{-} cells in mouse haematopoiesis: SAMUEL, CLARKE, ANSELL AND HOOPER **118**, 859.

***hsp70* gene**
hsp70 expression in amphibian oocyte: BILLOUD, RODRIGUEZ-MARTIN, BERARD, MOREAU AND ANGELIER **119**, 921.

Human
MAP2-induced processes: EDSON, WEISSHAAR AND MATUS **117**, 689.
Wilms' tumor gene expression: MUNDLOS, PELLETIER, DARVEAU, BACHMANN, WINTERPACHT AND ZABEL **119**, 1329.

Hyaluronan
expression of hyaluronan receptor, CD44: WHEATLEY, ISACKE AND CROSSLEY **119**, 295.
hyaluronic acid in the early mouse embryo: BROWN AND PAPAIOANNOU **117**, 483.

Hydra
axial expression of *Cnox-2* in hydra: SHENK, BODE AND STEELE **117**, 657.

20-Hydroxyecdysone
EcR-A marks doomed neurons of *Drosophila*: ROBINOW, TALBOT, HOGNESS AND TRUMAN **119**, 1251.

Hyoid bone
gene expression in *kreisler* mouse embryos: FROHMAN, MARTIN, CORDES, HALAMEK AND BARSH **117**, 925.

Hyperplasia
delayed somitogenesis in quail: COUTINHO, MORRIS, MARKS, BUHR AND IVARIE **117**, 563.

H^+
embryo H^+ permeability: BALTZ, BIGGER AND LECHENE **118**, 1353.

Igf-2
genetic rescue of T-associated maternal effect: FILSON, LOUVI, EFSTRATIADIS AND ROBERTSON **118**, 731.

Imaginal disc
allocation of leg and wing imaginal discs: COHEN, SIMCOX AND COHEN **117**, 597.
bric a brac function in limb development: GODT, COUDERC, CRAMTON AND LASKI **119**, 799.
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
collagen IV cleavage in *Drosophila*: FESSLER, CONDIC, NELSON, FESSLER AND FRISTROM **117**, 1061.
cut expression in *Drosophila*: BLOCHLINGER, JAN AND JAN **117**, 441.
Drosophila imaginal development: HAYASHI, HIROSE, METCALFE AND SHIRRAS **118**, 105.
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
regeneration genes in *Drosophila*: BROOK, OSTAFICHUK,

PIORECKY, WILKINSON, HODGETTS AND RUSSELL **117**, 1287.
Immunoglobulin
an essential immunoglobulin family gene: GARBE, YANG AND FRISTROM **119**, 1237.
Immunoglobulin superfamily
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
two *Drosophila* FGF-receptor homologues: SHISHIDO, HIGASHIJIMA, EMORI AND SAIGO **117**, 751.
Immunohistochemistry
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
IMP-L2
an essential immunoglobulin family gene: GARBE, YANG AND FRISTROM **119**, 1237.
Implantation
hyaluronic acid in the early mouse embryo: BROWN AND PAPAIOANNOU **117**, 483.
integrins in early mouse embryos: SUTHERLAND, CALARCO AND DAMSKY **119**, 1175.
Imprinting
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
X-chromosome imprinting in mouse ES cells: TADA, TADA AND TAKAGI **119**, 813.
In situ hybridization
cDNAs mark stages of granule cell development: KUHAR, FENG, VIDAN, ROSS, HATTEN AND HEINTZ **117**, 97.
early specification of zebrafish dorsoventral axis: STACHEL, GRUNWALD AND MYERS **117**, 1261.
FGF receptors in limb regeneration: POULIN, PATRIE, BOTELHO, TASSAVA AND CHIU **119**, 353.
M-cadherin expression in skeletal muscle: MOORE AND WALSH **117**, 1409.
msx 1 and *msx 2* during tissue interactions: JOWETT, VAINIO, FERGUSON, SHARPE AND THESLEFF **117**, 461.
neurotrophin-4 is a neurotrophic factor for trigeminal ganglion: IBANEZ, ERNFORS, TIMMUSK, IP, ARENAS, YANCOPOULOS AND PERSSON **117**, 1345.
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
Phox2 and Cux in mouse: VALARCHE, TISSIER-SETA, HIRSCH, MARTINEZ, GORIDIS AND BRUNET **119**, 881.
planarian homeobox genes: GARCIA-FERNANDEZ, BAGUNA AND SALO **118**, 241.
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
ascorbate induces P0 gene expression: FERNANDEZ-VALLE, FREGIEN, WOOD AND BUNGE **119**, 867.
tenascin and thrombospondin 2 mRNA: TUCKER **117**, 347.
TGFβ2 in heart development: DICKSON, SLAGER, DUFFIE, MUMMERY AND AKHURST **117**, 625.
the origin of oligodendrocytes?: PRINGLE AND RICHARDSON **117**, 525.
Xsna promoter in *Drosophila*: MAYOR, ESSEX, BENNETT AND SARGENT **119**, 661.
In vivo
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Inactivation
X-chromosome imprinting in mouse ES cells: TADA, TADA AND TAKAGI **119**, 813.
Induction
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
cardiac muscle differentiation in *Xenopus*: LOGAN AND MOHUN **118**, 865.
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
floor plate induction: PLACZEK, JESSELL AND DODD **117**, 205.
Inductive interaction
TGFβ2 in heart development: DICKSON, SLAGER, DUFFIE, MUMMERY AND AKHURST **117**, 625.
Inflorescence
CLV1 in *Arabidopsis*: CLARK, RUNNING AND MEYEROWITZ **119**, 397.
flower development in *Arabidopsis*: BOWMAN, ALVAREZ, WEIGEL, MEYEROWITZ AND SMYTH **119**, 721.
Ingression
mesoderm morphogenesis in *Ceratophyrs ornata*: PURCELL AND KELLER **117**, 307.
Inhibin
activin in mouse preimplantation embryos: ALBANO, GROOME AND SMITH **117**, 711.
Inner ear
tail and inner ear defects in *int-2* mutant mice: MANSOUR, GODDARD AND CAPECCHI **117**, 13.
Innervation
aneural myogenesis in *Drosophila*: BROADIE AND BATE **119**, 533.
Drosophila flight muscle innervation: FERNANDES AND VIJAYRAGHAVAN **118**, 215.
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Insect
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
migration of moth germ cells: NARDI **118**, 967.
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Insect neurogenesis
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Insertion
autosomal dominant female-sterile mutations: CHOU, NOLL AND PERRIMON **119**, 1359.
Instructive epithelium
expression of hyaluronan receptor, CD44: WHEATLEY, ISACKE AND CROSSLEY **119**, 295.
Insulin
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
Insulin-like growth factor
genetic rescue of T-associated maternal effect: FILSON, LOUVI, EFSTRATIADIS AND ROBERTSON **118**, 731.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
int-2
tail and inner ear defects in *int-2* mutant mice: MANSOUR, GODDARD AND CAPECCHI **117**, 13.
α_5-Integrin
α_5 integrin-deficient mice: YANG, RAYBURN AND HYNES **119**, 1093.
β_1-Integrin
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
Integrin
functions of *Drosophila* integrins: ZUSMAN, GRINBLAT, YEE, KAFATOS AND HYNES **118**, 737.
Drosophila wing development: FRISTROM, WILCOX AND FRISTROM **117**, 509.
extracellular matrix and differentiation: ADAMS AND WATT **117**, 1183.

integrins in early mouse embryos: SUTHERLAND, CALARCO AND DAMSKY **119**, 1175.
integrins in unfertilized mouse oocytes: TARONE, RUSSO, HIRSCH, ODORISIO, ALTRUDA, SILENGO AND SIRACUSA **117**, 1369.
laminin receptors in the developing retina: DE CURTIS AND REICHARDT **118**, 377.
novel integrin subunit: YEE AND HYNES **118**, 845.
Xenopus integrin α subunits: WHITTAKER AND DESIMONE **117**, 1239.
Interaction
CRBP I/CRABP I in the mouse embryo: GUSTAFSON, DENCKER AND ERIKSSON **117**, 451.
Interactions between homeoproducts
Scr ectopic expression: PELAZ, URQUIA AND MORATA **117**, 917.
Intercellular communication
dye coupling patterns in embryonic skin: SERRAS, FRASER AND CHUONG **119**, 85.
Intercellular signaling
morphogenetic gene regulation: DAVIDSON **118**, 665.
Interferon-gamma
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
Interleukin 6
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
Intermandibularis muscle
patterning of fast and slow fibres: ROBSON **117**, 329.
Intersegmental nerve
axon guidance by *Delta* and *Notch*: GINIGER, JAN AND JAN **117**, 431.
Interstitial cells
mesonephric contribution to testis differentiation: BUEHR, GU AND MCLAREN **117**, 273.
Intracellular RNA localisation
sry α expression and cellularisation: IBNSOUDA, SCHWEISGUTH, DE BILLY AND VINCENT **119**, 471.
Intracrine
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CIMENT **118**, 1313.
Invagination
epithelial invagination in sea urchin: LANE, KOEHL, WILT AND KELLER **117**, 1049.
Invertebrate embryogenesis
aneural myogenesis in *Drosophila*: BROADIE AND BATE **119**, 533.
Ionic current
aneural myogenesis in *Drosophila*: BROADIE AND BATE **119**, 533.
Ipsilateral projection
guidance of retinal axons by chiasm membranes: WIZENMANN, THANOS, BOXBERG AND BONHOEFFER **117**, 725.
Islet regeneration
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
Islet-1
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
Isoform
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
Isopoda
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
Isotype
a functionally unique α-tubulin isotype: MATTHEWS, REES AND KAUFMAN **117**, 977.
Keilin's organ
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
KGFR
FGF receptors in limb regeneration: POULIN, PATRIE, BOTELHO, TASSAVA AND CHIU **119**, 353.
Kidney development
kidney development requires *Pax-2*: ROTHENPIELER AND DRESSLER **119**, 711.
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
Kinase
cdk5 and mouse embryonic nervous system: TSAI, TAKAHASHI, CAVINESS AND HARLOW **119**, 1029.
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
c-kit
role of c-*kit* in fetal hematopoiesis: OGAWA, NISHIKAWA, YOSHINAGA, HAYASHI, KUNISADA, NAKAO, KINA, SUDO, KODAMA AND NISHIKAWA **117**, 1089.
kreisler
gene expression in *kreisler* mouse embryos: FROHMAN, MARTIN, CORDES, HALAMEK AND BARSH **117**, 925.
Hoxa-1 mutant phenotype: MARK, LUFKIN, VONESCH, RUBERTE, OLIVO, DOLLE, GORRY, LUMSDEN AND CHAMBON **119**, 319.
Krox
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.
Krox-20
gene expression in *kreisler* mouse embryos: FROHMAN, MARTIN, CORDES, HALAMEK AND BARSH **117**, 925.
lacZ
histochemical study of floor plate cells: CAMPBELL AND PETERSON **119**, 1217.
Hox-1.4 directed expression in transgenic mice: BEHRINGER, CROTTY, TENNYSON, BRINSTER, PALMITER AND WOLGEMUTH **117**, 823.
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
***lacZ* reporter**
enhancer regions in the mouse *En-2* locus: LOGAN, KHOO, CADO AND JOYNER **117**, 905.
Laminin
integrins in early mouse embryos: SUTHERLAND, CALARCO AND DAMSKY **119**, 1175.
laminin receptors in the developing retina: DE CURTIS AND REICHARDT **118**, 377.
Laminin A
Drosophila wing development: FRISTROM, WILCOX AND FRISTROM **117**, 509.
genetic analysis of *Drosophila* laminin A: HENCHCLIFFE, GARCIA-ALONSO, TANG AND GOODMAN **118**, 325.
Lampbrush chromosome
hsp70 expression in amphibian oocyte: BILLOUD, RODRIGUEZ-MARTIN, BERARD, MOREAU AND ANGELIER **119**, 921.
Laser confocal microscopy
control of gap junction assembly in mouse: DE SOUSA, VALDIMARSSON, NICHOLSON AND KIDDER **117**, 1355.
Lateral inhibition
dorsal-ventral pattern formation in *Drosophila*: ROTH **117**, 1385.
Leaf
inflorescence-developmental mutants of *Arabidopsis*: TSUKAYA, NAITO, REDEI AND KOMEDA **118**, 751.
LEAFY
floral initiation process in *Arabidopsis*: SCHULTZ AND HAUGHN **119**, 745.
L14 lectin
targeted disruption of the L14 S-type lectin: POIRIER AND ROBERTSON **119**, 1229.
L30 lectin
targeted disruption of the L14 S-type lectin: POIRIER AND ROBERTSON **119**, 1229.

Leech
engrailed homologue expression in leech embryos: LANS, WEDEEN AND WEISBLAT **117**, 857.
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
segmental identity in the mesoderm: GLEIZER AND STENT **117**, 177.
LEF-1
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
Leg bristle
hairy and patterning of leg bristles: ORENIC, HELD, PADDOCK AND CARROLL **118**, 9.
Lens
control of lens growth and cell polarity: HYATT AND BEEBE **117**, 701.
ectopic expression of CRABP I in the lens: PEREZ-CASTRO, TRAN AND CHI NGUYEN-HUU **119**, 363.
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
Lens development
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
Lens fibre differentiation
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
Lens-specific regulation
enhancer factor δEF1 in embryogenesis: FUNAHASHI, SEKIDO, MURAI, KAMACHI AND KONDOH **119**, 433.
Lesch-Nyhan syndrome
HPRT$^-$ cells in mouse haematopoiesis: SAMUEL, CLARKE, ANSELL AND HOOPER **118**, 859.
***lethal spotted* mouse**
chimeras with *ls/ls* transgenic embryos: KAPUR, YOST AND PALMITER **117**, 993.
lethal(l)myospheroid
functions of *Drosophila* integrins: ZUSMAN, GRINBLAT, YEE, KAFATOS AND HYNES **118**, 737.
lethal-of-scute
the *lethal of scute* gene: MARTIN-BERMUDO, GONZALEZ, DOMINGUEZ, RODRIGUEZ, RUIZ-GOMEZ, ROMANI, MODOLELL AND JIMENEZ **118**, 1003.
Leukemia inhibitory factor
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
CNTF maintains pluripotentiality of ES cells: CONOVER, IP, POUEYMIROU, BATES, GOLDFARB, DECHIARA AND YANCOPOULOS **119**, 559.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELICI **118**, 1089.
sensory neuron development regulated by LIF/NGF: MURPHY, REID, BROWN AND BARTLETT **117**, 1173.
LiCl
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
LIF
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
LIM domain
D/V boundary in *Drosophila* wing: BLAIR **119**, 339.
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
Limb bud
goosecoid expression in murine organogenesis: GAUNT, BLUM AND DE ROBERTIS **117**, 769.
N-*myc* gene in the mouse: SAWAI, SHIMONO, WAKAMATSU, PALMES, HANAOKA AND KONDOH **117**, 1445.
Wnt in embryonic CNS and limb buds: PARR, SHEA, VASSILEVA AND MCMAHON **119**, 247.
Limb development
allocation of leg and wing imaginal discs: COHEN, SIMCOX AND COHEN **117**, 597.
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
bric a brac function in limb development: GODT, COUDERC, CRAMTON AND LASKI **119**, 799.
CRBP I/CRABP I in the mouse embryo: GUSTAFSON, DENCKER AND ERIKSSON **117**, 451.
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
FGF regulates *Evx-1* expression in limbs: NISWANDER AND MARTIN **119**, 287.
FGF-4 and limb polarizing activity: VOGEL AND TICKLE **119**, 199.
grasshopper epithelial alkaline phosphatase: CHANG, ZACHOW AND BENTLEY **118**, 651.
maintenance of ZPA signaling in vitro: ANDERSON, LANDRY AND MUNEOKA **117**, 1421.
Msx-1 expression in developing face and limbs: BROWN, WEDDEN, MILLBURN, ROBSON, HILL, DAVIDSON AND TICKLE **119**, 41.
Limb regeneration
antibodies to RAR isoforms: HILL, RAGSDALE AND BROCKES **117**, 937.
FGF receptors in limb regeneration: POULIN, PATRIE, BOTELHO, TASSAVA AND CHIU **119**, 353.
Hox-4.5 and *Hox-3.6* expression during newt regeneration: SIMON AND TABIN **117**, 1397.
Limb structure
genetic analysis of *Drosophila* laminin A: HENCHCLIFFE, GARCIA-ALONSO, TANG AND GOODMAN **118**, 325.
lin-12
glp-1 can substitute for *lin-12*: FITZGERALD, WILKINSON AND GREENWALD **119**, 1019.
Lineage
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
migration and fate of SVZ cells: LEVISON, CHUANG, ABRAMSON AND GOLDMAN **119**, 611.
zebrafish heart development: STAINIER, LEE AND FISHMAN **119**, 31.
Lithium
dorsalization in *Xenopus* gastrulae: LETTICE AND SLACK **117**, 263.
early specification of zebrafish dorsoventral axis: STACHEL, GRUNWALD AND MYERS **117**, 1261.
Liver-specific transcription
role for mouse HNF-3 α, β and γ genes in tissue determination: MONAGHAN, KAESTNER, GRAU AND SCHUTZ **119**, 567.
Localization
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
Localized maternal RNA
vegetally localized maternal RNA: MOSQUERA, FORRISTALL, ZHOU AND KING **117**, 377.
Xwnt-11: a maternally expressed *Xenopus wnt* gene: KU AND MELTON **119**, 1161.
Locust
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Looping
zebrafish heart development: STAINIER, LEE AND FISHMAN **119**, 31.
Lox10
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
LRD
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.

Lumbar spinal cord
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
Lung
N-*myc* mutant mice: MOENS, STANTON, PARADA AND ROSSANT **119**, 485.
Lymphoid organ
relB expression in lymphoid tissues: CARRASCO, RYSECK AND BRAVO **118**, 1221.
Lymphopoiesis
embryonic stem cell repopulation: MULLER AND DZIERZAK **118**, 1343.
Macrophage
cell death in the *Drosophila* embryo: ABRAMS, WHITE, FESSLER AND STELLER **117**, 29.
Mammal
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Mammalian embryogenesis
HNF3 proteins and endoderm development: ANG, WIERDA, WONG, STEVENS, CASCIO, ROSSANT AND ZARET **119**, 1301.
Mandible
goosecoid expression in murine organogenesis: GAUNT, BLUM AND DE ROBERTIS **117**, 769.
Manduca sexta
gliogenesis in insect ENS: COPENHAVER **117**, 59.
migration of moth germ cells: NARDI **118**, 967.
Maternal effect gene
an essential immunoglobulin family gene: GARBE, YANG AND FRISTROM **119**, 1237.
swallow protein in *Drosophila*: HEGDE AND STEPHENSON **119**, 457.
Maternal-effect lethal mutation
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
Maxillary cirri
Deformed regulates *Distal-less*: O'HARA, COHEN, COHEN AND MCGINNIS **117**, 847.
Mechanics
evaluation of theories of neurulation: CLAUSI AND BRODLAND **118**, 1013.
Meckel's cartilage
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
MEF2
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
MEF2-MyoD1
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.
Meiosis
a functionally unique α-tubulin isotype: MATTHEWS, REES AND KAUFMAN **117**, 977.
Melanocyte
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CIMENT **118**, 1313.
Melanogenesis
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
Meristem
Arabidopsis root development: DOLAN, JANMAAT, WILLEMSEN, LINSTEAD, POETHIG, ROBERTS AND SCHERES **119**, 71.
Arabidopsis root development mutants: BENFEY, LINSTEAD, ROBERTS, SCHIEFELBEIN, HAUSER AND AESCHBACHER **119**, 57.
CLV1 in *Arabidopsis*: CLARK, RUNNING AND MEYEROWITZ **119**, 397.
flower development in *Arabidopsis*: BOWMAN, ALVAREZ, WEIGEL, MEYEROWITZ AND SMYTH **119**, 721.
meristem initiation in *Arabidopsis*: BARTON AND POETHIG **119**, 823.
Mesenchyme
cell interactions during sea urchin skeletogenesis: ARMSTRONG, HARDIN AND MCCLAY **119**, 833.
developmental expression of fibroglycan: DAVID, BAI, VAN DER SCHUEREN, MARYNEN, CASSIMAN AND VAN DEN BERGHE **119**, 841.
kidney development requires *Pax-2*: ROTHENPIELER AND DRESSLER **119**, 711.
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
Mesoderm
α_5 integrin-deficient mice: YANG, RAYBURN AND HYNES **119**, 1093.
cardiac muscle differentiation in *Xenopus*: LOGAN AND MOHUN **118**, 865.
cell cycle during rat gastrulation: MAC AULEY, WERB AND MIRKES **117**, 873.
cell interactions in sea urchin embryo: ETTENSOHN AND RUFFINS **117**, 1275.
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
decapentaplegic in visceral mesoderm: HURSH, PADGETT AND GELBART **117**, 1211.
development requires *tinman*: BODMER **118**, 719.
expression and DNA methylation of an X-linked transgene: DANDOLO, STEWART, MATTEI AND AVNER **118**, 641.
expression of *sna-1* in zebrafish embryos: HAMMERSCHMIDT AND NUSSLEIN-VOLHARD **119**, 1107.
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
fibronectin-deficient mice: GEORGE, GEORGES-LABOUESSE, PATEL-KING, RAYBURN AND HYNES **119**, 1079.
hyaluronic acid in the early mouse embryo: BROWN AND PAPAIOANNOU **117**, 483.
morphogenesis in *Ceratophyrs ornata*: PURCELL AND KELLER **117**, 307.
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
requirement for midgut morphogenesis: REUTER, GRUNEWALD AND LEPTIN **119**, 1135.
size regulation and morphogenesis: ETTENSOHN AND MALINDA **119**, 155.
somite pattern regulation: PACKARD, ZHENG AND TURNER **117**, 779.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
two *Drosophila* FGF-receptor homologues: SHISHIDO, HIGASHIJIMA, EMORI AND SAIGO **117**, 751.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
Xsna promoter in *Drosophila*: MAYOR, ESSEX, BENNETT AND SARGENT **119**, 661.
Mesoderm development
Drosophila GATA factor in the developing fat body: ABEL, MICHELSON AND MANIATIS **119**, 623.

Mesoderm formation
activin in mouse preimplantation embryos: ALBANO, GROOME AND SMITH **117**, 711.
heart homeobox gene: LINTS, PARSONS, HARTLEY, LYONS AND HARVEY **119**, 419.
Mesoderm induction
dorsalization in *Xenopus* gastrulae: LETTICE AND SLACK **117**, 263.
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
Mesoderm induction
Xwnt-11: a maternally expressed *Xenopus wnt* gene: KU AND MELTON **119**, 1161.
Mesonephros
mesonephric contribution to testis differentiation: BUEHR, GU AND MCLAREN **117**, 273.
Metamorphosis
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
wing sensory axons in *Drosophila* mutants: WHITLOCK **117**, 1251.
Metaphase arrest
fizzy mutations cause metaphase arrest: DAWSON, ROTH, AKAM AND ARTAVANIS-TSAKONAS **117**, 359.
Methylation
expression and DNA methylation of an X-linked transgene: DANDOLO, STEWART, MATTEI AND AVNER **118**, 641.
MHC
cardiac muscle differentiation in *Xenopus*: LOGAN AND MOHUN **118**, 865.
Microtubule
axis establishment and microtubules in *Beroe*: HOULISTON, CARRE, JOHNSTON AND SARDET **117**, 75.
MAP2-induced processes: EDSON, WEISSHAAR AND MATUS **117**, 689.
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
ultraviolet light impairs zebrafish epiboly: STRAHLE AND JESUTHASAN **119**, 909.
Microtubule organization
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
Microtubule-associated protein
MAP2-induced processes: EDSON, WEISSHAAR AND MATUS **117**, 689.
Midgut
mesoderm requirement for midgut morphogenesis: REUTER, GRUNEWALD AND LEPTIN **119**, 1135.
novel integrin subunit: YEE AND HYNES **118**, 845.
Midline glia
pointed encodes two ETS-like proteins: KLAMBT **117**, 163.
Migration
migration and fate of SVZ cells: LEVISON, CHUANG, ABRAMSON AND GOLDMAN **119**, 611.
migration of moth germ cells: NARDI **118**, 967.
perpendicular contact guidance on microstructures: NAGATA, KAWANA AND NAKATSUJI **117**, 401.
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL, TRAYNOR AND WILLIAMS **118**, 353.
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Mitosis
a functionally unique α-tubulin isotype: MATTHEWS, REES AND KAUFMAN **117**, 977.
axis establishment and microtubules in *Beroe*: HOULISTON, CARRE, JOHNSTON AND SARDET **117**, 75.
fizzy mutations cause metaphase arrest: DAWSON, ROTH, AKAM AND ARTAVANIS-TSAKONAS **117**, 359.
swallow protein in *Drosophila*: HEGDE AND STEPHENSON **119**, 457.
MLC2
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
Mn^{2+}
Ca^{2+} spiking in oocytes: CHEEK, MCGUINNESS, VINCENT, MORETON, BERRIDGE AND JOHNSON **119**, 179.
Modulated expression
migration of moth germ cells: NARDI **118**, 967.
Molgula
ascidian *Uro* genes: SWALLA, MAKABE, SATOH AND JEFFERY **119**, 307.
Monoclonal antibody
role of c-*kit* in fetal hematopoiesis: OGAWA, NISHIKAWA, YOSHINAGA, HAYASHI, KUNISADA, NAKAO, KINA, SUDO, KODAMA AND NISHIKAWA **117**, 1089.
***monopteros* gene**
basal body pattern in *Arabidopsis* embryo: BERLETH AND JURGENS **118**, 575.
Morphallaxis
retinoids in morphallaxis of budding tunicates: KAWAMURA, HARA AND FUJIWARA **117**, 835.
Morphogen
a gradient of dorsal protein: GOVIND, BRENNAN AND STEWARD **117**, 135.
Morphogenesis
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
mesoderm requirement for midgut morphogenesis: REUTER, GRUNEWALD AND LEPTIN **119**, 1135.
size regulation and morphogenesis: ETTENSOHN AND MALINDA **119**, 155.
Xwnt-5A in *Xenopus* embryos: MOON, CAMPBELL, CHRISTIAN, MCGREW, SHIH AND FRASER **119**, 97.
Morphogenetic cell movement
early specification of zebrafish dorsoventral axis: STACHEL, GRUNWALD AND MYERS **117**, 1261.
Morphogenetic field
morphogenetic gene regulation: DAVIDSON **118**, 665.
Morphological landmark
morphological landmarks of mouse gastrulation: DOWNS AND DAVIES **118**, 1255.
Mosaic
analysis in *Drosophila*: XU AND RUBIN **117**, 1223.
autosomal dominant female-sterile mutations: CHOU, NOLL AND PERRIMON **119**, 1359.
Motoneuron
postnatal motoneuron maturation in rats: CURFS, GRIBNAU AND DEDEREN **117**, 535.
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
Mouse
α_5 integrin-deficient mice: YANG, RAYBURN AND HYNES **119**, 1093.
embryo H^+ permeability: BALTZ, BIGGER AND LECHENE **118**, 1353.
fibronectin-deficient mice: GEORGE, GEORGES-LABOUESSE, PATEL-KING, RAYBURN AND HYNES **119**, 1079.
hyaluronic acid in the early mouse embryo: BROWN AND PAPAIOANNOU **117**, 483.
induction of embryonic transcription in vitro: VERNET, CAVARD, ZIDER, FERGELOT, GRIMBER AND BRIAND **119**, 1293.
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELICI **118**, 1089.
t-PA in the preimplantation mouse embryo: CARROLL,

RICHARDS, DARROW, WELLS AND STRICKLAND **119**, 191.
Mouse activin
activin in mouse preimplantation embryos: ALBANO, GROOME AND SMITH **117**, 711.
Mouse cell cycle
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
Mouse chimera
chimeric analysis of *T(Brachyury)*: WILSON, RASHBASS AND BEDDINGTON **117**, 1321.
with *ls/ls* transgenic embryos: KAPUR, YOST AND PALMITER **117**, 993.
Mouse chromosome
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
X-chromosome imprinting in mouse ES cells: TADA, TADA AND TAKAGI **119**, 813.
XX-XY differences before implantation: BURGOYNE **117**, 341.
Mouse development
expression of *Protease Nexin-1* during mouse organogenesis: MANSUY, VAN DER PUTTEN, SCHMID, MEINS, BOTTERI AND MONARD **119**, 1119.
tie-2 expression during vascular development: SCHNURCH AND RISAU **119**, 957.
Mouse egg
cingulin expression in embryos: JAVED, FLEMING, HAY AND CITI **117**, 1145.
cingulin localisation in embryos: FLEMING, HAY, JAVED AND CITI **117**, 1135.
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
Mouse embryo
developmental expression of fibroglycan: DAVID, BAI, VAN DER SCHUEREN, MARYNEN, CASSIMAN AND VAN DEN BERGHE **119**, 841.
epigenetic modifications and development: REIK, ROMER, BARTON, SURANI, HOWLETT AND KLOSE **119**, 933.
expression of hyaluronan receptor, CD44: WHEATLEY, ISACKE AND CROSSLEY **119**, 295.
HNF3 proteins and endoderm development: ANG, WIERDA, WONG, STEVENS, CASCIO, ROSSANT AND ZARET **119**, 1301.
integrins in early mouse embryos: SUTHERLAND, CALARCO AND DAMSKY **119**, 1175.
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
Msx-1 expression in developing face and limbs: BROWN, WEDDEN, MILLBURN, ROBSON, HILL, DAVIDSON AND TICKLE **119**, 41.
mutant interaction in mouse neurulation: ESTIBEIRO, BROOK AND COPP **119**, 113.
neurite outgrowth and neuronal survival by SCF: HIRATA, MORII, MORIMOTO, KASUGAI, TSUJIMURA, HIROTA, KANAKURA, NOMURA AND KITAMURA **119**, 49.
Mouse embryogenesis
expression of c-*ret* proto-oncogene in mouse: PACHNIS, MANKOO AND COSTANTINI **119**, 1005.
Mouse eye
ectopic expression of CRABP I in the lens: PEREZ-CASTRO, TRAN AND CHI NGUYEN-HUU **119**, 363.
Mouse gap junction
control of gap junction assembly in mouse: DE SOUSA, VALDIMARSSON, NICHOLSON AND KIDDER **117**, 1355.
Mouse gastrulation
adhesive interactions at the primitive streak: BURDSAL, DAMSKY AND PEDERSEN **118**, 829.
Cdx-1 expression during gastrulation: MEYER AND GRUSS **117**, 191.
morphological landmarks of mouse gastrulation: DOWNS AND DAVIES **118**, 1255.
Mouse gene
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
fiber-type specificity of TnIfast transgenes: HALLAUER, BRADSHAW AND HASTINGS **119**, 691.
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
gene expression in *kreisler* mouse embryos: FROHMAN, MARTIN, CORDES, HALAMEK AND BARSH **117**, 925.
goosecoid expression in murine organogenesis: GAUNT, BLUM AND DE ROBERTIS **117**, 769.
homeosis of cervical vertebrae in *Hoxd-3*$^{-}$ mice: CONDIE AND CAPECCHI **119**, 579.
Hoxa-1 mutant phenotype: MARK, LUFKIN, VONESCH, RUBERTE, OLIVO, DOLLE, GORRY, LUMSDEN AND CHAMBON **119**, 319.
murine homologues of *seven in absentia*: DELLA, SENIOR AND BOWTELL **117**, 1333.
N-*myc* gene in the mouse: SAWAI, SHIMONO, WAKAMATSU, PALMES, HANAOKA AND KONDOH **117**, 1445.
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
regulation of p75 and *trkA* expression: WYATT AND DAVIES **119**, 635.
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
*rel*B expression in lymphoid tissues: CARRASCO, RYSECK AND BRAVO **118**, 1221.
role for mouse HNF-3 α, β and γ genes in tissue determination: MONAGHAN, KAESTNER, GRAU AND SCHUTZ **119**, 567.
tail and inner ear defects in *int-2* mutant mice: MANSOUR, GODDARD AND CAPECCHI **117**, 13.
targeted disruption of the L14 S-type lectin: POIRIER AND ROBERTSON **119**, 1229.
the murine *cripto* gene: DONO, SCALERA, PACIFICO, ACAMPORA, PERSICO AND SIMEONE **118**, 1157.
Wnt in embryonic CNS and limb buds: PARR, SHEA, VASSILEVA AND MCMAHON **119**, 247.
Mouse genetics
genetic rescue of T-associated maternal effect: FILSON, LOUVI, EFSTRATIADIS AND ROBERTSON **118**, 731.
Mouse haematopoiesis
HPRT^{-} cells in mouse haematopoiesis: SAMUEL, CLARKE, ANSELL AND HOOPER **118**, 859.
Mouse heart
TGFβ2 in heart development: DICKSON, SLAGER, DUFFIE, MUMMERY AND AKHURST **117**, 625.
Mouse hemopoiesis
role of c-*kit* in fetal hematopoiesis: OGAWA, NISHIKAWA, YOSHINAGA, HAYASHI, KUNISADA, NAKAO, KINA, SUDO, KODAMA AND NISHIKAWA **117**, 1089.
Mouse kidney
development requires *Pax-2*: ROTHENPIELER AND DRESSLER **119**, 711.
Mouse limb
FGF regulates *Evx-1* expression in limbs: NISWANDER AND MARTIN **119**, 287.
maintenance of ZPA signaling in vitro: ANDERSON, LANDRY AND MUNEOKA **117**, 1421.
Mouse mandible
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA,

BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.

Mouse muscle
contractile protein gene expression: ONTELL, ONTELL, SOPPER, MALLONGA, LYONS AND BUCKINGHAM **117**, 1435.
M-cadherin expression in skeletal muscle: MOORE AND WALSH **117**, 1409.
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.

Mouse mutant
N-*myc* mutant mice: MOENS, STANTON, PARADA AND ROSSANT **119**, 485.

Mouse myogenesis
myoblast diversity and the MyoD family: SMITH, BLOCK, RHODES, KONIECZNY AND MILLER **117**, 1125.

Mouse nervous system
cdk5 and mouse embryonic nervous system: TSAI, TAKAHASHI, CAVINESS AND HARLOW **119**, 1029.
cDNAs mark stages of granule cell development: KUHAR, FENG, VIDAN, ROSS, HATTEN AND HEINTZ **117**, 97.
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
NCAM in mouse neural tube: BALLY-CUIF, GORIDIS AND SANTONI **117**, 543.
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
reorganization of the hindbrain in *hox-A1* mutant mice: CARPENTER, GODDARD, CHISAKA, MANLEY AND CAPECCHI **118**, 1063.
sensory neuron development regulated by LIF/NGF: MURPHY, REID, BROWN AND BARTLETT **117**, 1173.

Mouse neurogenesis
axial curvature and neurulation: VAN STRAATEN, HEKKING, CONSTEN AND COPP **117**, 1163.
regional specification of neural ectoderm: THOMAS AND DZIADEK **117**, 253.

Mouse oocyte
Ca^{2+} spiking in oocytes: CHEEK, MCGUINNESS, VINCENT, MORETON, BERRIDGE AND JOHNSON **119**, 179.
integrins in unfertilized mouse oocytes: TARONE, RUSSO, HIRSCH, ODORISIO, ALTRUDA, SILENGO AND SIRACUSA **117**, 1369.

Mouse pancreas
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.

Mouse pattern formation
CRBP I/CRABP I in the mouse embryo: GUSTAFSON, DENCKER AND ERIKSSON **117**, 451.

Mouse spermatogenesis
transcriptional regulation of *Tcp-10b*: EWULONU, BURATYNSKI AND SCHIMENTI **117**, 89.

Mouse stem cell
embryonic stem cell repopulation: MULLER AND DZIERZAK **118**, 1343.

Mouse testis
mesonephric contribution to testis differentiation: BUEHR, GU AND MCLAREN **117**, 273.

Mouse tooth
inhibition of amelogenin translation: DIEKWISCH, DAVID, BRINGAS, SANTOS AND SLAVKIN **117**, 471.
msx 1 and *msx 2* during tissue interactions: JOWETT, VAINIO, FERGUSON, SHARPE AND THESLEFF **117**, 461.

Mouse transgene
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.
enhancer regions in the mouse *En-2* locus: LOGAN, KHOO, CADO AND JOYNER **117**, 905.
histochemical study of floor plate cells: CAMPBELL AND PETERSON **119**, 1217.
Hox-1.4 directed expression in transgenic mice: BEHRINGER, CROTTY, TENNYSON, BRINSTER, PALMITER AND WOLGEMUTH **117**, 823.
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.

MRF4
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.

msx
control of neural crest cell death: GRAHAM, HEYMAN AND LUMSDEN **119**, 233.
msx 1 and *msx 2* during tissue interactions: JOWETT, VAINIO, FERGUSON, SHARPE AND THESLEFF **117**, 461.

Multicellular development
role of PKA during *Dictyostelium* development: MANN AND FIRTEL **119**, 135.

Multiple prestalk cell type
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL, TRAYNOR AND WILLIAMS **118**, 353.

Multipositive progenitor
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.

Muscle
Drosophila flight muscle innervation: FERNANDES AND VIJAYRAGHAVAN **118**, 215.
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.

Muscle gene regulation
fiber-type specificity of TnIfast transgenes: HALLAUER, BRADSHAW AND HASTINGS **119**, 691.

Muscle regulatory factor
myoblast diversity and the MyoD family: SMITH, BLOCK, RHODES, KONIECZNY AND MILLER **117**, 1125.

Muscle-specific gene regulation
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.

Mutation
mutant interaction in mouse neurulation: ESTIBEIRO, BROOK AND COPP **119**, 113.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.

N-*myc*
N-*myc* gene in the mouse: SAWAI, SHIMONO, WAKAMATSU, PALMES, HANAOKA AND KONDOH **117**, 1445.

Myelin-specific gene expression
ascorbate induces P0 gene expression: FERNANDEZ-VALLE, FREGIEN, WOOD AND BUNGE **119**, 867.

Myelination
ascorbate induces P0 gene expression: FERNANDEZ-VALLE, FREGIEN, WOOD AND BUNGE **119**, 867.

Myf-5
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.

Myoblasts
enhancer regions in the mouse *En-2* locus: LOGAN, KHOO, CADO AND JOYNER **117**, 905.
myoblast diversity and the MyoD family: SMITH, BLOCK, RHODES, KONIECZNY AND MILLER **117**, 1125.

Myocardium
heart homeobox gene: LINTS, PARSONS, HARTLEY, LYONS AND HARVEY **119**, 419.

zebrafish heart development: STAINIER, LEE AND FISHMAN **119**, 31.
MyoD
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Myogenesis
aneural myogenesis in *Drosophila*: BROADIE AND BATE **119**, 533.
delayed somitogenesis in quail: COUTINHO, MORRIS, MARKS, BUHR AND IVARIE **117**, 563.
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
heart homeobox gene: LINTS, PARSONS, HARTLEY, LYONS AND HARVEY **119**, 419.
I_{Ca} and contraction appearance in muscle: COGNARD, CONSTANTIN, RIVET-BASTIDE, IMBERT, BESSE AND RAYMOND **117**, 1153.
M-cadherin expression in skeletal muscle: MOORE AND WALSH **117**, 1409.
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
myoblast diversity and the MyoD family: SMITH, BLOCK, RHODES, KONIECZNY AND MILLER **117**, 1125.
TGFβ2 in heart development: DICKSON, SLAGER, DUFFIE, MUMMERY AND AKHURST **117**, 625.
Myogenic factor
delayed somitogenesis in quail: COUTINHO, MORRIS, MARKS, BUHR AND IVARIE **117**, 563.
Myogenic regulatory factor
contractile protein gene expression: ONTELL, ONTELL, SOPPER, MALLONGA, LYONS AND BUCKINGHAM **117**, 1435.
Myogenin
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Myosin
contractile protein gene expression: ONTELL, ONTELL, SOPPER, MALLONGA, LYONS AND BUCKINGHAM **117**, 1435.
Myosin heavy chain
delayed somitogenesis in quail: COUTINHO, MORRIS, MARKS, BUHR AND IVARIE **117**, 563.
Myotome
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.
N-*myc*
N-*myc* mutant mice: MOENS, STANTON, PARADA AND ROSSANT **119**, 485.
naked
epidermal patterning in *Drosophila*: BEJSOVEC AND WIESCHAUS **119**, 501.
nanos
vegetally localized maternal RNA: MOSQUERA, FORRISTALL, ZHOU AND KING **117**, 377.
NCAM
NCAM in mouse neural tube: BALLY-CUIF, GORIDIS AND SANTONI **117**, 543.
Phox2 and Cux in mouse: VALARCHE, TISSIER-SETA, HIRSCH, MARTINEZ, GORIDIS AND BRUNET **119**, 881.
Negative control element
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
Nerve
Drosophila flight muscle innervation: FERNANDES AND VIJAYRAGHAVAN **118**, 215.
Nerve growth factor
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
neurite outgrowth and neuronal survival by SCF: HIRATA, MORII, MORIMOTO, KASUGAI, TSUJIMURA, HIROTA, KANAKURA, NOMURA AND KITAMURA **119**, 49.
neurotrophin-4 is a neurotrophic factor for trigeminal ganglion: IBANEZ, ERNFORS, TIMMUSK, IP, ARENAS, YANCOPOULOS AND PERSSON **117**, 1345.
regulation of p75 and *trkA* expression: WYATT AND DAVIES **119**, 635.
sensory neuron development regulated by LIF/NGF: MURPHY, REID, BROWN AND BARTLETT **117**, 1173.
Nervous system
cdk5 and mouse embryonic nervous system: TSAI, TAKAHASHI, CAVINESS AND HARLOW **119**, 1029.
control of neural crest cell death: GRAHAM, HEYMAN AND LUMSDEN **119**, 233.
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
Drosophila cyclin E expression: RICHARDSON, O'KEEFE, REED AND SAINT **119**, 673.
expression of c-*ret* proto-oncogene in mouse: PACHNIS, MANKOO AND COSTANTINI **119**, 1005.
expression of *Protease Nexin-1* during mouse organogenesis: MANSUY, VAN DER PUTTEN, SCHMID, MEINS, BOTTERI AND MONARD **119**, 1119.
gliogenesis in insect ENS: COPENHAVER **117**, 59.
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
Nervous system development
cell death in the *Drosophila* embryo: ABRAMS, WHITE, FESSLER AND STELLER **117**, 29.
Neural crest
chimeras with *ls/ls* transgenic embryos: KAPUR, YOST AND PALMITER **117**, 993.
control of neural crest cell death: GRAHAM, HEYMAN AND LUMSDEN **119**, 233.
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.
Hoxa-1 mutant phenotype: MARK, LUFKIN, VONESCH, RUBERTE, OLIVO, DOLLE, GORRY, LUMSDEN AND CHAMBON **119**, 319.
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CIMENT **118**, 1313.
mutant interaction in mouse neurulation: ESTIBEIRO, BROOK AND COPP **119**, 113.
segmental organization of chick hindbrain: KURATANI AND EICHELE **117**, 105.
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
Xenopus distal-less in forebrain development: PAPALOPULU AND KINTNER **117**, 961.
Xsna promoter in *Drosophila*: MAYOR, ESSEX, BENNETT AND SARGENT **119**, 661.
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Neural development
an essential immunoglobulin family gene: GARBE, YANG AND FRISTROM **119**, 1237.
developmental expression of the *trkC* receptor tyrosine kinase:

TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
monoamines and neuronal differentiation: ROWE, MESSENGER AND WARNER **119**, 1343.
optomotor-blind in *Drosophila* nervous system development: POECK, HOFBAUER AND PFLUGFELDER **117**, 1017.
regulation of Glass activity: ELLIS, O'NEILL AND RUBIN **119**, 855.

Neural ectoderm
regional specification of neural ectoderm: THOMAS AND DZIADEK **117**, 253.

Neural fold
Xsna promoter in *Drosophila*: MAYOR, ESSEX, BENNETT AND SARGENT **119**, 661.

Neural induction
isolation of a novel *Xenopus achaete-scute* homolog: ZIMMERMAN, SHIH, BARS, COLLAZO AND ANDERSON **119**, 221.
neural induction by bFGF: KENGAKU AND OKAMOTO **119**, 1067.
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.

Neural plate
floor plate induction: PLACZEK, JESSELL AND DODD **117**, 205.

Neural plate border
Xsna promoter in *Drosophila*: MAYOR, ESSEX, BENNETT AND SARGENT **119**, 661.

Neural precursor
regulation and function of *asense*: JARMAN, BRAND, JAN AND JAN **119**, 19.

Neural precursor gene
asense, a neural precursor gene: BRAND, JARMAN, JAN AND JAN **119**, 1.

Neural tube
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
fibronectin-deficient mice: GEORGE, GEORGES-LABOUESSE, PATEL-KING, RAYBURN AND HYNES **119**, 1079.
NCAM in mouse neural tube: BALLY-CUIF, GORIDIS AND SANTONI **117**, 543.
neural induction by bFGF: KENGAKU AND OKAMOTO **119**, 1067.

Neural tube defect
mutant interaction in mouse neurulation: ESTIBEIRO, BROOK AND COPP **119**, 113.

Neural tube roof
Xsna promoter in *Drosophila*: MAYOR, ESSEX, BENNETT AND SARGENT **119**, 661.

Neurite outgrowth
neurite outgrowth and neuronal survival by SCF: HIRATA, MORII, MORIMOTO, KASUGAI, TSUJIMURA, HIROTA, KANAKURA, NOMURA AND KITAMURA **119**, 49.

Neurobiology
EcR-A marks doomed neurons of *Drosophila*: ROBINOW, TALBOT, HOGNESS AND TRUMAN **119**, 1251.

Neuroblast
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
sequential action of NT-3 and NGF on sympathetic neuroblasts: BIRREN, LO AND ANDERSON **119**, 597.

Neuroectoderm
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.
role for mouse HNF-3 α, β and γ genes in tissue determination: MONAGHAN, KAESTNER, GRAU AND SCHUTZ **119**, 567.

Neuroendocrine
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.

Neuroepithelial cell
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.

Neurofilament protein
segmental migration of the hindbrain neural crest: SECHRIST, SERBEDZIJA, SCHERSON, FRASER AND BRONNER-FRASER **118**, 691.

Neurogenesis
asense, a neural precursor gene: BRAND, JARMAN, JAN AND JAN **119**, 1.
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
pannier encodes zinc finger protein homologous to GATA-1: RAMAIN, HEITZLER, HAENLIN AND SIMPSON **119**, 1277.
regulation and function of *asense:* JARMAN, BRAND, JAN AND JAN 119, 19.
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
the *lethal of scute* gene: MARTIN-BERMUDO, GONZALEZ, DOMINGUEZ, RODRIGUEZ, RUIZ-GOMEZ, ROMANI, MODOLELL AND JIMENEZ **118**, 1003.

Neurogenic gene
Delta and Notch in cell interactions: KOOH, FEHON AND MUSKAVITCH **117**, 493.

Neuromuscular junction
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.

Neuron
combinatorial regulation of cell identity: MITANI, DU, HALL, DRISCOLL AND CHALFIE **119**, 773.
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
MAP2-induced processes: EDSON, WEISSHAAR AND MATUS **117**, 689.
monoamines and neuronal differentiation: ROWE, MESSENGER AND WARNER **119**, 1343.
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.

Neuron morphology
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.

Neuronal death
EcR-A marks doomed neurons of *Drosophila*: ROBINOW, TALBOT, HOGNESS AND TRUMAN **119**, 1251.

Neuronal differentiation
cdk5 and mouse embryonic nervous system: TSAI, TAKAHASHI, CAVINESS AND HARLOW **119**, 1029.
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.

Neuronal receptor
chick *trk*B and neuronal BDNF receptors: DECHANT, BIFFO, OKAZAWA, KOLBECK, POTTGIESSER AND BARDE **119**, 545.

Neuropeptide Y
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.

Neurotransmitter
Phox2 and Cux in mouse: VALARCHE, TISSIER-SETA, HIRSCH, MARTINEZ, GORIDIS AND BRUNET **119**, 881.

Neurotrophic factor
neurite outgrowth and neuronal survival by SCF: HIRATA, MORII, MORIMOTO, KASUGAI, TSUJIMURA, HIROTA, KANAKURA, NOMURA AND KITAMURA **119**, 49.

sequential action of NT-3 and NGF on sympathetic neuroblasts: BIRREN, LO AND ANDERSON **119**, 597.

Neurotrophin
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
chick *trk*B and neuronal BDNF receptors: DECHANT, BIFFO, OKAZAWA, KOLBECK, POTTGIESSER AND BARDE **119**, 545.
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
regulation of p75 and *trkA* expression: WYATT AND DAVIES **119**, 635.

Neurotrophin receptors
differential expression of neurotrophin receptors: DURBEEJ, SODERSTROM, EBENDAL, BIRCHMEIER AND EKBLOM **119**, 977.

Neurotrophin-3
neurotrophin-4 is a neurotrophic factor for trigeminal ganglion: IBANEZ, ERNFORS, TIMMUSK, IP, ARENAS, YANCOPOULOS AND PERSSON **117**, 1345.

Neurulation
axial curvature and neurulation: VAN STRAATEN, HEKKING, CONSTEN AND COPP **117**, 1163.
evaluation of theories of neurulation: CLAUSI AND BRODLAND **118**, 1013.
monoamines and neuronal differentiation: ROWE, MESSENGER AND WARNER **119**, 1343.
mutant interaction in mouse neurulation: ESTIBEIRO, BROOK AND COPP **119**, 113.
Xenopus integrin α subunits: WHITTAKER AND DESIMONE **117**, 1239.

Newt
antibodies to RAR isoforms: HILL, RAGSDALE AND BROCKES **117**, 937.
FGF receptors in limb regeneration: POULIN, PATRIE, BOTELHO, TASSAVA AND CHIU **119**, 353.
Hox-4.5 and *Hox-3.6* expression during newt regeneration: SIMON AND TABIN **117**, 1397.

NGF
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
sequential action of NT-3 and NGF on sympathetic neuroblasts: BIRREN, LO AND ANDERSON **119**, 597.

$NiCl_2$
cell interactions during sea urchin skeletogenesis: ARMSTRONG, HARDIN AND MCCLAY **119**, 833.

***NK-2* gene class**
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.

no tail
expression of *sna-1* in zebrafish embryos: HAMMERSCHMIDT AND NUSSLEIN-VOLHARD **119**, 1107.
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.

Node
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.

Noradrenaline
monoamines and neuronal differentiation: ROWE, MESSENGER AND WARNER **119**, 1343.

Noradrenergic neuron
Phox2 and Cux in mouse: VALARCHE, TISSIER-SETA, HIRSCH, MARTINEZ, GORIDIS AND BRUNET **119**, 881.

Notch
axon guidance by *Delta* and *Notch*: GINIGER, JAN AND JAN **117**, 431.
Delta and Notch in cell interactions: KOOH, FEHON AND MUSKAVITCH **117**, 493.
role of *Notch* in cell fate decisions: HEITZLER AND SIMPSON **117**, 1113.
strawberry notch gene in *Drosophila*: COYLE-THOMPSON AND BENERJEE **119**, 377.

Notochord
floor plate induction: PLACZEK, JESSELL AND DODD **117**, 205.
mesoderm morphogenesis in *Ceratophyrs ornata*: PURCELL AND KELLER **117**, 307.
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
Pax gene expression in the developing chick spinal cord: GOULDING, LUMSDEN AND GRUSS **117**, 1001.
Pax-1 as a mediator of notochordal signals: KOSEKI, WALLIN, WILTING, MIZUTANI, KISPERT, EBENSPERGER, HERRMANN, CHRIST AND BALLING **119**, 649.
role for mouse HNF-3 α, β and γ genes in tissue determination: MONAGHAN, KAESTNER, GRAU AND SCHUTZ **119**, 567.

Notophthalmus
FGF receptors in limb regeneration: POULIN, PATRIE, BOTELHO, TASSAVA AND CHIU **119**, 353.

NPY (See Neuropeptide Y)
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.

NT-3
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.

ntl
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.

Nuclear division
swallow protein in *Drosophila*: HEGDE AND STEPHENSON **119**, 457.

Nuclear matrix
swallow protein in *Drosophila*: HEGDE AND STEPHENSON **119**, 457.

Nuclear transplantation
epigenetic modifications and development: REIK, ROMER, BARTON, SURANI, HOWLETT AND KLOSE **119**, 933.

nuclear-fallout
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.

Nucleocytoplasmic ratio
zebrafish midblastula transition: KANE AND KIMMEL **119**, 447.

Nucleus
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.

Occipital bone
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.

Odontogenesis
msx 1 and *msx 2* during tissue interactions: JOWETT, VAINIO, FERGUSON, SHARPE AND THESLEFF **117**, 461.

Olfactory epithelium
murine homologues of *seven in absentia*: DELLA, SENIOR AND BOWTELL **117**, 1333.

Oligodendrocyte
migration and fate of SVZ cells: LEVISON, CHUANG, ABRAMSON AND GOLDMAN **119**, 611.
origin of spinal cord oligodendrocytes: NOLL AND MILLER **118**, 563.

Ommatidial assembly
ectopic expression of *seven-up*: HIROMI, MLODZIK, WEST, RUBIN AND GOODMAN **118**, 1123.
Oncostatin M
CNTF maintains pluripotentiality of ES cells: CONOVER, IP, POUEYMIROU, BATES, GOLDFARB, DECHIARA AND YANCOPOULOS **119**, 559.
Oocyte
Ca^{2+} spiking in oocytes: CHEEK, MCGUINNESS, VINCENT, MORETON, BERRIDGE AND JOHNSON **119**, 179.
integrins in unfertilized mouse oocytes: TARONE, RUSSO, HIRSCH, ODORISIO, ALTRUDA, SILENGO AND SIRACUSA **117**, 1369.
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
Oogenesis
autosomal dominant female-sterile mutations: CHOU, NOLL AND PERRIMON **119**, 1359.
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
hsp70 expression in amphibian oocyte: BILLOUD, RODRIGUEZ-MARTIN, BERARD, MOREAU AND ANGELIER **119**, 921.
pipsqueak, a new posterior group gene: SIEGEL, JONGENS, JAN AND JAN **119**, 1187.
role of *armidillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
swallow protein in *Drosophila*: HEGDE AND STEPHENSON **119**, 457.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
vegetally localized maternal RNA: MOSQUERA, FORRISTALL, ZHOU AND KING **117**, 377.
Optic chiasm
guidance of retinal axons by chiasm membranes: WIZENMANN, THANOS, BOXBERG AND BONHOEFFER **117**, 725.
Optic nerve
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
Optic tectum
laminin receptors in the developing retina: DE CURTIS AND REICHARDT **118**, 377.
optomotor-blind
optomotor-blind in *Drosophila* nervous system development: POECK, HOFBAUER AND PFLUGFELDER **117**, 1017.
Organ culture
msx 1 and *msx 2* during tissue interactions: JOWETT, VAINIO, FERGUSON, SHARPE AND THESLEFF **117**, 461.
N-*myc* gene in the mouse: SAWAI, SHIMONO, WAKAMATSU, PALMES, HANAOKA AND KONDOH **117**, 1445.
Organizer
dorsalization in *Xenopus* gastrulae: LETTICE AND SLACK **117**, 263.
Organogenesis
Arabidopsis root development mutants: BENFEY, LINSTEAD, ROBERTS, SCHIEFELBEIN, HAUSER AND AESCHBACHER **119**, 57.
N-*myc* gene in the mouse: SAWAI, SHIMONO, WAKAMATSU, PALMES, HANAOKA AND KONDOH **117**, 1445.
Organotypic culture
ventral spinal cord inhibits DRG outgrowth: FITZGERALD, KWIAT, MIDDLETON AND PINI **117**, 1377.
Origin
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.
Origin of spatial information
dorsal-ventral pattern formation in *Drosophila*: ROTH **117**, 1385.
Orthoptera
Abdominal-B in *Schistocera*: KELSH, DAWSON AND AKAM **117**, 293.
oskar
oskar mRNA localization elements: KIM-HA, WEBSTER, SMITH AND MCDONALD **119**, 169.
Ovarian tumor
otu and germ-line sex determination: PAULI, OLIVER AND MAHOWALD **119**, 123.
SXl, master and slave: OLIVER, KIM AND BAKER **119**, 897.
Ovotestis
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Oxidative stress
induction of embryonic transcription in vitro: VERNET, CAVARD, ZIDER, FERGELOT, GRIMBER AND BRIAND **119**, 1293.
P-element
regeneration genes in *Drosophila*: BROOK, OSTAFICHUK, PIORECKY, WILKINSON, HODGETTS AND RUSSELL **117**, 1287.
P-element splicing in pole cells: KOBAYASHI, KITAMURA, SASAKI AND OKADA **117**, 885.
Pair-rule gene
conservation of *hairy* regulation: LANGELAND AND CARROLL **117**, 585.
Drosophila segmentation: after the first three hours: LAWRENCE AND SAMPEDRO **119**, 971.
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
repression of *Drosophila* pair-rule genes by *tramtrack*: BROWN AND WU **117**, 45.
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
paired
paired expression and regulation: GUTJAHR, FREI AND NOLL **117**, 609.
Pancreas
ectopic expression of CRABP I in the lens: PEREZ-CASTRO, TRAN AND CHI NGUYEN-HUU **119**, 363.
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
Pancreatic islet
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
pannier
pannier encodes zinc finger protein homologous to GATA-1: RAMAIN, HEITZLER, HAENLIN AND SIMPSON **119**, 1277.
Paralogue
Hox-4.5 and *Hox-3.6* expression during newt regeneration: SIMON AND TABIN **117**, 1397.
Paramecium
cortical development in conjugant *Paramecium*: ROMERO AND TORRES **117**, 1099.
Parasegment
Drosophila segmentation: after the first three hours: LAWRENCE AND SAMPEDRO **119**, 971.
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
Paraxial mesoderm
mouse fork head genes and gastrulation: SASAKI AND HOGAN **118**, 47.
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
Parental imprinting
genetic rescue of T-associated maternal effect: FILSON, LOUVI, EFSTRATIADIS AND ROBERTSON **118**, 731.

Parietal bone
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.
Patch-clamp
I_{Ca} and contraction appearance in muscle: COGNARD, CONSTANTIN, RIVET-BASTIDE, IMBERT, BESSE AND RAYMOND **117**, 1153.
patched
epidermal patterning in *Drosophila*: BEJSOVEC AND WIESCHAUS **119**, 501.
regulation of *wingless* transcription in *Drosophila*: INGHAM AND HIDALGO **117**, 283.
Pattern formation
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
allocation of leg and wing imaginal discs: COHEN, SIMCOX AND COHEN **117**, 597.
Arabidopsis root development: DOLAN, JANMAAT, WILLEMSEN, LINSTEAD, POETHIG, ROBERTS AND SCHERES **119**, 71.
axial expression of *Cnox-2* in hydra: SHENK, BODE AND STEELE **117**, 657.
basal body pattern in *Arabidopsis* embryo: BERLETH AND JURGENS **118**, 575.
bric a brac function in limb development: GODT, COUDERC, CRAMTON AND LASKI **119**, 799.
cell interactions during sea urchin skeletogenesis: ARMSTRONG, HARDIN AND MCCLAY **119**, 833.
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
cut expression in *Drosophila*: BLOCHLINGER, JAN AND JAN **117**, 441.
dorsal-ventral pattern formation in *Drosophila*: ROTH **117**, 1385.
dye coupling patterns in embryonic skin: SERRAS, FRASER AND CHUONG **119**, 85.
epidermal patterning in *Drosophila*: BEJSOVEC AND WIESCHAUS **119**, 501.
FGF affects chick limb pattern: RILEY, SAVAGE, SIMANDL, OLWIN AND FALLON **118**, 95.
gnom in *Arabidopsis* embryogenesis: MAYER, BUTTNER AND JURGENS **117**, 149.
hairy and patterning of leg bristles: ORENIC, HELD, PADDOCK AND CARROLL **118**, 9.
maintenance of ZPA signaling in vitro: ANDERSON, LANDRY AND MUNEOKA **117**, 1421.
mesoderm morphogenesis in *Ceratophyrs ornata*: PURCELL AND KELLER **117**, 307.
migration and fate of SVZ cells: LEVISON, CHUANG, ABRAMSON AND GOLDMAN **119**, 611.
morphogenetic gene regulation: DAVIDSON **118**, 665.
oskar mRNA localization elements: KIM-HA, WEBSTER, SMITH AND MCDONALD **119**, 169.
Pax gene expression in the developing chick spinal cord: GOULDING, LUMSDEN AND GRUSS **117**, 1001.
pipsqueak, a new posterior group gene: SIEGEL, JONGENS, JAN AND JAN **119**, 1187.
regional induction of mouse *En* genes in vitro: ANG AND ROSSANT **118**, 139.
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
somite pattern regulation: PACKARD, ZHENG AND TURNER **117**, 779.
wingless regulates wing formation: WILLIAMS, PADDOCK AND CARROLL **117**, 571.
Xwnt-5A in *Xenopus* embryos: MOON, CAMPBELL, CHRISTIAN, MCGREW, SHIH AND FRASER **119**, 97.
Pattern regulation
dorsal-ventral pattern formation in *Drosophila*: ROTH **117**, 1385.
Pax genes
Pax gene expression in the developing chick spinal cord: GOULDING, LUMSDEN AND GRUSS **117**, 1001.
Pax-1
Pax-1 as a mediator of notochordal signals: KOSEKI, WALLIN, WILTING, MIZUTANI, KISPERT, EBENSPERGER, HERRMANN, CHRIST AND BALLING **119**, 649.
Pax-2
kidney development requires *Pax-2*: ROTHENPIELER AND DRESSLER **119**, 711.
PCNA
cell proliferation in the early chick embryo: SANDERS, VAREDI AND FRENCH **118**, 389.
PDGF
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
PDGF receptor
the origin of oligodendrocytes?: PRINGLE AND RICHARDSON **117**, 525.
Perimplantation embryo
cingulin localisation in embryos: FLEMING, HAY, JAVED AND CITI **117**, 1135.
Peripheral nervous system
axon guidance by *Delta* and *Notch*: GINIGER, JAN AND JAN **117**, 431.
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
Peritubular myoid cells
mesonephric contribution to testis differentiation: BUEHR, GU AND MCLAREN **117**, 273.
Perpendicular contact guidance
perpendicular contact guidance on microstructures: NAGATA, KAWANA AND NAKATSUJI **117**, 401.
pH
embryo H^+ permeability: BALTZ, BIGGER AND LECHENE **118**, 1353.
Phorbol ester
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CIMENT **118**, 1313.
Phosphorothioate oligodeoxynucleotides
differential expression of neurotrophin receptors: DURBEEJ, SODERSTROM, EBENDAL, BIRCHMEIER AND EKBLOM **119**, 977.
Photoreceptor
regulation of Glass activity: ELLIS, O'NEILL AND RUBIN **119**, 855.
PI-PLC
grasshopper epithelial alkaline phosphatase: CHANG, ZACHOW AND BENTLEY **118**, 651.
Piebaldism
chimeras with *ls/ls* transgenic embryos: KAPUR, YOST AND PALMITER **117**, 993.
Pigmented epithelial cell
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
Pioneering neuron
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
pipsqueak
pipsqueak, a new posterior group gene: SIEGEL, JONGENS, JAN AND JAN **119**, 1187.
PKA
stalk cell differentiation in *Dictyostelium*: INOUYE AND GROSS **118**, 523.
Placode
commitment of placodal ectoderm: VOGEL AND DAVIES **119**, 263.

Planar induction
Xenopus distal-less in forebrain development: PAPALOPULU AND KINTNER **117**, 961.
Planarian
planarian homeobox genes: GARCIA-FERNANDEZ, BAGUNA AND SALO **118**, 241.
Plant development
Arabidopsis root development mutants: BENFEY, LINSTEAD, ROBERTS, SCHIEFELBEIN, HAUSER AND AESCHBACHER **119**, 57.
meristem initiation in *Arabidopsis*: BARTON AND POETHIG **119**, 823.
Platelet-derived growth factor
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.
Pleurodeles
hsp70 expression in amphibian oocyte: BILLOUD, RODRIGUEZ-MARTIN, BERARD, MOREAU AND ANGELIER **119**, 921.
Ploidy
Drosophila imaginal development: HAYASHI, HIROSE, METCALFE AND SHIRRAS **118**, 105.
PN-1
expression of *Protease Nexin-1* during mouse organogenesis: MANSUY, VAN DER PUTTEN, SCHMID, MEINS, BOTTERI AND MONARD **119**, 1119.
PNS
gliogenesis in the adult fly PNS: GIANGRANDE, MURRAY AND PALKA **117**, 895.
Podocyte
Wilms' tumor gene expression: MUNDLOS, PELLETIER, DARVEAU, BACHMANN, WINTERPACHT AND ZABEL **119**, 1329.
pointed
pointed encodes two ETS-like proteins: KLAMBT **117**, 163.
Polarity
a gradient of dorsal protein: GOVIND, BRENNAN AND STEWARD **117**, 135.
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
gnom in *Arabidopsis* embryogenesis: MAYER, BUTTNER AND JURGENS **117**, 149.
Polarizing activity
FGF-4 and limb polarizing activity: VOGEL AND TICKLE **119**, 199.
Pole cells
P-element splicing in pole cells: KOBAYASHI, KITAMURA, SASAKI AND OKADA **117**, 885.
Polyandrocarpa
retinoids in morphallaxis of budding tunicates: KAWAMURA, HARA AND FUJIWARA **117**, 835.
***Polycomb* group**
Psc is a chromosomal protein: MARTIN AND ADLER **117**, 641.
Position-specific antigen
functions of *Drosophila* integrins: ZUSMAN, GRINBLAT, YEE, KAFATOS AND HYNES **118**, 737.
Positive control element
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
Posterior marginal zone
Cwnt-8C in axial and neural patterning: HUME AND DODD **119**, 1147.
Posterior neuropore
axial curvature and neurulation: VAN STRAATEN, HEKKING, CONSTEN AND COPP **117**, 1163.
Posterior pattern formation
pipsqueak, a new posterior group gene: SIEGEL, JONGENS, JAN AND JAN **119**, 1187.
Posterior Sex Combs
Psc is a chromosomal protein: MARTIN AND ADLER **117**, 641.
Postnatal development
postnatal motoneuron maturation in rats: CURFS, GRIBNAU AND DEDEREN **117**, 535.
POU-box
regional repression of a *Drosophila* POU box gene: AFFOLTER, WALLDORF, KLOTER, SCHIER AND GEHRING **117**, 1199.
Precursor cell
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
Preimplantation embryo
activin in mouse preimplantation embryos: ALBANO, GROOME AND SMITH **117**, 711.
cingulin expression in embryos: JAVED, FLEMING, HAY AND CITI **117**, 1145.
embryo H^+ permeability: BALTZ, BIGGER AND LECHENE **118**, 1353.
XX-XY differences before implantation: BURGOYNE **117**, 341.
Preimplantation mouse embryo
t-PA in the preimplantation mouse embryo: CARROLL, RICHARDS, DARROW, WELLS AND STRICKLAND **119**, 191.
Preimplantation Y chromosome effect
XX-XY differences before implantation: BURGOYNE **117**, 341.
Prespore differentiation
expression of Dp87 gene in *Dictyostelium*: OZAKI, NAKAO, ORII, MORIO, TAKEUCHI AND TASAKA **117**, 1299.
Prestalk
role of PKA during *Dictyostelium* development: MANN AND FIRTEL **119**, 135.
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL, TRAYNOR AND WILLIAMS **118**, 353.
Primary afferent
ventral spinal cord inhibits DRG outgrowth: FITZGERALD, KWIAT, MIDDLETON AND PINI **117**, 1377.
Primary mesenchyme
mesodermal cell interactions in sea urchin embryo: ETTENSOHN AND RUFFINS **117**, 1275.
size regulation and morphogenesis: ETTENSOHN AND MALINDA **119**, 155.
Primary myotube
contractile protein gene expression: ONTELL, ONTELL, SOPPER, MALLONGA, LYONS AND BUCKINGHAM **117**, 1435.
Primary neuron
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
Primary pair-rule gene
paired expression and regulation: GUTJAHR, FREI AND NOLL **117**, 609.
Primitive streak
adhesive interactions at the primitive streak: BURDSAL, DAMSKY AND PEDERSEN **118**, 829.
cell cycle during rat gastrulation: MAC AULEY, WERB AND MIRKES **117**, 873.
Cwnt-8C in axial and neural patterning: HUME AND DODD **119**, 1147.
mouse *Cdx-1* expression during gastrulation: MEYER AND GRUSS **117**, 191.
Primordial germ cell
migration of moth germ cells: NARDI **118**, 967.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELICI **118**, 1089.
Process orientation
perpendicular contact guidance on microstructures: NAGATA, KAWANA AND NAKATSUJI **117**, 401.
Programmed cell death
cell death in the *Drosophila* embryo: ABRAMS, WHITE, FESSLER AND STELLER **117**, 29.
multiple signals for oligodendrocyte survival: BARRES, SCHMID, SENDNTER AND RAFF **118**, 283.

normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
Progress zone mesenchyme
FGF regulates *Evx-1* expression in limbs: NISWANDER AND MARTIN **119**, 287.
Proliferation
Drosophila cdc2 mutants: STERN, RIED, CLEGG, GRIGLIATTI AND LEHNER **117**, 219.
Promoter
expression of stripe enhancers in the *even-skipped* promoter: SMALL, ARNOSTI AND LEVINE **119**, 767.
Promoter analysis
two distinct cell populations in *Dictyostelium* slug: EARLY, GASKELL, TRAYNOR AND WILLIAMS **118**, 353.
Proneural gene
asense, a neural precursor gene: BRAND, JARMAN, JAN AND JAN **119**, 1.
regulation and function of *asense*: JARMAN, BRAND, JAN AND JAN **119**, 19.
prospero
aneural myogenesis in *Drosophila*: BROADIE AND BATE **119**, 533.
Protease inhibitor
expression of *Protease Nexin-1* during mouse organogenesis: MANSUY, VAN DER PUTTEN, SCHMID, MEINS, BOTTERI AND MONARD **119**, 1119.
Protein kinase
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.
induction of terminal differentiation of *Dictyostelium*: HOPPER, ANJARD, REYMOND AND WILLIAMS **119**, 147.
role of PKA during *Dictyostelium* development: MANN AND FIRTEL **119**, 135.
Protein nuclear transfer
hsp70 expression in amphibian oocyte: BILLOUD, RODRIGUEZ-MARTIN, BERARD, MOREAU AND ANGELIER **119**, 921.
Protein trafficking
control of gap junction assembly in mouse: DE SOUSA, VALDIMARSSON, NICHOLSON AND KIDDER **117**, 1355.
Protein transfer
histochemical study of floor plate cells: CAMPBELL AND PETERSON **119**, 1217.
Protein zero
ascorbate induces P0 gene expression: FERNANDEZ-VALLE, FREGIEN, WOOD AND BUNGE **119**, 867.
Proteoglycan
developmental expression of fibroglycan: DAVID, BAI, VAN DER SCHUEREN, MARYNEN, CASSIMAN AND VAN DEN BERGHE **119**, 841.
epithelial invagination in sea urchin: LANE, KOEHL, WILT AND KELLER **117**, 1049.
extracellular matrix and differentiation: ADAMS AND WATT **117**, 1183.
Proto-oncogene
expression of c-*ret* proto-oncogene in mouse: PACHNIS, MANKOO AND COSTANTINI **119**, 1005.
tail and inner ear defects in *int-2* mutant mice: MANSOUR, GODDARD AND CAPECCHI **117**, 13.
PS integrin
Drosophila wing development: FRISTROM, WILCOX AND FRISTROM **117**, 509.
Puffs
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
qmfl
delayed somitogenesis in quail: COUTINHO, MORRIS, MARKS, BUHR AND IVARIE **117**, 563.
Quail
delayed somitogenesis in quail: COUTINHO, MORRIS, MARKS, BUHR AND IVARIE **117**, 563.
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CIMENT **118**, 1313.
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
somite pattern regulation: PACKARD, ZHENG AND TURNER **117**, 779.
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
Quail-chick chimera
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.
segmental organization of chick hindbrain: KURATANI AND EICHELE **117**, 105.
Rabbit
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
RARs
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
***Ras* gene**
Drosophila Ras2 and *Rop* genes: SALZBERG, COHEN, HALACHMI, KIMCHIE AND LEV **117**, 1309.
Rat
cell cycle during rat gastrulation: MAC AULEY, WERB AND MIRKES **117**, 873.
Cwnt-8C in axial and neural patterning: HUME AND DODD **119**, 1147.
floor plate induction: PLACZEK, JESSELL AND DODD **117**, 205.
guidance of retinal axons by chiasm membranes: WIZENMANN, THANOS, BOXBERG AND BONHOEFFER **117**, 725.
I_{Ca} and contraction appearance in muscle: COGNARD, CONSTANTIN, RIVET-BASTIDE, IMBERT, BESSE AND RAYMOND **117**, 1153.
migration and fate of SVZ cells: LEVISON, CHUANG, ABRAMSON AND GOLDMAN **119**, 611.
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
postnatal motoneuron maturation in rats: CURFS, GRIBNAU AND DEDEREN **117**, 535.
restricted cortical cell lineages: GROVE, WILLIAMS, LI, HAJIHOSSEINI AND FRIEDRICH **117**, 553.
the origin of oligodendrocytes?: PRINGLE AND RICHARDSON **117**, 525.
ventral spinal cord inhibits DRG outgrowth: FITZGERALD, KWIAT, MIDDLETON AND PINI **117**, 1377.
Rat brain
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Rat embryo
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
Rat kidney
differential expression of neurotrophin receptors: DURBEEJ, SODERSTROM, EBENDAL, BIRCHMEIER AND EKBLOM **119**, 977.
normal cell death in the developing kidney: COLES, BURNE AND RAFF **118**, 777.
Rat muscle
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Rat nervous system
origin of spinal cord oligodendrocytes: NOLL AND MILLER **118**, 563.
Receptor
glp-1 can substitute for *lin-12*: FITZGERALD, WILKINSON AND GREENWALD **119**, 1019.
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.

Receptor tyrosine kinase
flk-1 expression during mouse embryogenesis: YAMAGUCHI, DUMONT, CONLON, BREITMAN AND ROSSANT **118**, 489.
tie-2 expression during vascular development: SCHNURCH AND RISAU **119**, 957.
Recombination
targeted disruption of the L14 S-type lectin: POIRIER AND ROBERTSON **119**, 1229.
Red blood cell
GATA factors in erythropoiesis: LEONARD, LIM AND ENGEL **119**, 519.
Redundancy
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
Regeneration
FGF receptors in limb regeneration: POULIN, PATRIE, BOTELHO, TASSAVA AND CHIU **119**, 353.
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
regeneration genes in *Drosophila*: BROOK, OSTAFICHUK, PIORECKY, WILKINSON, HODGETTS AND RUSSELL **117**, 1287.
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
Region-specific gene expression
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
Regional specification
NCAM in mouse neural tube: BALLY-CUIF, GORIDIS AND SANTONI **117**, 543.
Regulation
a functionally unique α-tubulin isotype: MATTHEWS, REES AND KAUFMAN **117**, 977.
embryo H^+ permeability: BALTZ, BIGGER AND LECHENE **118**, 1353.
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
Regulatory gene
wingless regulates wing formation: WILLIAMS, PADDOCK AND CARROLL **117**, 571.
***rel*B expression**
in lymphoid tissues: CARRASCO, RYSECK AND BRAVO **118**, 1221.
Renal development
differential expression of neurotrophin receptors: DURBEEJ, SODERSTROM, EBENDAL, BIRCHMEIER AND EKBLOM **119**, 977.
Repopulation
embryonic stem cell repopulation: MULLER AND DZIERZAK **118**, 1343.
Repression
regional repression of a *Drosophila* POU box gene: AFFOLTER, WALLDORF, KLOTER, SCHIER AND GEHRING **117**, 1199.
Repressor
repression of *Drosophila* pair-rule genes by *tramtrack*: BROWN AND WU **117**, 45.
Rescue
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
Respecification
regulation of cranial neural tube: SCHERSON, SERBEDZIJA, FRASER AND BRONNER-FRASER **118**, 1049.
Retina
guidance of retinal axons by chiasm membranes: WIZENMANN, THANOS, BOXBERG AND BONHOEFFER **117**, 725.
laminin receptors in the developing retina: DE CURTIS AND REICHARDT **118**, 377.
PDGF and its receptors in the retina: MUDHAR, POLLOCK, WANG, STILES AND RICHARDSON **118**, 539.
9-*cis*-retinoic acid
signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
Retinoic acid
antibodies to RAR isoforms: HILL, RAGSDALE AND BROCKES **117**, 937.
CRBP I/CRABP I in the mouse embryo: GUSTAFSON, DENCKER AND ERIKSSON **117**, 451.
ectopic expression of CRABP I in the lens: PEREZ-CASTRO, TRAN AND CHI NGUYEN-HUU **119**, 363.
Hox-4.5 and *Hox-3.6* expression during newt regeneration: SIMON AND TABIN **117**, 1397.
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
retinoic acid in the developing cochlea: KELLEY, XU, WAGNER, WARCHOL AND CORWIN **119**, 1041.
retinoids in morphallaxis of budding tunicates: KAWAMURA, HARA AND FUJIWARA **117**, 835.
retinoic acid and *Xenopus* embryogenesis: SCHUH, HALL, CREECH KRAFT, PRIVALSKY AND KIMELMAN **119**, 785.
Retinoic acid receptor
antibodies to RAR isoforms: HILL, RAGSDALE AND BROCKES **117**, 937.
Retinoid binding protein
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
Retinoid receptor
9-*cis*-retinoic acid signalling: THALLER, HOFMANN AND EICHELE **118**, 957.
Retinol
CRBP I/CRABP I in the mouse embryo: GUSTAFSON, DENCKER AND ERIKSSON **117**, 451.
retinoic acid and *Xenopus* embryogenesis: SCHUH, HALL, CREECH KRAFT, PRIVALSKY AND KIMELMAN **119**, 785.
Retinotectal
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Retinotopy
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Retroviral tagging
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Retroviral vector
migration and fate of SVZ cells: LEVISON, CHUANG, ABRAMSON AND GOLDMAN **119**, 611.
restricted cortical cell lineages: GROVE, WILLIAMS, LI, HAJIHOSSEINI AND FRIEDRICH **117**, 553.
Rhombomere
control of neural crest cell death: GRAHAM, HEYMAN AND LUMSDEN **119**, 233.
Cwnt-8C in axial and neural patterning: HUME AND DODD **119**, 1147.
gene expression in *kreisler* mouse embryos: FROHMAN, MARTIN, CORDES, HALAMEK AND BARSH **117**, 925.
Hoxa-1 mutant phenotype: MARK, LUFKIN, VONESCH, RUBERTE, OLIVO, DOLLE, GORRY, LUMSDEN AND CHAMBON **119**, 319.
reorganization of the hindbrain in *hox-A1* mutant mice: CARPENTER, GODDARD, CHISAKA, MANLEY AND CAPECCHI **118**, 1063.
segmental migration of the hindbrain neural crest: SECHRIST, SERBEDZIJA, SCHERSON, FRASER AND BRONNER-FRASER **118**, 691.
segmental organization of chick hindbrain: KURATANI AND EICHELE **117**, 105.
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.

RNA
bicoid mRNA localization elements: MACDONALD, KERR, SMITH AND LEASK **118**, 1233.
Psc is a chromosomal protein: MARTIN AND ADLER **117**, 641.
RARs and binding proteins in neurogenesis: RUBERTE, FRIEDERICH, CHAMBON AND MORRISS-KAY **118**, 267.
regulation of p75 and *trkA* expression: WYATT AND DAVIES **119**, 635.
sry α expression and cellularisation: IBNSOUDA, SCHWEISGUTH, DE BILLY AND VINCENT **119**, 471.
Xwnt-11: a maternally expressed *Xenopus wnt* gene: KU AND MELTON **119**, 1161.
RNA localization
microtubules and oocyte differentiation: THEURKAUF, ALBERTS, JAN AND JONGENS **118**, 1169.
swallow protein in *Drosophila*: HEGDE AND STEPHENSON **119**, 457.
RNA regulatory element
oskar mRNA localization elements: KIM-HA, WEBSTER, SMITH AND MCDONALD **119**, 169.
RNA splicing
SXl, master and slave: OLIVER, KIM AND BAKER **119**, 897.
RNA translation
control of gap junction assembly in mouse: DE SOUSA, VALDIMARSSON, NICHOLSON AND KIDDER **117**, 1355.
Rodent
cell cycle during rat gastrulation: MAC AULEY, WERB AND MIRKES **117**, 873.
Root
Arabidopsis root development: DOLAN, JANMAAT, WILLEMSEN, LINSTEAD, POETHIG, ROBERTS AND SCHERES **119**, 71.
RT-PCR
control of gap junction assembly in mouse: DE SOUSA, VALDIMARSSON, NICHOLSON AND KIDDER **117**, 1355.
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
runt
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
scalloped
wingless regulates wing formation: WILLIAMS, PADDOCK AND CARROLL **117**, 571.
Schistocerca americana
grasshopper epithelial alkaline phosphatase: CHANG, ZACHOW AND BENTLEY **118**, 651.
Lachesin and insect neurogenesis: KARLSTROM, WILDER AND BASTIANI **118**, 509.
Schistocerca gregaria
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
proliferation of neuroendocrine cells: KIRSCHENBAUM AND O'SHEA **118**, 1181.
Schwann cell
ascorbate induces P0 gene expression: FERNANDEZ-VALLE, FREGIEN, WOOD AND BUNGE **119**, 867.
intracrine bFGF in neural crest development: SHERMAN, STOCKER, MORRISON AND CIMENT **118**, 1313.
Sclerotome differentiation
Pax-1 as a mediator of notochordal signals: KOSEKI, WALLIN, WILTING, MIZUTANI, KISPERT, EBENSPERGER, HERRMANN, CHRIST AND BALLING **119**, 649.
Scr
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
scrambled
cytoskeleton in the syncytial *Drosophila* embryo: SULLIVAN, FOGARTY AND THEURKAUF **118**, 1245.
scute
a germ cell-specific X:A ratio in *Drosophila*: STEINMANN-ZWICKY **117**, 763.
pannier encodes zinc finger protein homologous to GATA-1: RAMAIN, HEITZLER, HAENLIN AND SIMPSON **119**, 1277.
Sea urchin
cell interactions during sea urchin skeletogenesis: ARMSTRONG, HARDIN AND MCCLAY **119**, 833.
epithelial invagination in sea urchin: LANE, KOEHL, WILT AND KELLER **117**, 1049.
mesodermal cell interactions in sea urchin embryo: ETTENSOHN AND RUFFINS **117**, 1275.
morphogenetic gene regulation: DAVIDSON **118**, 665.
size regulation and morphogenesis: ETTENSOHN AND MALINDA **119**, 155.
Secondary mesenchyme cell
mesodermal cell interactions in sea urchin embryo: ETTENSOHN AND RUFFINS **117**, 1275.
Secretion
epithelial invagination in sea urchin: LANE, KOEHL, WILT AND KELLER **117**, 1049.
Segment identity
Abdominal-B in *Schistocera*: KELSH, DAWSON AND AKAM **117**, 293.
autoregulation by *Ultrabithorax*: IRVINE, BOTAS, JHA, MANN AND HOGNESS **117**, 387.
Segment polarity gene
Drosophila segmentation: after the first three hours: LAWRENCE AND SAMPEDRO **119**, 971.
epidermal patterning in *Drosophila*: BEJSOVEC AND WIESCHAUS **119**, 501.
regulation of *wingless* transcription in *Drosophila*: INGHAM AND HIDALGO **117**, 283.
role of *armidillo* in adhesion and cytoskeleton: PEIFER, ORSULIC, SWEETON AND WIESCHAUS **118**, 1191.
runt establishes segment polarity: MANOUKIAN AND KRAUSE **118**, 785.
Segmental plate
somite pattern regulation: PACKARD, ZHENG AND TURNER **117**, 779.
Segmental repetition
uniformity of intersegmental neuronal composition: CLARKE AND LUMSDEN **118**, 151.
Segmental specificity
common origin of glia and neurons in *Drosophila*: UDOLPH, PROKOP, BOSSING AND TECHNAU **118**, 765.
Segmentation
Artemia engrailed gene: MANZANARES, MARCO AND GARESSE **118**, 1209.
conservation of *hairy* regulation: LANGELAND AND CARROLL **117**, 585.
Drosophila segmentation: after the first three hours: LAWRENCE AND SAMPEDRO **119**, 971.
engrailed homologue expression in leech embryos: LANS, WEDEEN AND WEISBLAT **117**, 857.
Hoxa-1 mutant phenotype: MARK, LUFKIN, VONESCH, RUBERTE, OLIVO, DOLLE, GORRY, LUMSDEN AND CHAMBON **119**, 319.
regional specification of neural ectoderm: THOMAS AND DZIADEK **117**, 253.
reorganization of the hindbrain in *hox-A1* mutant mice: CARPENTER, GODDARD, CHISAKA, MANLEY AND CAPECCHI **118**, 1063.
repression of *Drosophila* pair-rule genes by *tramtrack*: BROWN AND WU **117**, 45.
segmental gene expression in leech endoderm: NARDELLI-HAEFLIGER AND SHANKLAND **118**, 877.
segmental identity in the mesoderm: GLEIZER AND STENT **117**, 177.
segmental migration of the hindbrain neural crest: SECHRIST, SERBEDZIJA, SCHERSON, FRASER AND BRONNER-FRASER **118**, 691.

somite pattern regulation: PACKARD, ZHENG AND TURNER **117**, 779.
Segregation
Caenorhabditis gut specification: GOLDSTEIN **118**, 1267.
Sense organ
asense, a neural precursor gene: BRAND, JARMAN, JAN AND JAN **119**, 1.
Xenopus distal-less in forebrain development: PAPALOPULU AND KINTNER **117**, 961.
Sensory ganglion
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
chick *trk*B and neuronal BDNF receptors: DECHANT, BIFFO, OKAZAWA, KOLBECK, POTTGIESSER AND BARDE **119**, 545.
Sensory neuron
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
commitment of placodal ectoderm: VOGEL AND DAVIES **119**, 263.
regulation of p75 and *trkA* expression: WYATT AND DAVIES **119**, 635.
wing sensory axons in *Drosophila* mutants: WHITLOCK **117**, 1251.
Sensory neuron development
regulated by LIF/NGF: MURPHY, REID, BROWN AND BARTLETT **117**, 1173.
Sensory organ
cut expression in *Drosophila*: BLOCHLINGER, JAN AND JAN **117**, 441.
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
Sequence evolution
conservation of *hairy* regulation: LANGELAND AND CARROLL **117**, 585.
***serendipity* α**
sry α expression and cellularisation: IBNSOUDA, SCHWEISGUTH, DE BILLY AND VINCENT **119**, 471.
Serine protease
t-PA in the preimplantation mouse embryo: CARROLL, RICHARDS, DARROW, WELLS AND STRICKLAND **119**, 191.
Serine/threonine protein kinase
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
Sertoli
Wilms' tumor gene expression: MUNDLOS, PELLETIER, DARVEAU, BACHMANN, WINTERPACHT AND ZABEL **119**, 1329.
seven-up
ectopic expression of *seven-up*: HIROMI, MLODZIK, WEST, RUBIN AND GOODMAN **118**, 1123.
Sex combs reduced
homeodomain protein functional specificity: ZENG, ANDREW, MATHIES, HORNER AND SCOTT **118**, 339.
Sex determination
a germ cell-specific X:A ratio in *Drosophila*: STEINMANN-ZWICKY **117**, 763.
activation of *Sex-lethal* in the germ line: GRANADINO, SANTAMARIA AND SANCHEZ **118**, 813.
Drosophila AS-C feminizing activities: PARKHURST, LIPSHITZ AND ISH-HOROWICZ **117**, 737.
otu and germ-line sex determination: PAULI, OLIVER AND MAHOWALD **119**, 123.
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
SXl, master and slave: OLIVER, KIM AND BAKER **119**, 897.
***Sex-lethal* splicing**
activation of *Sex-lethal* in the germ line: GRANADINO, SANTAMARIA AND SANCHEZ **118**, 813.
a germ cell-specific X:A ratio in *Drosophila*: STEINMANN-ZWICKY **117**, 763.
Drosophila AS-C feminizing activities: PARKHURST, LIPSHITZ AND ISH-HOROWICZ **117**, 737.
otu and germ-line sex determination: PAULI, OLIVER AND MAHOWALD **119**, 123.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
Sex reversal
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Sexual differentiation
foetal testes and gubernacular cone growth in rabbits: VAN DER SCHOOT **118**, 1327.
SH3-binding site
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
SHOOT MERISTEMLESS
meristem initiation in *Arabidopsis*: BARTON AND POETHIG **119**, 823.
Short-germ insect
Abdominal-B in *Schistocera*: KELSH, DAWSON AND AKAM **117**, 293.
Signal transduction
a gradient of dorsal protein: GOVIND, BRENNAN AND STEWARD **117**, 135.
characterization of *D-raf* mutations: MELNICK, PERKINS, LEE, AMBROSIO AND PERRIMON **118**, 127.
extracellular matrix and differentiation: ADAMS AND WATT **117**, 1183.
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
Single-cell transplantation
cell lineage in imaginal disc precursors: MEISE AND JANNING **118**, 1107.
sisterless-b
a germ cell-specific X:A ratio in *Drosophila*: STEINMANN-ZWICKY **117**, 763.
***sisterless* genes**
Drosophila AS-C feminizing activities: PARKHURST, LIPSHITZ AND ISH-HOROWICZ **117**, 737.
Size regulation
size regulation and morphogenesis: ETTENSOHN AND MALINDA **119**, 155.
Skeletal enhancer
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.
Skeletal muscle
developmental expression of *Fgf6*: DELAPEYRIERE, OLLENDORFF, PLANCHE, OTT, PIZETTE, COULIER AND BIRNBAUM **118**, 601.
I_{Ca} and contraction appearance in muscle: COGNARD, CONSTANTIN, RIVET-BASTIDE, IMBERT, BESSE AND RAYMOND **117**, 1153.
MLC2 expression during muscle development: FAERMAN AND SHANI **118**, 919.
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Skeletal muscle fiber type
fiber-type specificity of TnIfast transgenes: HALLAUER, BRADSHAW AND HASTINGS **119**, 691.
Skeletogenesis
mesodermal cell interactions in sea urchin embryo: ETTENSOHN AND RUFFINS **117**, 1275.

size regulation and morphogenesis: ETTENSOHN AND MALINDA **119**, 155.
Skeleton
cell interactions during sea urchin skeletogenesis: ARMSTRONG, HARDIN AND MCCLAY **119**, 833.
Skin appendage
dye coupling patterns in embryonic skin: SERRAS, FRASER AND CHUONG **119**, 85.
***Sl* locus**
neurite outgrowth and neuronal survival by SCF: HIRATA, MORII, MORIMOTO, KASUGAI, TSUJIMURA, HIROTA, KANAKURA, NOMURA AND KITAMURA **119**, 49.
Slugger mutant
stalk cell differentiation in *Dictyostelium*: INOUYE AND GROSS **118**, 523.
snail1
expression of *sna-1* in zebrafish embryos: HAMMERSCHMIDT AND NUSSLEIN-VOLHARD **119**, 1107.
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
Somite
delayed somitogenesis in quail: COUTINHO, MORRIS, MARKS, BUHR AND IVARIE **117**, 563.
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.
myoblast diversity and the MyoD family: SMITH, BLOCK, RHODES, KONIECZNY AND MILLER **117**, 1125.
somite pattern regulation: PACKARD, ZHENG AND TURNER **117**, 779.
Somitogenesis
expression of *sna-1* in zebrafish embryos: HAMMERSCHMIDT AND NUSSLEIN-VOLHARD **119**, 1107.
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
Spacing
expression of stripe enhancers in the *even-skipped* promoter: SMALL, ARNOSTI AND LEVINE **119**, 767.
spadetail
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
Specification
combinatorial regulation of cell identity: MITANI, DU, HALL, DRISCOLL AND CHALFIE **119**, 773.
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
Spemann's organizer
Spemann's organizer in the *Xenopus* tailbud: GONT, STEINBEISSER, BLUMBERG AND DE ROBERTIS **119**, 991.
Sperm
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.
Spermatogenesis
cyclin B2 in mouse germ cells: CHAPMAN AND WOLGEMUTH **118**, 229.
transcriptional regulation of *Tcp-10b*: EWULONU, BURATYNSKI AND SCHIMENTI **117**, 89.
Sphenoid bone
embryogeny of skull in vertebrates: COULY, COLTEY AND LE DOUARIN **117**, 409.
Spicule formation
cell interactions in *Caenorhabditis*: CHAMBERLIN AND STERNBERG **118**, 297.
Spinal cord
origin of spinal cord oligodendrocytes: NOLL AND MILLER **118**, 563.
Pax gene expression in the developing chick spinal cord: GOULDING, LUMSDEN AND GRUSS **117**, 1001.
postnatal motoneuron maturation in rats: CURFS, GRIBNAU AND DEDEREN **117**, 535.
survival of leg and wing motoneurons: METTLING, CAMU AND HENDERSON **118**, 1149.
ventral spinal cord inhibits DRG outgrowth: FITZGERALD, KWIAT, MIDDLETON AND PINI **117**, 1377.
Spindle function
a functionally unique α-tubulin isotype: MATTHEWS, REES AND KAUFMAN **117**, 977.
spitz
spitz class gene influence on epidermis: KIM AND CREWS **118**, 893.
Splicing
P-element splicing in pole cells: KOBAYASHI, KITAMURA, SASAKI AND OKADA **117**, 885.
Sxl expression in the germ line: BOPP, HORABIN, LERSCH, CLINE AND SCHEDL **118**, 797.
Splotch
mutant interaction in mouse neurulation: ESTIBEIRO, BROOK AND COPP **119**, 113.
spt
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
Sr^{2+}
Ca^{2+} spiking in oocytes: CHEEK, MCGUINNESS, VINCENT, MORETON, BERRIDGE AND JOHNSON **119**, 179.
SRY
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Stage-specific cDNA
cDNAs mark stages of granule cell development: KUHAR, FENG, VIDAN, ROSS, HATTEN AND HEINTZ **117**, 97.
Staging
morphological landmarks of mouse gastrulation: DOWNS AND DAVIES **118**, 1255.
Stalk cell
induction of terminal differentiation of *Dictyostelium*: HOPPER, ANJARD, REYMOND AND WILLIAMS **119**, 147.
prestalk cell cellulose synthesis: BLANTON **119**, 703.
steel
role of c-*kit* in fetal hematopoiesis: OGAWA, NISHIKAWA, YOSHINAGA, HAYASHI, KUNISADA, NAKAO, KINA, SUDO, KODAMA AND NISHIKAWA **117**, 1089.
Stem cell factor
neurite outgrowth and neuronal survival by SCF: HIRATA, MORII, MORIMOTO, KASUGAI, TSUJIMURA, HIROTA, KANAKURA, NOMURA AND KITAMURA **119**, 49.
SCF and LIF prevent apoptosis in PGCs: PESCE, FARRACE, PIACENTINI, DOLCI AND DE FELICI **118**, 1089.
Steroid hormone
molecular phenotypes of *Broad-Complex* mutations: KARIM, GUILD AND THUMMEL **118**, 977.
Steroid receptor
ectopic expression of *seven-up*: HIROMI, MLODZIK, WEST, RUBIN AND GOODMAN **118**, 1123.
Steroid regulation
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
strawberry notch
gene in *Drosophila*: COYLE-THOMPSON AND BENERJEE **119**, 377.
Striatum
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Stripe
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.

Subplate neurons
subplate neurons and cortical targeting: GHOSH AND SHATZ **117**, 1031.
Subtractive cloning
ascidian *Uro* genes: SWALLA, MAKABE, SATOH AND JEFFERY **119**, 307.
Subventricular zone
migration and fate of SVZ cells: LEVISON, CHUANG, ABRAMSON AND GOLDMAN **119**, 611.
Surface protein
migration of moth germ cells: NARDI **118**, 967.
Suspension culture
early upregulation of type VI collagen: QUARTO, DOZIN, BONALDO, CANCEDDA AND COLOMBATTI **117**, 245.
Sympathetic neuroblast
sequential action of NT-3 and NGF on sympathetic neuroblasts: BIRREN, LO AND ANDERSON **119**, 597.
Synapse
Synaptotagmin expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
Synaptotagmin
expression in *Drosophila*: LITTLETON, BELLEN AND PERIN **118**, 1077.
Syndecan-1
developmental expression of fibroglycan: DAVID, BAI, VAN DER SCHUEREN, MARYNEN, CASSIMAN AND VAN DEN BERGHE **119**, 841.
T
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
***T* (*Brachyury*)**
chimeric analysis of *T*(*Brachyury*): WILSON, RASHBASS AND BEDDINGTON **117**, 1321.
T cell differentiation
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
***t* complex**
transcriptional regulation of *Tcp-10b*: EWULONU, BURATYNSKI AND SCHIMENTI **117**, 89.
T-maternal effect
genetic rescue of T-associated maternal effect: FILSON, LOUVI, EFSTRATIADIS AND ROBERTSON **118**, 731.
Tail
tail and inner ear defects in *int-2* mutant mice: MANSOUR, GODDARD AND CAPECCHI **117**, 13.
Tailbud
chimeric analysis of *T*(*Brachyury*): WILSON, RASHBASS AND BEDDINGTON **117**, 1321.
Spemann's organizer in the *Xenopus* tailbud: GONT, STEINBEISSER, BLUMBERG AND DE ROBERTIS **119**, 991.
Talpa occidentalis
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Target gene
targets of the *Deformed* homeotic gene: MAHAFFEY, JONES, HICKEL AND GRISWOLD **118**, 203.
Target selection
subplate neurons and cortical targeting: GHOSH AND SHATZ **117**, 1031.
Targeted expression
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
Targeted gene disruption
N-*myc* gene in the mouse: SAWAI, SHIMONO, WAKAMATSU, PALMES, HANAOKA AND KONDOH **117**, 1445.
Targeted mutagenesis
N-*myc* mutant mice: MOENS, STANTON, PARADA AND ROSSANT **119**, 485.
Tarsus
bric a brac function in limb development: GODT, COUDERC, CRAMTON AND LASKI **119**, 799.
TCF-1
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
Tectal marker
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Telencephalon
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Tenascin
tenascin and thrombospondin 2 mRNA: TUCKER **117**, 347.
Teratogen
CRBP I/CRABP I in the mouse embryo: GUSTAFSON, DENCKER AND ERIKSSON **117**, 451.
Teratogenesis
early specification of zebrafish dorsoventral axis: STACHEL, GRUNWALD AND MYERS **117**, 1261.
Teratogenic effect
retinoic acid and *Xenopus* embryogenesis: SCHUH, HALL, CREECH KRAFT, PRIVALSKY AND KIMELMAN **119**, 785.
TERM-1
brain neuroblast in the grasshopper: ZACHARIAS, WILLIAMS, MEIER AND REICHERT **118**, 941.
Terminal differentiation
induction of terminal differentiation of *Dictyostelium*: HOPPER, ANJARD, REYMOND AND WILLIAMS **119**, 147.
TERMINAL FLOWER
floral initiation process in *Arabidopsis*: SCHULTZ AND HAUGHN **119**, 745.
Testis cords
mesonephric contribution to testis differentiation: BUEHR, GU AND MCLAREN **117**, 273.
TGF-β
allocation of leg and wing imaginal discs: COHEN, SIMCOX AND COHEN **117**, 597.
decapentaplegic in visceral mesoderm: HURSH, PADGETT AND GELBART **117**, 1211.
TGFβ2 in heart development: DICKSON, SLAGER, DUFFIE, MUMMERY AND AKHURST **117**, 625.
TGF-β-related protein
decapentaplegic gradient in *Drosophila*: WHARTON, RAY AND GELBART **117**, 807.
Theory of neurulation
evaluation of theories of neurulation: CLAUSI AND BRODLAND **118**, 1013.
Thimerosal
Ca^{2+} spiking in oocytes: CHEEK, MCGUINNESS, VINCENT, MORETON, BERRIDGE AND JOHNSON **119**, 179.
Thrombospondin
tenascin and thrombospondin 2 mRNA: TUCKER **117**, 347.
[^{3}H Thymidine labeling
forebrain germinal zone heterogeneity: ACKLIN AND VAN DER KOOY **118**, 175.
Thyroid hormone
MyoD, Myogenin and muscle fibre type: HUGHES, TAYLOR, TAPSCOTT, GURLEY, CARTER AND PETERSON **118**, 1137.
Tight junction
cingulin expression in embryos: JAVED, FLEMING, HAY AND CITI **117**, 1145.
cingulin localisation in embryos: FLEMING, HAY, JAVED AND CITI **117**, 1135.

Time-lapse microscopy
zebrafish midblastula transition: KANE AND KIMMEL **119**, 447.
tinman
mesoderm development requires *tinman*: BODMER **118**, 719.
Tissue-plasminogen activator
t-PA in the preimplantation mouse embryo: CARROLL, RICHARDS, DARROW, WELLS AND STRICKLAND **119**, 191.
Toll
dorsal-ventral pattern formation in *Drosophila*: ROTH **117**, 1385.
Tongue
goosecoid expression in murine organogenesis: GAUNT, BLUM AND DE ROBERTIS **117**, 769.
Tooth
inhibition of amelogenin translation: DIEKWISCH, DAVID, BRINGAS, SANTOS AND SLAVKIN **117**, 471.
Touch receptor
combinatorial regulation of cell identity: MITANI, DU, HALL, DRISCOLL AND CHALFIE **119**, 773.
tramtrack
repression of *Drosophila* pair-rule genes by *tramtrack*: BROWN AND WU **117**, 45.
Trans-regulatory factor
homeotic protein expression in *trithorax* mutants: BREEN AND HARTE **117**, 119.
Transactivation
expression and function of *gsb* and *gsbn*: GUTJAHR, PATEL, LI, GOODMAN AND NOLL **118**, 21.
Transcription factor
D/V boundary in *Drosophila* wing: BLAIR **119**, 339.
dGATAa is dorsally restricted: WINICK, ABEL, LEONARD, MICHELSON, CHARDON-LORIAUX, HOLMGREN, MANIATIS AND ENGEL **119**, 1055.
expression of mouse *TCF-1* and *LEF-1*: OOSTERWEGEL, VAN DE WETERING, TIMMERMAN, KRUISBEEK, DESTREE, MEIJLINK AND CLEVERS **118**, 439.
GATA factors in erythropoiesis: LEONARD, LIM AND ENGEL **119**, 519.
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
HNF3 proteins and endoderm development: ANG, WIERDA, WONG, STEVENS, CASCIO, ROSSANT AND ZARET **119**, 1301.
hsp70 expression in amphibian oocyte: BILLOUD, RODRIGUEZ-MARTIN, BERARD, MOREAU AND ANGELIER **119**, 921.
MEF2D is an early marker of the myogenic lineage: BREITBART, LIANG, SMOOT, LAHERU, MAHDAVI AND NADAL-GINARD **118**, 1095.
Phox2 and Cux in mouse: VALARCHE, TISSIER-SETA, HIRSCH, MARTINEZ, GORIDIS AND BRUNET **119**, 881.
puffs and PCR: HUET, RUIZ AND RICHARDS **118**, 613.
regulation of Glass activity: ELLIS, O'NEILL AND RUBIN **119**, 855.
Transcriptional activation
zebrafish midblastula transition: KANE AND KIMMEL **119**, 447.
Transcriptional regulation
enhancer regions in the mouse *En-2* locus: LOGAN, KHOO, CADO AND JOYNER **117**, 905.
regulation and function of *hairy* gene: LARDELLI AND ISH-HOROWICZ **118**, 255.
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
Transcriptional repression
control of stalk cell patterning in *Dictyostelium*: HARWOOD, EARLY AND WILLIAMS **118**, 1041.
Transdifferentiation
gene expression during transdifferentiation: AGATA, KOBAYASHI, ITOH, MOCHII, SAWADA AND EGUCHI **118**, 1025.
Transfection
MAP2-induced processes: EDSON, WEISSHAAR AND MATUS **117**, 689.
Transfilter induction
dorsalization in *Xenopus* gastrulae: LETTICE AND SLACK **117**, 263.
Transgene
expression and DNA methylation of an X-linked transgene: DANDOLO, STEWART, MATTEI AND AVNER **118**, 641.
Transgenic mouse
desmin in transgenic mice: LI, MARCHAND, HUMBERT, BABINET AND PAULIN **117**, 947.
enhancer regions in the mouse *En-2* locus: LOGAN, KHOO, CADO AND JOYNER **117**, 905.
fiber-type specificity of TnIfast transgenes: HALLAUER, BRADSHAW AND HASTINGS **119**, 691.
histochemical study of floor plate cells: CAMPBELL AND PETERSON **119**, 1217.
induction of embryonic transcription in vitro: VERNET, CAVARD, ZIDER, FERGELOT, GRIMBER AND BRIAND **119**, 1293.
islet neogenesis in transgenic mice: GU AND SARVETNICK **118**, 33.
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
regulation of the *Hoxb-7* gene in vivo: VOGELS, CHARITE, DE GRAAF AND DESCHAMPS **118**, 71.
transcriptional regulation of *Tcp-10b*: EWULONU, BURATYNSKI AND SCHIMENTI **117**, 89.
Transmembrane signalling
lighting the fuse at fertilization: WHITAKER AND SWANN **117**, 1.
Transmitter phenotype
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
Transplantation
segmental identity in the mesoderm: GLEIZER AND STENT **117**, 177.
segmental organization of chick hindbrain: KURATANI AND EICHELE **117**, 105.
selective dispersal of rhombomere cells: GUTHRIE, PRINCE AND LUMSDEN **118**, 527.
Transposon
P-element splicing in pole cells: KOBAYASHI, KITAMURA, SASAKI AND OKADA **117**, 885.
Transrepression
enhancer factor δEF1 in embryogenesis: FUNAHASHI, SEKIDO, MURAI, KAMACHI AND KONDOH **119**, 433.
Tribolium castaneum
a beetle *abdominal-A* homolog: STUART, BROWN, BEEMAN AND DENELL **117**, 233.
Trigeminal ganglion
neurotrophin-4 is a neurotrophic factor for trigeminal ganglion: IBANEZ, ERNFORS, TIMMUSK, IP, ARENAS, YANCOPOULOS AND PERSSON **117**, 1345.
Trigeminal system
changing neuronal response to neurotrophins: BUCHMAN AND DAVIES **118**, 989.
trithorax
homeotic protein expression in *trithorax* mutants: BREEN AND HARTE **117**, 119.
trkA
regulation of p75 and *trkA* expression: WYATT AND DAVIES **119**, 635.
trkC
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
Trophectoderm
cingulin expression in embryos: JAVED, FLEMING, HAY AND CITI **117**, 1145.

Trophoblast
integrins in early mouse embryos: SUTHERLAND, CALARCO AND DAMSKY **119**, 1175.
Troponin I
fiber-type specificity of TnIfast transgenes: HALLAUER, BRADSHAW AND HASTINGS **119**, 691.
True hermaphroditism
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Tubulin
a functionally unique α-tubulin isotype: MATTHEWS, REES AND KAUFMAN **117**, 977.
tudor
localization of tudor protein in embryogenesis: BARDSLEY, MCDONALD AND BOSWELL **119**, 207.
Tumor
ectopic expression of CRABP I in the lens: PEREZ-CASTRO, TRAN AND CHI NGUYEN-HUU **119**, 363.
Tumor suppressor
expanded and the growth of imaginal discs: BOEDIGHEIMER AND LAUGHON **118**, 1291.
Tunicate
retinoids in morphallaxis of budding tunicates: KAWAMURA, HARA AND FUJIWARA **117**, 835.
twist
aneural myogenesis in *Drosophila*: BROADIE AND BATE **119**, 533.
Tyrosinase kinase
two *Drosophila* FGF-receptor homologues: SHISHIDO, HIGASHIJIMA, EMORI AND SAIGO **117**, 751.
Tyrosine hydroxylase
catecholaminergic sensory neurons: FAN AND KATZ **118**, 83.
differentiation of the endocrine pancreas: TEITELMAN, ALPERT, POLAK, MARTINEZ AND HANAHAN **118**, 1031.
Tyrosine kinase
developmental expression of the *trkC* receptor tyrosine kinase: TESSAROLLO, TSOULFAS, MARTIN-ZANCA, GILBERT, JENKINS, COPELAND AND PARADA **118**, 463.
Tyrosine kinase receptor
expression of c-*ret* proto-oncogene in mouse: PACHNIS, MANKOO AND COSTANTINI **119**, 1005.
Tyrosine kinase signal transduction
murine homologues of *seven in absentia*: DELLA, SENIOR AND BOWTELL **117**, 1333.
Tyrphostin
EGF regulates mandibular morphogenesis: SHUM, SAKAKURA, BRINGAS, LUO, SNEAD, MAYO, CROHIN, MILLAR, WERB, BUCKLEY, HALL, WARBURTON AND SLAVKIN **118**, 903.
Ultrabithorax
autoregulation by *Ultrabithorax*: IRVINE, BOTAS, JHA, MANN AND HOGNESS **117**, 387.
decapentaplegic in visceral mesoderm: HURSH, PADGETT AND GELBART **117**, 1211.
Ultraviolet irradiation
dorsalizing cytoplasm in *Xenopus*: HOLOWACZ AND ELINSON **119**, 277.
Ultraviolet light
ultraviolet light impairs zebrafish epiboly: STRAHLE AND JESUTHASAN **119**, 909.
undulated
Pax-1 as a mediator of notochordal signals: KOSEKI, WALLIN, WILTING, MIZUTANI, KISPERT, EBENSPERGER, HERRMANN, CHRIST AND BALLING **119**, 649.
Urokinase
urokinase in mesenchymal cell migration: MCGUIRE AND ALEXANDER **118**, 931.
***Uro* gene**
ascidian *Uro* genes: SWALLA, MAKABE, SATOH AND JEFFERY **119**, 307.
vasa
pipsqueak, a new posterior group gene: SIEGEL, JONGENS, JAN AND JAN **119**, 1187.
Vascular development
tie-2 expression during vascular development: SCHNURCH AND RISAU **119**, 957.
Vasculogenesis
fibronectin-deficient mice: GEORGE, GEORGES-LABOUESSE, PATEL-KING, RAYBURN AND HYNES **119**, 1079.
Vegetal pole
axis specification in *Xenopus*: FUJISUE, KOBAYAKAWA AND YAMANA **118**, 163.
v-erbA
retinoic acid and *Xenopus* embryogenesis: SCHUH, HALL, CREECH KRAFT, PRIVALSKY AND KIMELMAN **119**, 785.
Vertebra
Pax-1 as a mediator of notochordal signals: KOSEKI, WALLIN, WILTING, MIZUTANI, KISPERT, EBENSPERGER, HERRMANN, CHRIST AND BALLING **119**, 649.
Vesicle trafficking
Drosophila Ras2 and *Rop* genes: SALZBERG, COHEN, HALACHMI, KIMCHIE AND LEV **117**, 1309.
vestigial
wingless regulates wing formation: WILLIAMS, PADDOCK AND CARROLL **117**, 571.
Vinculin
bFGF-promoted neural tube cell adhesion: KINOSHITA, KINOSHITA, HEUER AND BOTHWELL **119**, 943.
Viscera
mesoderm development requires *tinman*: BODMER **118**, 719.
Visceral arch
Myf-5 and MRF4 regulatory sequences in transgenic mice: PATAPOUTIAN, MINER, LYONS AND WOLD **118**, 61.
Visceral mesoderm
decapentaplegic in visceral mesoderm: HURSH, PADGETT AND GELBART **117**, 1211.
mesoderm requirement for midgut morphogenesis: REUTER, GRUNEWALD AND LEPTIN **119**, 1135.
Visual system
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
Vital dye labelling
cell death in the *Drosophila* embryo: ABRAMS, WHITE, FESSLER AND STELLER **117**, 29.
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
Vitreous
FGF and lens growth patterns: SCHULTZ, CHAMBERLAIN, DE IONGH AND MCAVOY **118**, 117.
W-sash
c-*kit/W* expression mutation: DUTTLINGER, MANOVA, CHU, GYSSLER, ZELENETZ, BACHVAROVA AND BESMER **118**, 705.
Wilms' tumor
gene expression: MUNDLOS, PELLETIER, DARVEAU, BACHMANN, WINTERPACHT AND ZABEL **119**, 1329.
Wing
Drosophila wing development: FRISTROM, WILCOX AND FRISTROM **117**, 509.
gliogenesis in the adult fly PNS: GIANGRANDE, MURRAY AND PALKA **117**, 895.
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
Wing disc
wingless regulates wing formation: WILLIAMS, PADDOCK AND CARROLL **117**, 571.

Wing imaginal disc
D/V boundary in *Drosophila* wing: BLAIR **119**, 339.
Wing structure
genetic analysis of *Drosophila* laminin A: HENCHCLIFFE, GARCIA-ALONSO, TANG AND GOODMAN **118**, 325.
wingless
allocation of leg and wing imaginal discs: COHEN, SIMCOX AND COHEN **117**, 597.
epidermal patterning in *Drosophila*: BEJSOVEC AND WIESCHAUS **119**, 501.
regulation of *wingless* transcription in *Drosophila*: INGHAM AND HIDALGO **117**, 283.
ubiquitous expression of *wingless*: SAMPEDRO, JOHNSTON AND LAWRENCE **117**, 677.
targeted gene expression in *Drosophila*: BRAND AND PERRIMON **118**, 401.
wingless in sensory organ development: PHILLIPS AND WHITTLE **118**, 427.
***W* locus**
neurite outgrowth and neuronal survival by SCF: HIRATA, MORII, MORIMOTO, KASUGAI, TSUJIMURA, HIROTA, KANAKURA, NOMURA AND KITAMURA **119**, 49.
Wnt
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
Cwnt-8C in axial and neural patterning: HUME AND DODD **119**, 1147.
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
Wnt in embryonic CNS and limb buds: PARR, SHEA, VASSILEVA AND MCMAHON **119**, 247.
Xwnt-5A in *Xenopus* embryos: MOON, CAMPBELL, CHRISTIAN, MCGREW, SHIH AND FRASER **119**, 97.
Woodlouse
early axon growth in woodlouse and crayfish: WHITINGTON, LEACH AND SANDEMAN **118**, 449.
X chromosome imprinting
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
in mouse ES cells: TADA, TADA AND TAKAGI **119**, 813.
X-chromosome inactivation
expression and DNA methylation of an X-linked transgene: DANDOLO, STEWART, MATTEI AND AVNER **118**, 641.
Xenopus
axis specification in *Xenopus*: FUJISUE, KOBAYAKAWA AND YAMANA **118**, 163.
cardiac muscle differentiation in *Xenopus*: LOGAN AND MOHUN **118**, 865.
catenins in the *Xenopus* embryo: SCHNEIDER, HERRENKNECHT, BUTZ, KEMLER AND HAUSEN **118**, 629.
dorsalizing cytoplasm in *Xenopus*: HOLOWACZ AND ELINSON **119**, 277.
FGF signalling in *Xenopus* early development: AMAYA, STEIN, MUSCI AND KIRSCHNER **118**, 477.
GATA-4 is expressed in the developing heart: KELLEY, BLUMBERG, ZON AND EVANS **118**, 817.
retinoic acid and *Xenopus* embryogenesis: SCHUH, HALL, CREECH KRAFT, PRIVALSKY AND KIMELMAN **119**, 785.
retinotectal projections in *Xenopus*: DEGEN, BRANDLE AND PETER **118**, 589.
vegetally localized maternal RNA: MOSQUERA, FORRISTALL, ZHOU AND KING **117**, 377.
***Xenopus* brain**
Xenopus anterior homeobox gene: SAHA, MICHEL, GULDING AND GRAINGER **118**, 193.
***Xenopus* gastrulation**
dorsalization in *Xenopus* gastrulae: LETTICE AND SLACK **117**, 263.
***Xenopus* gene**
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
isolation of a novel *Xenopus achaete-scute* homolog: ZIMMERMAN, SHIH, BARS, COLLAZO AND ANDERSON **119**, 221.
morphogenetic gene regulation: DAVIDSON **118**, 665.
role of *goosecoid*, *Wnt-8* and activin in axis formation: STEINBEISSER, DE ROBERTIS, KU, KESSLER AND MELTON **118**, 499.
Xsna promoter in *Drosophila*: MAYOR, ESSEX, BENNETT AND SARGENT **119**, 661.
Xwnt-11: a maternally expressed *Xenopus wnt* gene: KU AND MELTON **119**, 1161.
Xwnt-5A in *Xenopus* embryos: MOON, CAMPBELL, CHRISTIAN, MCGREW, SHIH AND FRASER **119**, 97.
***Xenopus* integrin**
Xenopus integrin α subunits: WHITTAKER AND DESIMONE **117**, 1239.
***Xenopus* neural crest**
Xenopus neural crest cell lineage: COLLAZO, BRONNER-FRASER AND FRASER **118**, 363.
***Xenopus* nervous system**
monoamines and neuronal differentiation: ROWE, MESSENGER AND WARNER **119**, 1343.
***Xenopus* neurogenesis**
neural induction by bFGF: KENGAKU AND OKAMOTO **119**, 1067.
Xenopus distal-less in forebrain development: PAPALOPULU AND KINTNER **117**, 961.
Xnot2
Spemann's organizer in the *Xenopus* tailbud: GONT, STEINBEISSER, BLUMBERG AND DE ROBERTIS **119**, 991.
XO
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
***Xsna* promoter**
Xsna promoter in *Drosophila*: MAYOR, ESSEX, BENNETT AND SARGENT **119**, 661.
Xwnt8
cooperating signal in *Xenopus* explants overexpressing Xwnt8: SOKOL **118**, 1335.
Xwnt gene
Xwnt-11: a maternally expressed *Xenopus wnt* gene: KU AND MELTON **119**, 1161.
XX-XY difference
an X imprinting effect on development: THORNHILL AND BURGOYNE **118**, 171.
XX-XY differences before implantation: BURGOYNE **117**, 341.
Yolk polypeptide
Drosophila ovarian follicles: GIORGI, LUCCHESI, MORELLI AND BOWNES **117**, 319.
Zebrafish
early specification of zebrafish dorsoventral axis: STACHEL, GRUNWALD AND MYERS **117**, 1261.
expression of *sna-1* in zebrafish embryos: HAMMERSCHMIDT AND NUSSLEIN-VOLHARD **119**, 1107.
protein Isl-1 in zebrafish neurodevelopment: KORZH, EDLUND AND THOR **118**, 417.
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
ultraviolet light impairs zebrafish epiboly: STRAHLE AND JESUTHASAN **119**, 909.
ventroposterior expression of the zebrafish *eve1*: JOLY, JOLY, SCHULTE-MERKER, BOULEKBACHE AND CONDAMINE **119**, 1261.
zebrafish heart development: STAINIER, LEE AND FISHMAN **119**, 31.
zebrafish midblastula transition: KANE AND KIMMEL **119**, 447.

ZFY
specific intersexuality in the mole: JIMENEZ, BURGOS, SANCHEZ, SINCLAIR, ALARCON, MARIN, ORTEGA AND DIAZ DE LA GUARDIA **118**, 1303.
Zinc finger
murine homologues of *seven in absentia*: DELLA, SENIOR AND BOWTELL **117**, 1333.
pannier encodes zinc finger protein homologous to GATA-1: RAMAIN, HEITZLER, HAENLIN AND SIMPSON **119**, 1277.
the zebrafish *snail1* gene: THISSE, THISSE, SCHILLING AND POSTLETHWAIT **119**, 1203.
vegetally localized maternal RNA: MOSQUERA, FORRISTALL, ZHOU AND KING **117**, 377.
Zinc finger-homeodomain protein
enhancer factor δEF1 in embryogenesis: FUNAHASHI, SEKIDO, MURAI, KAMACHI AND KONDOH **119**, 433.
ZO-1
cingulin localisation in embryos: FLEMING, HAY, JAVED AND CITI **117**, 1135.
Zona pellucida
sperm penetration through the zona pellucida: MILLER, GONG AND SHUR **118**, 1279.